

WO0242326

Publication Title:

Method of expression and agents identified thereby

Abstract:

The present invention relates generally to a method for the in vitro or in vivo production, by a eukaryotic host cell, of a protein from a negative sense single stranded RNA virus and, more particularly, to a method for the in vitro or in vivo production by a eukaryotic host cell of a protein from a virus of the family Paramyxoviridae and agents identified thereby. Still more particularly, said protein is the F, N, P or SH protein, the encoding nucleic acid molecule of which has been optimised for expression in a eukaryotic host cell. In yet another aspect, the present invention relates to a method for modulating the functional activity of an F protein. More particularly, said modulation is predicated on modulation of the functioning of a novel intrasequence cleavage event. In still another aspect, the protein expression product produced in accordance with the optimised expression method of the present invention and the method of modulating F protein functional activity are useful in a range of applications including, but not limited to, the identification, design and/or modification of agents capable of modulating functional activity of the subject protein. The proteins, encoding nucleic acid molecules and agents identified in accordance with the present invention are useful, inter alia, in the treatment and/or prophylaxis of viral infections.

Data supplied from the esp@cenet database - <http://ep.espacenet.com>

This Patent PDF Generated by Patent Fetcher(TM), a service of Stroke of Color, Inc.

ATTORNEY DOCKET NUMBER: 10589-033-999
SERIAL NUMBER: 10/551,304
REFERENCE: **B10**

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
30 May 2002 (30.05.2002)

PCT

(10) International Publication Number
WO 02/42326 A1

- (51) International Patent Classification⁷: C07K 14/08, 14/115, 14/135, 16/10, A61K 38/16, 39/155, A61P 11/00, C12N 15/45, 15/40, C12Q 1/68, G01N 1/68
- (74) Agents: OBRANOVICH, Tania, D. et al.; Davies Colli-
son Cave, 1 Little Collins Street, Melbourne, Victoria 3000
(AU).
- (21) International Application Number: PCT/AU01/01517
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,
SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN,
YU, ZA, ZM, ZW.
- (22) International Filing Date:
22 November 2001 (22.11.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/252,767 22 November 2000 (22.11.2000) US
- (84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,
GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,
NE, SN, TD, TG).
- (71) Applicant (*for all designated States except US*): BIOTA
SCIENTIFIC MANAGEMENT PTY LTD [AU/AU];
616 St. Kilda Road, Melbourne, Victoria 3004 (AU).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): MASON, Anthony,
John [AU/AU]; 509 Centre Road, Bentleigh, Victoria 3204
(AU). TUCKER, Simon, Peter [GB/AU]; 10B Karrakatta
Street, Black Rock, Victoria 3193 (AU). YOUNG, Paul,
R. [AU/AU]; 20 Joffre Street, Ashgrove, Queensland 4060
(AU).
- Published:
— with international search report
- For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: A METHOD OF EXPRESSION AND AGENTS IDENTIFIED THEREBY

(57) Abstract: The present invention relates generally to a method for the *in vitro* or *in vivo* production, by a eukaryotic host cell, of a protein from a negative sense single stranded RNA virus and, more particularly, to a method for the *in vitro* or *in vivo* production by a eukaryotic host cell of a protein from a virus of the family Paramyxoviridae and agents identified thereby. Still more particularly, said protein is the F, N, P or SH protein, the encoding nucleic acid molecule of which has been optimised for expression in a eukaryotic host cell. In yet another aspect, the present invention relates to a method for modulating the functional activity of an F protein. More particularly, said modulation is predicated on modulation of the functioning of a novel intrasequence cleavage event. In still another aspect, the protein expression product produced in accordance with the optimised expression method of the present invention and the method of modulating F protein functional activity are useful in a range of applications including, but not limited to, the identification, design and/or modification of agents capable of modulating functional activity of the subject protein. The proteins, encoding nucleic acid molecules and agents identified in accordance with the present invention are useful, *inter alia*, in the treatment and/or prophylaxis of viral infections.

WO 02/42326 A1

- 1 -

A METHOD OF EXPRESSION AND AGENTS IDENTIFIED THEREBY

FIELD OF THE INVENTION

5 The present invention relates generally to a method for the *in vitro* or *in vivo* production, by a eukaryotic host cell, of a protein from a negative sense single stranded RNA virus and, more particularly, to a method for the *in vitro* or *in vivo* production by a eukaryotic host cell of a protein from a virus of the family Paramyxoviradae and agents identified thereby. Still more particularly, said protein is the F, N, P or SH protein, the encoding
10 nucleic acid molecule of which has been optimised for expression in a eukaryotic host cell. In yet another aspect, the present invention relates to a method for modulating the functional activity of an F protein. More particularly, said modulation is predicated on modulation of the functioning of a novel intrasequence cleavage event. In still another aspect, the protein expression product produced in accordance with the optimised
15 expression method of the present invention and the method of modulating F protein functional activity are useful in a range of applications including, but not limited to, the identification, design and/or modification of agents capable of modulating functional activity of the subject protein. The proteins, encoding nucleic acid molecules and agents identified in accordance with the present invention are useful, *inter alia*, in the treatment
20 and/or prophylaxis of viral infections.

BACKGROUND OF THE INVENTION

Bibliographic details of the publications referred to by author in this specification are
25 collected alphabetically at the end of the description.

The reference to any prior art in this specification is not, and should not be taken as, an acknowledgment or any form of suggestion that that prior art forms part of the common general knowledge in Australia.

30

- 2 -

Paramyxoviridae describes a family of enveloped viruses which exhibit a non-segmented, negative sense single stranded RNA genome. This family includes some significant pathogens of humans, animals and birds including the causel agents of measles, mumps, Newcastle disease, various respiratory diseases, Rinderpest and canine distemper.

5

Within this family exist two subfamilies (Paramyxovirinae and Pneumovirinae). Each subfamily comprises a number of genera - the genera of Pneumovirinae being Pneumovirus. In general, infection by these viruses occurs by fusion of the virus envelope with the plasma membrane of the host cell. Transcription and replication occur in the
10 cytoplasm. Virions mature by budding through the host cell plasma membrane at sites containing the virus envelope proteins. Infected host cells commonly lyse, but temperate and persistent infections also occur. Infection of the host cell commonly results in cell fusion and syncytium formation, inclusions and haemadsorption.

15 The Pneumovirus genus of Paramyxoviridae differ from Rubulavirus, Morbillivirus and Paramyxovirus genera in that the members lack both haemagglutinin and neuraminidase activity. The Pneumovirus genus includes bovine and human respiratory syncytial virus amongst others. The latter virus is known to cause severe respiratory disease of humans whereas the former is an example of a family member responsible for animal diseases.

20

In general terms, the Paramyxovirus virion consists of a helical nucleocapsid, composed of genomic single stranded RNA and proteins NP, P and L, surrounded by an envelope containing a non-glycosylated M protein in the inner layer and two glycoproteins which extend across the width of the envelope and beyond the outer surface to form spikes. The
25 larger of the envelope glycoproteins (often designated HN) exhibits cell binding, haemagglutinating and neuraminidase activities, while the smaller F (fusion) protein often exhibits haemolytic activity and promotes fusion between the virus envelope and the host plasma membrane. The F protein can also promote cell-cell fusion. The F protein is generally synthesised as an inactive precursor which is activated by proteolytic cleavage.
30 In Pneumoviruses the G glycoprotein substitutes for HN.

- 3 -

Host cell infection is thought to occur by adsorption, via HN or G, to the cell surface, followed by F protein mediated fusion between the virus envelope and the host plasma membrane. Viral glycoproteins are also synthesised on membrane bound polysomes, glycosylated, and inserted into the host plasma membrane. During maturation, the virions
5 bud through the region of the membrane containing these proteins. Accordingly, in terms of treating Paramyxoviridae virus infectivity, modulation of F protein functional activity provides a potential therapeutic mechanism since down-regulating or inhibiting F protein functioning would interfere with F protein mediated fusion of the virion with a potential host cell, and/or virion budding from cells which are already infected. However, in order
10 to screen for agents which can modulate F protein functional activity, or to utilise F protein for any other purpose, it is necessary to establish an efficient and routinely reproducible *in vitro* system of producing recombinant F proteins, and in particular functionally active F proteins. To date this has proved elusive with existing expression systems producing only low levels of either inactive or very poorly active F proteins which often require co-
15 expression with other viral glycoproteins to form syncytia. Further, to the extent that F protein is produced, albeit inactive or poorly active, only very low concentrations of protein products have been obtained.

The notion of codon usage is a poorly understood phenomenon which impacts on the
20 efficiency of expression product production by given cells. Specifically, it has been determined that the levels of expression of protein produced by a cell can vary depending on the particular form of codon which is expressed in relation to a given amino acid. Although some amino acids are encoded by only one type of codon, other amino acids are encoded by up to six different codons, the efficiency of expression of which will vary
25 depending on the host cell in which it is being expressed. It appears that certain types of cells exhibits preferences for expressing certain codon forms.

In work leading up to the present invention, the inventors have developed an *in vitro* expression system which both facilitates the production of functionally active F protein
30 expression product and facilitate the production of significantly higher concentrations of F protein, or fragments thereof, than has been previously available. This system is based on

- 4 -

identification by the inventors of two aspects of negative sense single stranded RNA viral protein expression which are compromised when the subject expression is performed in eukaryotic cells *in vitro*, these being inefficient codon usage and the presence of unwanted intrasequence mRNA splice sites.

5

With respect to the former aspect, the inventors have identified codons within the viral protein nucleic acid encoding molecule which are not efficiently expressed by a given eukaryotic host cell due to their not taking a form preferred by the host cell of interest. By establishing the form of codon preferably expressed by a given host cell, and modifying
10 the viral protein encoding DNA sequence accordingly, the inventors have achieved levels of viral protein production, in particular F protein production, which have not, to date, been obtainable in normal mammalian expression systems. Further, the method of the present invention facilitates the production of functionally active F proteins.

15 In light of the fact that the basis and mechanism of codon usage preferences are not fully understood, there exist no conclusive theoretical principals by which one can predict with any certainty precisely which codons are not preferred by a given host cell nor which form they should ideally take. Accordingly, the successful development of viral protein encoding nucleic acid molecules which exhibits codons preferred by eukaryotic cells is a
20 significant development.

With respect to the latter aspect of *in vitro* expression of the subject viral proteins, the inventors have further surprisingly determined that the *in vitro* expression of negative sense single stranded RNA viral proteins is compromised where *in vitro* expression is
25 based on expression of a complementary DNA form of the naturally occurring RNA sequence encoding the protein of interest. This is due in part to the unexpected presence of RNA splice sites. Identification and removal of the unwanted splice sites has further facilitated efficient and increased viral protein production.

30 In a related aspect, and with respect to the F protein in particular, the inventors have identified a previously unknown intrasequence cleavage site which is involved in the

- 5 -

generation of functionally active F protein. Identification of this cleavage site now facilitates, *inter alia*, development of methods and identification of agents for modulation F protein cleavage and thereby methods of modulating F protein functioning.

5 The developments herein described now permit the identification and/or rational analysis, design and/or modification of agents for use in modulating viral protein functional activity and, in particular, F protein functional activity. Further, the developments of the present invention also facilitate generation of DNA and protein vaccines directed to the *in vivo* induction of an immune response to the subject proteins. The viral molecules produced in
10 accordance with the method of the present invention and agents herein identified are useful *inter alia*, in a range of prophylactic and therapeutic applications relating to viral infections.

SUMMARY OF THE INVENTION

15

Throughout this specification and the claims which follow, unless the context requires otherwise, the word "comprise", and variations such as "comprises" and "comprising", will be understood to imply the inclusion of a stated integer or step or group of integers or steps but not the exclusion of any other integer or step or group of integers or steps.

20

The subject specification contains nucleotide and amino acid sequence information prepared using the programme PatentIn Version 3.1, presented herein after the bibliography. Each nucleotide or amino acid sequence is identified in the sequence listing by the numeric indicator <210> followed by the sequence identifier (e.g. <210>1, <210>2,
25 etc). The length, type of sequence (DNA, protein (PRT), etc) and source of organism for each nucleotide or amino acid sequence are indicated by information provided in the numeric indicator fields <211>, <212> and <213>, respectively. Nucleotide and amino acid sequences referred to in the specification are defined in the information provided in numeric indicator field <400> followed by the sequence identifier (e.g. <400>1, <400>2,
30 etc). A summary of the sequence listings herein provided is detailed in Table 1.

- 6 -

Specific mutations in amino acid sequence are represented herein as "Xaa₁nXaa₂" where Xaa₁ is the original amino acid residue before mutation, n is the residue number and Xaa₂ is the mutant amino acid. The abbreviation "Xaa" may be the three letter or single letter amino acid code. A mutation in single letter code is represented, for example, by X₁nX₂ where X₁ and X₂ are the same as Xaa₁ and Xaa₂, respectively. The amino acid residues for F protein are numbered with the first residue R in the motif RARR being residue number 106.

One aspect of the present invention is directed to a method of facilitating production of a protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by a eukaryotic cell.

Another aspect of the present invention provides a method of facilitating production of a protein or derivative thereof from a virus of the family Paramyxoviridae, said method comprising expressing in a host cell a nucleic acid molecule encoding said protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by a eukaryotic host cell.

Yet another aspect of the present invention provides a method of facilitating production of a protein or derivative thereof from a negative sense single stranded RNA virus, which protein directly or indirectly facilitates fusion of any one or more viral components with any one or more host cell components, said method comprising expressing in a host cell a nucleic acid molecule encoding said protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by a eukaryotic cell.

Still another aspect of the present invention is therefore more particularly directed to a method of facilitating production of a F protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid

- 7 -

molecule encoding said F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by a eukaryotic cell.

Yet still another aspect of the present invention provides a method of facilitating
5 production of a N protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said N protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by a eukaryotic cell.

10 Still yet another aspect of the present invention provides a method of facilitating production of a P protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said P protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by a eukaryotic cell.

15 A further aspect provides a method of facilitating production of a SH protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said SH protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for
20 expression by a eukaryotic cell.

Another further aspect provides a method of facilitating production of a protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said
25 protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell.

Yet another further aspect of the present invention is directed to a method of facilitating production of a protein or derivative thereof from a negative sense single stranded RNA
30 virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said protein or derivative thereof, the nucleotide sequence of which

- 8 -

nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation and/or nucleotide splice site deletion.

Still another further aspect provides a method of facilitating production of F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is nucleotide splice site deletion.

Still yet another further aspect of the present invention is directed to a method of facilitating production of a F_{sol} portion of an F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said F_{sol} portion or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is nucleotide splice site deletion.

Yet still another further aspect provides a method of facilitating production of F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation.

Another aspect of the present invention is directed to a method of facilitating production of a F_{sol} portion of an F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said F_{sol} portion or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation.

Yet another aspect of the present invention provides a method of facilitating production of F protein or derivative thereof from respiratory syncytial virus, said method comprising

- 9 -

expressing in a mammalian host cell a nucleic acid molecule encoding said F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is nucleotide splice site deletion and codon optimisation.

5

Still another another aspect of the present invention provides a method of facilitating the production of a F protein or derivative thereof from a respiratory syncytial virus, said method comprising expressing in a host cell the nucleotide sequence set forth in <400>5 or derivative thereof.

10

Yet still another aspect provides a method of facilitating the production of a F_{sol} portion of an F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell the nucleotide sequence set forth in <400>6 or derivative thereof.

15 Still yet another aspect provides a method of facilitating production of P protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said P protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation.

20

A further aspect provides a method of facilitating the production of a P protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell the nucleotide sequence set forth in <400>556 or derivative thereof.

25 Another further aspect provides a method of facilitating production of N protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said N protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation.

30

- 10 -

Yet another further aspect provides a method of facilitating the production of a N protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell the nucleotide sequence set forth in <400>559 or derivative thereof.

5 Still another further aspect provides a method of facilitating production of SH protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said SH protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation.

10

Still yet another further aspect provides a method of facilitating the production of a SH protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell the nucleotide sequence set forth in <400>562 or derivative thereof.

15

In another aspect, the present invention should be understood to extend to the optimised nucleic acid molecules described herein and to the expression products derived therefrom.

Yet another aspect of the present invention is directed to a method of regulating the functional activity of a viral F protein, which protein in its non-fully functional form comprises an F2 portion linked, bound or otherwise associated with an F1 portion, which F2 portion comprises an intervening peptide sequence, said method comprising modulating cleavage of said intervening peptide sequence wherein excision of at least part of said intervening sequence from said non-fully functional form of said F protein up-regulates F
20 protein functional activity.
25

Still another aspect of the present invention is directed to a method of regulating the functional activity of a Paramyxoviridae derived F protein, which protein in its non-fully functional form comprises an F2 portion linked, bound or otherwise associated with an F1
30 portion, which F2 portion comprises an intervening peptide sequence, said method comprising modulating cleavage of said intervening peptide sequence wherein excision of

- 11 -

at least part of said intervening sequence from said non-fully functional form of said F protein up-regulates F protein functional activity.

Yet still another aspect of the present invention provides a method of regulating the functional activity of a respiratory syncytial virus F protein, which protein in its non-fully functional form comprises an F2 portion linked, bound or otherwise associated with an F1 portion, which F2 portion comprises an intervening peptide sequence, said method comprising modulating cleavage of said intervening peptide sequence, wherein excision of at least part of said intervening sequence from said non-fully functional form of said F protein up-regulates F protein functional activity and wherein said cleavage events occur at the cleavage sites defined by the peptide sequences RARR (<400>564) and KKRKRR (<400>563).

In a related aspect, the present invention provides a method of regulating the functional activity of a viral F protein, which protein in its non-fully functional form comprises the structure:

X_1, X_2, X_3

wherein:

X_1 comprises the non-intervening peptide sequence region of the F2 portion;

X_2 comprises the intervening peptide sequence region of the F₂ portion; and

X_3 comprises the F1 portion

said method comprising modulating cleavage of said intervening peptide sequence wherein excision of at least part of said intervening sequence from said non-fully functional form of said F protein up-regulates F protein functional activity.

Still yet another aspect provides a method of inhibiting, retarding or otherwise down-regulating the functional activity of a Paramyxoviridae derived F protein, which protein in its non-fully functional form comprises an F2 portion linked, bound or otherwise

- 12 -

associated with an F1 portion, which F2 portion comprises an intervening peptide sequence, said method comprising inhibiting or otherwise down-regulating cleavage of said intervening peptide sequence.

- 5 A further aspect of the present invention provides a method of down-regulating the functional activity of a Paramyxoviridae derived F protein, which protein in its non-fully functional form comprises the structure:

$$X_1X_2X_3$$

10

wherein:

X_1 comprises the non-intervening peptide sequence region of the F2 portion;

X_2 comprises the intervening peptide sequence region of the F2 portion; and

X_3 comprises the F1 portion

15

said method comprising inhibiting or otherwise down-regulating cleavage of said intervening peptide sequence.

- Another further aspect provides a method for detecting an agent capable of regulating the functional activity of a viral F protein or derivative thereof said method comprising contacting a eukaryotic cell expressing an optimised nucleic acid molecule encoding said viral F protein or derivative thereof, as hereinbefore described, with a putative modulatory agent and detecting an altered expression phenotype and/or functional activity.

- 25 In yet another aspect there is provided a method for detecting an agent capable of regulating the functional activity of a viral F protein or derivative thereof said method comprising contacting a host cell, which host cell expresses a nucleic acid molecule encoding the non-fully functional form of said viral F protein or derivate thereof as hereinbefore described, with a putative modulatory agent and detecting an altered expression phenotype and/or altered functional activity wherein said agent modulates cleavage of the intervening peptide sequence.

30

- 13 -

Still another further aspect of the present invention is directed to a method for analysing, designing and/or modifying an agent capable of interacting with a viral F protein or derivative thereof and modulating at least one functional activity associated with said
5 protein, which protein is produced in accordance with the method of the present invention said method comprising contacting said F protein or derivate thereof with a putative agent and assessing the degree of interactive complementarity of said agent with said protein.

Still yet another further aspect of the present invention is directed to an agent capable of
10 interacting with a viral F protein and modulating at least one functional activity associated with said viral protein.

In still another aspect there is provided a viral F protein variant comprising a mutation in the intervening peptide sequence wherein said variant exhibits modulated functional
15 activity relative to wild type F protein or a derivative, homologue, analogue, chemical equivalent or mimetic of said variant.

Another aspect of the present invention provides a viral F protein variant comprising a mutation in the intervening peptide sequence wherein said variant exhibits down-regulated
20 functional activity relative to wild type F protein or a derivative, homologue, analogue, chemical equivalent or mimetic of said variant.

Yet another aspect provides a respiratory syncytial virus F protein variant comprising a mutation in the cleavage site defined by amino acids RARR (<400>564) wherein said
25 variant exhibits down-regulated functional activity relative to wild type F protein or a derivative, homologue, analogue, chemical equivalent or mimetic of said variant.

Preferably said mutation comprises one or more of the amino acid substitutions selected from the following list:

30

(i) R106G

- 14 -

(ii) A107Q

(iii) R108G

Still more preferably said F protein variant comprises the sequence substantially as set
5 forth in <400>565.

Still another aspect provides a respiratory syncytial virus F protein variant comprising a
multiple amino acid deletion from the intervening peptide sequence wherein said variant
exhibits down-regulated functional activity relative to wild type F protein or a derivative,
10 homologue, analogue, chemical equivalent of said variant.

It is more preferably provided that said amino acid deletion is a partial deletion of the
intervening peptide sequence and more preferably a deletion of the peptide sequence

15 RARRELPRFMNYTLNNAKKTNTLS <400>569.

Still more preferably said variant comprises the amino acid sequence substantially as set
forth in <400>567.

20 Yet still another aspect of the present invention is directed to an isolated nucleic acid
molecule selected from the list consisting of:

(i) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a
nucleotide sequence encoding or complementary to a sequence encoding a viral F
protein variant or derivative, homologue, analogue, chemical equivalent or mimetic
25 of said variant, which variant comprises a mutation in the intervening peptide
sequence wherein said variant exhibits modulated functional activity relative to
wild-type F protein.

(ii) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a
30 nucleotide sequence encoding or complementary to a sequence encoding a viral F
protein variant or derivative, homologue, analogue, chemical equivalent or mimetic

- 15 -

of said variant, which variant comprises a mutation in the intervening peptide sequence wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.

- 5 (iii) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a respiratory syncytial virus F protein or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a mutation in the cleavage site defined by amino acids RARR wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.
- 10
- (iv) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a respiratory syncytial virus F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises one or more of the amino acid substitutions selected from the following list:
- 15
- (a) R106G
 - (b) A107Q
 - (c) R108G
- 20
- (v) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a multiple amino acid deletion from the intervening peptide sequence wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.
- 25
- (vi) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic
- 30

- 16 -

of said variant, which variant comprises a partial deletion of the intervening peptide sequence and more preferably a deletion of the peptide sequence

RARRELPRFMNYTLNNAKKTNTLS <400>569.

5

- (vii) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises the amino acid sequence substantially as set forth in <400>567.

10

- (viii) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises the amino acid sequence substantially as set forth in <400>565.

15

- (ix) An isolated nucleic acid molecule or derivative or analogue thereof comprising the nucleotide substantially as set forth in <400>568.

20

- (x) An isolated nucleic acid molecule or derivative or analogue thereof comprising the nucleotide substantially as set forth in <400>566.

Still yet another aspect of the present invention provides a recombinant viral construct comprising a nucleic acid molecule encoding a viral F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule comprises codons optimised for expression in a eukaryotic cell, wherein said recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an immune response to said F protein.

A further aspect of the present invention provides a recombinant viral construct comprising a nucleic acid molecule encoding a viral F protein variant or derivative thereof wherein

30

- 17 -

said recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an immune response to said F protein variant.

Another further aspect of the present invention relates to a vaccine comprising a
5 recombinant viral construct which construct comprises a nucleic acid molecule encoding a
respiratory syncytial virus F protein or derivative thereof, the nucleotide sequence of which
nucleic acid molecule is optimised for expression in a eukaryotic cell wherein said
recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an
immune response to said F protein.

10

Yet another further aspect of the present invention relates to a vaccine comprising a
recombinant viral construct which construct comprises a nucleic acid molecule encoding a
respiratory syncytial virus F protein variant or derivative thereof, wherein said
recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an
15 immune response to said F protein variant.

In accordance with these aspects of the present invention, the nucleotide sequence of the
subject nucleic acid molecule is preferably the nucleotide sequence defined in <400>5,
<400>6, <400>566 or <400>568.

20

Still another further aspect of the present invention provides the method of modulating at
least one functional activity associated with a viral F protein in a subject, said method
comprising introducing into said subject and effective amount of an F protein modulatory
agent for a time and under condition sufficient for said agent to interact with said F protein.

25

Still yet another further aspect of the present invention provides a method of modulating at
least one functional activity associated with a viral F protein, said method comprising
contacting said viral F protein with an effective amount of an F protein modulatory agent
for a time and under conditions sufficient for said agent to interact with said F protein.

30

- 18 -

Yet still another further aspect of the present invention relates to a method for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus in a subject, said method comprising administering to said subject an effective amount of an agent, which agent is capable of down-regulating at
5 least one functional activity of the F protein expressed by said virus, for a time and under conditions sufficient for said agent to interact with said F protein.

In still yet another aspect, the present invention relates to a method for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded
10 RNA virus in a subject, said method comprising administering to said subject an effective amount of a composition comprising an F protein or derivative thereof, F protein variant or derivative thereof and/or a nucleic acid molecule encoding said F protein or F protein variant as hereinbefore defined or a derivative, homologue, analogue, chemical equivalent
15 a mimetic of said protein or nucleic acid molecule for a time and under conditions sufficient for said composition to down-regulate said viral F protein functional activity.

In another aspect the present invention relates to the use of an agent capable of modulating at least one functional activity of a viral F protein, which agent is identified and/or generated in accordance with the methods hereinbefore defined, in the manufacture of a
20 medicament for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus.

In still another aspect the present invention relates to the use of a composition comprising an F protein or derivative thereof, F protein variant or derivative thereof, nucleic acid
25 molecule encoding said F protein or F protein variant as hereinbefore defined or a derivative, homologue, analogue, chemical equivalent or mimetic of said protein or nucleic acid molecule, in the manufacture of a medicament for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus.

- 19 -

In another aspect the present invention relates to the use of an agent, which agent is identified in accordance with the methods hereinbefore defined, in the manufacture of a medicament for the modulation of at least one viral F protein associated functional activity.

- 5 Yet another aspect relates to agents for use in modulating the functional activity of a viral F protein wherein said agent is identified in accordance with the methods hereinbefore defined.

- Still yet another aspect relates to agents for use in the treatment and/or prophylaxis of a
10 condition characterised by infection with a negative sense single stranded RNA virus wherein said agent is identified in accordance with the methods hereinbefore defined.

- Yet still another aspect relates to a composition comprising an F protein or derivative thereof, F protein variant or derivative thereof, a nucleic acid molecule encoding said F
15 protein or F protein variant as hereinbefore defined or a derivative, homologue, analogue, chemical equivalent or mimetic of said protein or nucleic acid molecule for use in the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus.

- 20 In yet another aspect the present invention relates to a pharmaceutical composition comprising an active ingredient, as hereinbefore defined, and one or more pharmaceutically acceptable carriers and/or diluents.

- 20 -

Single and three letter abbreviations used throughout the specification are defined in Table 2.

TABLE 2

5 **Single and three letter amino acid abbreviations**

	Amino Acid	Three-letter Abbreviation	One-letter Symbol
10	Alanine	Ala	A
	Arginine	Arg	R
	Asparagine	Asn	N
	Aspartic acid	Asp	D
	Cysteine	Cys	C
15	Glutamine	Gln	Q
	Glutamic acid	Glu	E
	Glycine	Gly	G
	Histidine	His	H
	Isoleucine	Ile	I
20	Leucine	Leu	L
	Lysine	Lys	K
	Methionine	Met	M
	Phenylalanine	Phe	F
	Proline	Pro	P
25	Serine	Ser	S
	Threonine	The	T
	Tryptophan	Trp	W
	Tyrosine	Tyr	Y
	Valine	Val	V
30	Any residue	Xaa	X

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1a is a schematic representation of the 574 amino acid sequence of the human RSV fusion protein F. Amino acid numbers 1-22 comprises the signal sequence. The F2 subunit comprises amino acid numbers 23-130. The fusion cleavage (site 1) is amino acid numbers 131-136. Site 2 comprises residues 106-109. The F1 subunit comprises residues 136-574. The transmembrane domain is believed to span residues 525-548. The cytoplasmic domain comprises residues 549-574.

Figure 1b is a schematic representation of the amino acid sequence of the 524 residue soluble F protein. This protein is referred to as F_{sol} . F_{sol} is formed by expressing the coding sequence for F minus the residues encoding the transmembrane domain and the cytoplasmic domain of F.

Figure 1c is a schematic representation of F and F_{sol} . Cleavage positions of site 1 and site 2 are designated. Hydrophobic regions are shaded in black (from left to right, signal sequence, fusion peptide and transmembrane domain). Downward facing flags designate positions of potential N-linked glycosylation sites. The 24 amino acid region bounded by cleavage sites 1 and 2 is shown as a cross-hatched region.

20

Figure 2a is a schematic representation of the alignment of sequences coding for the human RSV F protein. F.viral refers to the sequence as found in wild type A2 RSV strain. F refers to the sequence which differs in 27/1725 positions from the viral sequence. Those changes were made in order to introduce unique restriction sites to the sequence. F.opt. refers to the F coding sequence which has been changed to allow for higher expression levels as outlined in the accompanying application. A total of 378/1725 nucleotides have been changed from the F.viral sequence. Underneath the boxed sequence a consensus sequence is shown.

25

- 22 -

Figure 2b is a schematic representation of the alignment of sequences coding for the human RSV F_{sol} protein. $F_{sol.viral}$ refers to the sequence as found in the wild type A2 RSV strain. F_{sol} refers to the sequence which differs from the viral sequence in 24/1575 nucleotides. All of these changes were incorporated to introduce unique restriction sites.

5 $F_{sol.opt.}$ refers to the F_{sol} coding sequence optimised as described herein. A total of 334/1575 nucleotides have been changed. A consensus is shown under the boxed sequences.

Figures 3a and b are schematic representations of the DNA sequences optimised for expression as cloned in the expression vector pCICO.F.FL.opt (a) and pCICO.F.opt (b).

10 The plasmid pCICO.F.FL.opt contains the sequence referred to in Figure 2a as $F_{opt.}$. The plasmid pCICO.F.opt contains the sequence referred to in Figure 2b as $F_{sol.opt.}$ 5' and 3' untranslated sequences not included in the Figure 2 sequences are shown in this Figure.

15 **Figures 4a and b** are schematic representations of the construction of F and F_{sol} expression vectors. These diagrams describe in detail the steps involved in constructing expression vectors pCICO.F.FL.opt and pCICO.F.opt. See text of examples for details. As previously noted pCICO.F.FL.opt contains the optimised sequence $F_{opt.}$ (Figure 2a) and pCICO.F.opt contains the optimised sequence $F_{sol.opt.}$ (Figure 2b).

20

Figure 5 is an image of an autoradiograph of a 10% SDS-PAGE gel of a immunoprecipitation of 35-S labelled supernatants from 293 cells transfected with lane (a) pCICO.FS3 (containing viral F_{sol} sequence) lane (b) pCICO.F.opt (containing optimised F_{sol} sequence). Lane (c) is from mock-transfected cells. Lane (d) contains radioactively

25 labelled molecular weight markers. The F_{sol} protein migrates at approximately 60 kd in size.

Figure 6 is a schematic representation of the alignment of sequences coding for the human RSV F protein. F_{viral} refers to the sequence as found in wild type A2 RS strain

30 (<400>571). F_{nat} refers to the sequence found in a RSV A2 cDNA clone assembled in these studies (<400>572). The two sequences differ in two places (nt 174 and 222) which

- 23 -

does not effect the coding potential. Underneath the boxed sequence a consensus sequence is shown (<400>573).

Figure 7 is a western blot of protein samples derived from 293 cells transfected with WT
5 (pCICO.F.FL.opt), A2 (pCICO.F.nat) and Ctrl (control) plasmids. Cells were havested at
24, 48 and 72 hours post transfection. Cell lysates were analysed by 12% polyacrylamide
SDS-PAGE and after electrophoresis proteins were electroblotted onto a nitrocellulose
membrane. F protein was detected as described in example 5. The immuno-reactive F
bands F1 and F1' are indicated by arrows. The position of molecular weight markers is
10 shown.

Figure 8 is photographs of 293 cells transfected with pCICO.F.FL.opt (a), pCICO.F.nat
(b) and control plasmid (c). Photographs were taken 48 hours post transfection and the
magnification is 400X. Figures a, b and c flow from top to bottom.

DETAILED DESCRIPTION OF THE INVENTION

The present invention is predicated, in part, on the development of a negative sense single stranded RNA viral protein expression system based on optimisation of expression of the viral protein encoding nucleic acid sequence such that expression of the subject nucleic acid molecule sequence by a given eukaryotic host cell is facilitated and/or improved. In a related aspect, the inventors have identified a novel cleavage site in the F viral protein, the cleavage of which is thought to be essential for the generation of a fully functionally active F protein. These developments now permit the recombinant production of viral proteins and the identification and design of agents for use in modulating functional activity of the subject proteins.

Accordingly, one aspect of the present invention is directed to a method of facilitating production of a protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by a eukaryotic cell.

Reference to a "negative sense single stranded RNA virus" should be understood as a reference to any negative sense single stranded RNA virus, and includes, but is not limited to, viruses of the family Paramyxoviridae, Rhabdoviridae, Filoviridae, Orthomyxoviridae, Bunyaviridae or Arenaviridae. Preferably, said negative sense single stranded RNA virus is of the family Paramyxoviridae. Without limiting the present invention to any one theory or mode of action, viruses of the family Paramyxoviridae are cytoplasm replicating viruses. In this regard, RNA replication involves mRNA transcription from the genomic RNA via the virion transcriptase. Utilising the protein products of this transcription, there follows the production of a full length positive stranded template which is used for the synthesis of genomic RNA. The genome is transcribed from the the 3' end by virion associated enzymes into mRNAs. Replication takes place in the cytoplasm and assembly occurs via budding on the plasma membrane. The subject budding occurs through the host cell plasma membrane at sites containing the virus envelope proteins.

- 25 -

Accordingly, there is more particularly provided a method of facilitating production of a protein or derivative thereof from a virus of the family Paramyxoviridae, said method comprising expressing in a host cell a nucleic acid molecule encoding said protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for
5 expression by a eukaryotic host cell.

Still more preferably, said virus is of the sub-family Pneumovirinae and most preferably said virus is respiratory syncytial virus.

10 Reference to a "protein from a negative sense single stranded RNA virus" should be understood as a reference to any protein which is expressed by the subject virus or a derivative of said protein. Examples of proteins include, but are not limited to, nucleocapsid associated proteins such as RNA binding proteins (e.g. N, NP), phosphoproteins (e.g. P), polymerase proteins (e.g. L), or envelope proteins (e.g. F, G, H,
15 HN or SH). It should be understood that the subject protein may exist, in its naturally occurring form, either in isolation or fused or otherwise linked to any other proteinaceous or non-proteinaceous molecule. Preferably, the subject protein is a fusion protein, N, P or SH.

20 Accordingly, in one embodiment there is provided a method of facilitating production of a protein or derivative thereof from a negative sense single stranded RNA virus, which protein directly or indirectly facilitates fusion of any one or more viral components with any one or more host cell components, said method comprising expressing in a host cell a nucleic acid molecule encoding said protein or derivative thereof, the nucleotide sequence
25 of which nucleic acid molecule is optimised for expression by a eukaryotic cell.

Reference to a viral protein which "directly or indirectly facilitates fusion of any one or more viral components with any one or more host cell components" should be understood as a reference to any viral protein which functions to induce or otherwise contribute to the
30 fusion of one or more viral molecules (such as a protein or structural component) with any one or more host cell molecules. It should be understood that this activity may comprise

- 26 -

any one of a number of functional activities attributable to the subject protein, which other activities are not necessarily related to fusion. It should also be understood that the subject functional activity may either directly facilitate fusion or it may induce or otherwise contribute to the functioning of an unrelated molecule, which unrelated molecule directly
5 facilitates the subject fusion. Preferably the viral protein is an F protein.

This embodiment of the present invention is therefore more particularly directed to a method of facilitating production of a F protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid
10 molecule encoding said F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by a eukaryotic cell.

Reference to a "F protein" should be understood as a reference to the viral molecule which, *inter alia*, facilitates fusion between the virus envelope and the host cell plasma membrane
15 of infected cells. The term "F protein" should be understood to encompass all forms of F protein including, for example, any mutant, polymorphic or homologous forms of F protein. Without limiting the present invention in any way, the F protein generally comprises, at the amino terminus, an F2 portion which is linked to an F1 portion. The F1 contains a transmembrane region of the molecule which is, in turn, linked to an
20 extracellular portion of the F protein. The cytoplasmic portion of the F protein comprises the carboxy terminus. As detailed earlier, the F protein is generally synthesised in a precursor form which is activated by proteolytic cleavage at the F2/F1 junction. It is though that this cleavage step reveals a fusion peptide which interacts with the host cell. The F2/F1 junction of the respiratory syncytial virus F protein is shown in Figure 1.

25

In another embodiment there is provided a method of facilitating production of a N protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said N protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for
30 expression by a eukaryotic cell.

- 27 -

In yet another preferred embodiment there is provided a method of facilitating production of a P protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said P protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is
5 optimised for expression by a eukaryotic cell.

In still yet another preferred embodiment there is provided a method of facilitating production of a SH protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a host cell a nucleic acid molecule
10 encoding said SH protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by a eukaryotic cell.

Preferably, the negative sense single stranded RNA virus of these preferred embodiments of the present invention is a virus of the family Paramyxoviridae. More preferably the
15 virus is of the sub-family Pneumovirinae and still more preferably the subject virus is a virus of the genus Pneumovirus. Most preferably, the virus is respiratory syncytial virus.

To the extent that it is not otherwise specified, reference to a viral "protein" extends to derivatives thereof.

20 "Derivatives" of the subject protein include fragments, parts, portions, mutants, variants and mimetics thereof including fusion proteins. Parts or fragments include, for example, active regions of the subject protein. In one aspect of the present invention, for example, the subject protein is a F protein which does not comprise the transmembrane and
25 cytoplasmic portions (herein referred to as F_{sol}). The F_{sol} fragment of the F protein is useful for X-ray crystallography and other forms of modelling for purposes such as rational drug design. Derivatives may be derived from insertion, deletion or substitution of amino acids. Amino acid insertional derivatives include amino and/or carboxylic terminal fusions as well as intrasequence insertions of single or multiple amino acids. Insertional amino
30 acid sequence variants are those in which one or more amino acid residues are introduced into a predetermined site in the protein although random insertion is also possible with

- 28 -

suitable screening of the resulting product. Deletional variants are characterised by the removal of one or more amino acids from the sequence. Substitutional amino acid variants are those in which at least one residue in the sequence has been removed and a different residue inserted in its place. An example of substitutional amino acid variants are conservative amino acid substitutions. Conservative amino acid substitutions typically include substitutions within the following groups: glycine and alanine; valine, isoleucine and leucine; aspartic acid and glutamic acid; asparagine and glutamine; serine and threonine; lysine and arginine; and phenylalanine and tyrosine. Additions to amino acid sequences include fusions with other peptides, polypeptides or proteins.

10

The derivatives include fragments having particular portions of the entire protein fused to peptides, polypeptides or other proteinaceous or non-proteinaceous molecules.

"Mutants" include variants of the subject protein which variants exhibit modified sequences, structures and/or functions. For example, the F protein variants described herein, which variants exhibit amino acid sequence alterations leading to altered cleavage properties, fall within the scope of the term "mutants".

The term "protein" should be understood to encompass peptides, polypeptides and proteins. The protein may be glycosylated or unglycosylated and/or may contain a range of other molecules fused, linked, bound or otherwise associated to the protein such as amino acids, lipids, carbohydrates or other peptides, polypeptides or proteins. Reference hereinafter to a "protein" includes a protein comprising a sequence of amino acids as well as a protein associated with other molecules such as amino acids, lipids, carbohydrates or other peptides, polypeptides or proteins.

The method of the present invention is predicated on the production of a viral protein by expressing a nucleic acid molecule as herein described. In this regard, the term "expressing" should be understood to refer to the transcription and translation of a nucleic acid molecule resulting in the synthesis of a peptide, polypeptide or protein expression

- 29 -

product. The synthesis of an expression product via the translation step of nucleic acid molecule expression is herein referred to as "production" of that expression product.

5 The viral protein encoding nucleic acid molecule of the present invention is expressed in a eukaryotic host cell. By "host cell" is meant any eukaryotic cell which can be transformed or transfected with a nucleotide sequence. Preferred eukaryotic host cells are mammalian cells and even more preferably 293 cells and Chinese Hamster Ovary cells.

10 Accordingly, there is provided a method of facilitating production of a protein or derivative thereof from a negative sense single stranded RNA virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell.

15 Preferably, the subject protein is a fusion protein (more particularly the F protein), N, P or SH.

20 Preferably, the negative sense single stranded RNA virus of these preferred embodiments of the present invention is a virus of the family Paramyxoviridae. More preferably the virus is of the sub-family Pneumovirinae and still more preferably the subject virus is a virus of the genus Pneumovirus. Most preferably, the virus is respiratory syncytial virus.

25 The nucleic acid molecule which is expressed in accordance with the method of the present invention encodes a viral protein or derivative thereof. By "encodes" is meant that the expression product comprises the subject protein or derivative. However, it should be understood that this is not intended as a restriction in any way on the diversity of the subject expression product other than that it should comprise the subject protein or derivative thereof. For example, the nucleic acid molecule which is introduced into the host cell may encode the protein fused to another protein, peptide or polypeptide (which is
30 consistent with the definition of protein "derivative" as hereinbefore provided) or the

- 30 -

nucleic acid molecule may encode multiple proteins wherein at least one of those proteins is the subject protein or derivative thereof.

Reference to the subject nucleic acid molecule being "optimised" for expression by a
5 eukaryotic host cell should be understood as a reference to a nucleic acid molecule which
has been mutated or otherwise varied such that its recombinant expression by a eukaryotic
host cell is facilitated. Said "facilitation" includes, but is not limited to, inducing or
improving levels of protein expression and/or functional activity of the expression product.
Preferably, said optimisation takes the form of codon optimisation and/or nucleotide splice
10 site deletion.

By "codon optimisation" is meant that at least one codon of the naturally occurring viral
protein encoding nucleotide sequence has been altered such that it encodes the same amino
acid as the naturally occurring codon but uses an alternative codon to that which naturally
15 encodes the subject amino acid, which alternative codon form is more preferably expressed
by a eukaryotic cell than the naturally occurring codon form.

The present invention is exemplified herein with respect to the F, P, N and SH proteins, the
naturally occurring encoding nucleic acid sequences of which are defined in <400>1,
20 <400>505, <400>508 and <400>511, respectively. Without limiting the present invention
to any one theory or mode of action, the inventors have determined that eukaryotic
expression of a viral gene becomes possible where selected A rich and T rich regions of
the naturally occurring gene are modified to express increased numbers of G rich and C
rich nucleotides. This is achieved by replacing selected A or T nucleotides with a G or C
25 nucleotide, respectively. The resultant modified codon, however, preferably encodes the
same amino acid as that encoded by the naturally occurring codon. With respect to the F
gene, for example, the codon TTG commences at nucleotide 7 of the naturally occurring
respiratory syncytial viral F protein encoding nucleic acid sequence (provided in <400>1).
This codon encodes an L amino acid. In the codon optimised F protein encoding nucleic
30 acid sequence, represented herein in Figure 2a, the codon TTG is modified to read CTG,
which modified codon nevertheless encodes the L amino acid. The present invention does

- 31 -

not, however, relate to the sequence as published by Kuhnle *et al* (1998) insofar as the sequence is used for codon optimisation.

The preferred embodiment of the present invention is to optimise the viral protein
5 encoding nucleotide sequence such that the naturally occurring viral protein amino acid
sequence or fragment thereof, is produced. However, it should be understood that it is
nevertheless within the scope of the present invention to optimise a viral protein encoding
nucleotide sequence in terms of expressing increased G plus C content, as required to
achieve efficient mammalian host cell expression, despite the fact that an optimised codon
10 may thereafter encode an amino acid different to that originally encoded by the codon
which naturally existed at that position. This may occur, for example, where the newly
substituted amino acid does not significantly alter the structural and/or functional
properties which are required of the recombinantly produced protein. For example, certain
conservative amino acid substitutions may not alter functional properties. Similarly, amino
15 acid substitutions in regions outside the protein's functionally active regions may be
acceptable in terms of the use to which the expressed protein is to be put.

In terms of optimising the naturally occurring F protein encoding nucleotide sequence, the
number of codons which are optimised in any given situation will depend on the object to
20 be achieved. For example, optimisation of between 1 and 10 codons may be sufficient to
enable production of a level of eukaryotic host cell expression sufficient for a particular
purpose. However, in order to achieve still more efficient levels of expression and/or
expression product functional activity, it may be desirable to optimise a larger number of
codons. In this regard, in a most preferred embodiment, the optimised F, P, N and SH
25 protein encoding nucleic acid sequences correspond to the sequences defined in <400>5,
<400>556, <400>559, and <400>562, respectively. However, it should be understood that
the present invention extends to the use of derivatives of these sequences.

By "nucleotide splice site deletion" optimisation is meant that the nucleotide sequence
30 encoding a subject viral protein has been altered to remove one or more potential RNA
splice sites. Without limiting the present invention to any one theory or mode of action, it

- 32 -

- is thought that inefficient expression of nucleotide sequences derived from negative sense single strand RNA viruses is due, in part, to the presence of RNA splice sites in the subject RNAs. These viruses replicate cytoplasmically in the naturally occurring host cell environment. Accordingly, there is a lack of selective pressure against RNA sequences which comprise one or more such splice sites since the enzymes which splice eukaryotic cell RNA are generally only present in the nucleus. However, since the recombinant expression system of the present invention is based, in one embodiment, on the introduction into a eukaryotic host cell of a DNA molecule encoding the viral protein of interest, the requisite synthesis of DNA complementary to the naturally occurring viral RNA gene would consequently also result in copying of any splice sites present in the RNA. Transcription of these DNAs will occur in the nucleus of the eukaryotic host cell thereby exposing RNA transcribed from the subject DNA to the nuclear RNA splicing enzymes of the host cell.
- 15 In terms of optimising the naturally occurring viral protein encoding nucleotide sequence, the number of splice sites which are deleted in any given situation would depend on the object to be achieved. For example, if it is desired to produce the full length viral protein, then all splice sites occurring within the protein coding region of the encoding nucleic acid molecule should be deleted. However, if it is desired to produce only a fragment of the subject protein (for example, the F_{sol} portion of the F protein which, as hereinbefore defined, does not comprise the transmembrane and cytoplasmic regions of the F protein) then only the splice sites within that region need be removed.
- 25 Deletion of the subject splice sites is preferably achieved by substituting one or more nucleotides which comprise a splice site recognition sequence such that this sequence is no longer recognised by the relevant RNA splicing enzyme. It should be understood, however, that any other suitable method of mutating the splice site may be utilised within the context of the present invention.
- 30 The present invention is therefore preferably directed to a method of facilitating production of a protein or derivative thereof from a negative sense single stranded RNA virus, said

- 33 -

method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation and/or nucleotide splice site deletion.

5

Preferably, the subject protein is a fusion protein (more particularly the F protein), N, P or SH.

Preferably, the negative sense single stranded RNA virus is a virus of the family
10 Paramyxoviridae. More preferably the virus is of the sub-family Pneumovirinae and still more preferably the subject virus is a virus of the genus Pneumovirus. Most preferably, the virus is respiratory syncytial virus.

It should be understood that the present invention extends to the use of derivatives of the
15 optimised nucleic acid sequences.

Most preferably, said codon optimisation comprises modification of at least one A and/or T comprising codon to express G and C, respectively and said mammalian splice site deletion comprises deletion of at least one RNA splice site. To the extent that the nucleic
20 acid molecule which is introduced into the host cell is a DNA molecule, the subject deletion would relate to the region of the DNA molecule which would encode the RNA splice site.

By "derivatives" is meant nucleic acid sequences derived from single or multiple
25 nucleotide substitutions, deletions and/or additions including fusion with other nucleic acid molecules. In accordance with this definition, "derivative" therefore extends to sequences comprising any one or more of the optimised codons and/or optimised splice site regions of <400>5, <400>6, <400>556, <400>559 or <400>562.

30 Reference to a "derivative" of the subject nucleotide sequence should also be understood to extend to nucleotide sequences comprising nucleic acid substitutions, deletions or

- 34 -

additions other than for the purpose of optimising codons. For example, an optimised viral protein encoding nucleotide sequence may additionally comprises endonuclease restriction sites which are not expressed by the naturally occurring counterpart of the subject sequence. These may be incorporated to facilitate the generation of protein mutants. In one preferred embodiment, for example, the subject nucleotide sequence derivative comprises one or more of the endonuclease restriction sites expressed in <400>3 or <400>4.

In terms of a most preferred embodiment of the present invention, <400>1 defines the protein encoding region of the naturally occurring respiratory syncytial virus F protein. <400>3 defines the <400>1 sequence as modified to incorporate endonuclease restriction sites designed to facilitate the generation of protein recombinants. <400>5 defines the F protein encoding nucleotide sequence of <400>3 further modified to minimise the presence of regions which would encode RNA splice sites and to express optimised codons. The amino acid sequence encoded by these nucleotide sequences is provided in <400>7.

Expression of <400>5 in accordance with the method of the present invention will be sought where production of the full length F protein is required. This may occur, for example, where expression of a functional molecule is required for the performance of function based screening assays designed to detect F protein modulatory agents. However, in another embodiment, production of a portion only of the F protein may be desired. For example, production of the F_{sol} portion is particularly desirable for the purpose of 3 dimensional structural analysis, by X-ray crystallography, of the F protein active regions. Furthermore, F_{sol} portion production facilitates the rational identification, modification and design of F protein modulatory agents based on analysing the agent in terms of its physical interaction with the F2 and F1 portions. In this regard, <400>2 defines the protein encoding region of the naturally occurring respiratory syncytial viral F_{sol} portion of the F protein. <400>4 defines the <400>2 sequence as modified to incorporate endonuclease restriction sites designed to facilitate the generation of protein recombinants. <400>6 defines the F_{sol} protein encoding nucleotide sequence of <400>4 further modified to

- 35 -

minimise the presence of regions which would encode RNA splice sites and to express optimised codons. The amino acid sequence encoded by these nucleotide sequences is provided in <400>8.

- 5 According to this preferred embodiment there is provided a method of facilitating production of F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is
10 nucleotide splice site deletion.

- In another preferred embodiment the present invention is directed to a method of facilitating production of a F_{sol} portion of an F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell a nucleic acid
15 molecule encoding said F_{sol} portion or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is nucleotide splice site deletion.

- In still another preferred embodiment there is provided a method of facilitating production
20 of F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation.

- 25 In yet another preferred embodiment the present invention is directed to a method of facilitating production of a F_{sol} portion of an F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell a nucleic acid molecule encoding said F_{sol} portion or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein
30 said optimisation is codon optimisation.

- 36 -

In another preferred embodiment there is provided a method of facilitating production of F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding said F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for
5 expression by said mammalian host cell wherein said optimisation is nucleotide splice site deletion and codon optimisation.

In still yet a more preferred embodiment, there is provided a method of facilitating the production of a F protein or derivative thereof from a respiratory syncytial virus, said
10 method comprising expressing in a host cell the nucleotide sequence set forth in <400>5 or derivative thereof.

Preferably said nucleotide sequence is substantially as set forth in <400>5.

15 In another preferred embodiment, there is provided a method of facilitating the production of a F_{sol} portion of an F protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell the nucleotide sequence set forth in <400>6 or derivative thereof.

20 Preferably said nucleotide sequence is substantially as set forth in <400>6.

In terms of another most preferred embodiment of the present invention, <400>555 defines the protein encoding region of the naturally occurring respiratory syncytial virus P protein. <400>556 defines the P protein encoding nucleotide sequence of <400>555 as modified to
25 express optimised codons. The amino acid sequence encoded by this nucleotide sequences is provided in <400>554.

According to this preferred embodiment there is provided a method of facilitating production of P protein or derivative thereof from respiratory syncytial virus, said method
30 comprising expressing in a mammalian host cell a nucleic acid molecule encoding said P protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is

- 37 -

optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation.

In still a more preferred embodiment, there is provided a method of facilitating the
5 production of a P protein or derivative thereof from respiratory syncytial virus, said
method comprising expressing in a host cell the nucleotide sequence set forth in <400>556
or derivative thereof.

Preferably said nucleotide sequence is substantially as set forth in <400>556.

10

In terms of yet another most preferred embodiment of the present invention, <400>558
defines the protein encoding region of the naturally occurring respiratory syncytial virus N
protein. <400>559 defines the N protein encoding nucleotide sequence of <400>558 as
modified to express optimised codons. The amino acid sequence encoded by this
15 nucleotide sequence is provided in <400>557.

According to this preferred embodiment there is provided a method of facilitating
production of N protein or derivative thereof from respiratory syncytial virus, said method
comprising expressing in a mammalian host cell a nucleic acid molecule encoding said N
20 protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is
optimised for expression by said mammalian host cell wherein said optimisation is codon
optimisation.

In still a more preferred embodiment, there is provided a method of facilitating the
25 production of a N protein or derivative thereof from respiratory syncytial virus, said
method comprising expressing in a host cell the nucleotide sequence set forth in <400>559
or derivative thereof.

Preferably said nucleotide sequence is substantially as set forth in <400>559.

30

- 38 -

In terms of still yet another most preferred embodiment of the present invention, <400>561 defines the protein encoding region of the naturally occurring respiratory syncytial virus SH protein. <400>562 defines the N protein encoding nucleotide sequence of <400>561 as modified to express optimised codons. The amino acid sequence encoded by this
5 nucleotide sequence is provided in <40>560.

According to this preferred embodiment there is provided a method of facilitating production of SH protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a mammalian host cell a nucleic acid molecule encoding
10 said SH protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule is optimised for expression by said mammalian host cell wherein said optimisation is codon optimisation.

In still a more preferred embodiment, there is provided a method of facilitating the
15 production of a SH protein or derivative thereof from respiratory syncytial virus, said method comprising expressing in a host cell the nucleotide sequence set forth in <400>562 or derivative thereof.

Preferably said nucleotide sequence is substantially as set forth in <400>562.
20

In terms of performing the present invention, methods of deriving and recombinantly expressing nucleic acid molecules will be well known to those of skill in the art as will methodology directed to adding, deleting and/or substituting nucleic acids in a given nucleotide sequence.
25

In another aspect, the present invention should be understood to extend to the optimised nucleic acid molecules described herein and to the expression products derived therefrom.

In yet another aspect, the inventors have surprisingly determined that induction of F
30 protein functional activity requires not one but two proteolytic cleavage events. The occurrence of these two cleavage events results in the excision of a peptide region from the

- 39 -

non-fully functional F protein. Prior to the advent of the present invention, it was thought that F protein activation was the result of a single cleavage event which occurred at the F2/F1 junction. Without limiting the invention to any one theory or mode of action, it is thought that the F2 portion of the non-fully functional F protein in fact comprises an
5 intervening sequence of amino acids which spans the region between the newly identified cleavage site and the F2/F1 junction and which is excised in order to facilitate formation of a functional F glycoprotein. This intervening peptide sequence is thought to comprise excess amino acids and up to three glycosylation sites depending on the particular virus strain from which the F protein is derived. Down-regulation or other form of interference
10 with cleavage at the newly identified cleavage site would therefore interfere with the induction of F protein functional activity.

Accordingly, another aspect of the present invention is directed to a method of regulating the functional activity of a viral F protein, which protein in its non-fully functional form
15 comprises an F2 portion linked, bound or otherwise associated with an F1 portion, which F2 portion comprises an intervening peptide sequence, said method comprising modulating cleavage of said intervening peptide sequence wherein excision of at least part of said intervening sequence from said non-fully functional form of said F protein up-regulates F protein functional activity.

20

Reference to the subject F protein being in a "non-fully functional form" should be understood to mean that the subject F protein exhibits either no functional activity or a lesser degree of functional activity than the fully cleaved F protein, that is, the F protein which has undergone *both* cleavage events. Accordingly, "up-regulation" of F protein
25 functional activity should be understood to refer to the induction of a degree or range of functional activities greater than that exhibited by the subject F protein in its non-fully cleaved form. In its natural environment, all F proteins are synthesised in a form which comprises a F2 portion located proximally to a F1 portion. The F1 portion region of the F protein comprises a transmembrane region and an intracellular domain (Collins *et al*,
30 1996). Reference to a "non-fully functional form" of the F protein should also be understood to extend to forms of the F protein which have undergone only partial cleavage.

- 40 -

For example, the subject non-fully functional form of the F protein may only have undergone cleavage of the previously known cleavage site but not yet at the newly identified cleavage site.

5 Prior to the advent of the present invention, it was thought that activation of the F protein occurred following cleavage at the F protein site defined by the sequence KKRKRR (<400>563) thereby cleaving the F2 portion of the non-fully functional F protein from the F1 portion. The F1 portion of the F protein is defined, in Figure 1, as commencing at the F residue which follows the cleavage recognition site KKRKRR. However, the precise
10 location at which this cleavage event occurs is not actually known. Accordingly, it should be understood that the cleavage event may occur either between two residues located proximally to the cleavage recognition site KKRKRR or it may occur between two residues within this site. The definitions of "F2 portion", "F1 portion" and "F2/F1 junction" as provided herein should therefore be interpreted in light of this understanding.

15

As detailed above, the inventors have now determined that cleavage at this region alone will not fully activate the F protein. Rather, a second cleavage event must occur at an F protein site distinct from that of the known cleavage site (the known cleavage site being referred to as "site 1"). This second cleavage site is located in the amino terminus
20 direction of the previously known cleavage site and is characterised by expression of the cleavage recognition sequence RARR (<400>564) (herein referred to as "site 2"). When considered in light of the structure of the F protein as it was previously understood (and as depicted in Figure 1) site 2 is located within the F2 portion of the F protein while the previously known cleavage site is located at the F2/F1 portion junction.

25

For the purpose of the present invention, it should be understood that the F protein amino acid sequence located in the amino terminus direction of cleavage site 1 is herein referred to as the F2 portion while the amino acid sequence located in the carboxy terminus direction of the cleavage site 1 is herein referred to as the F1 portion. The newly identified
30 cleavage site is therefore located within the F2 portion. The F protein amino acid sequence located between the site 1 and site 2 points of cleavage is herein referred to as the

- 41 -

"intervening sequence". Accordingly, in light of the definition herein provided, the "intervening sequence" forms part of the F2 portion of the non-fully functional form of the F protein. Excision of "at least part of" said intervening sequence should be understood to mean that at least a portion of the sequence which is excised following the two cleavage
5 events is derived from the intervening sequence region as herein defined. However, it should be understood that the excised sequence may also comprise part of the non-intervening sequence region of the F2 and/or F1 portion sequences as herein defined.

Without limiting the present invention to any one theory or mode of action, it is thought
10 that cleavage of the intervening sequence at the two cleavage sites results in complete disassociation of the intervening sequence from the F protein. Accordingly, the term "excision" is intended to encompass complete disassociation of the intervening sequence from the non-fully functional form of the F protein in order to form the functionally active F protein. However this term should also be understood to extend to a cleavage event
15 which does not necessarily result in complete disassociation of at least part of the intervening sequence but leads to a conformational change in the secondary or tertiary structure of the intervening sequence and/or the F2/F1 portions. For example, in some circumstances an appropriate conformational shift in the intervening sequence relative to the F2 and F1 portions may be sufficient to achieve some up-regulation of the functional
20 activity of the F protein. It should also be understood that the two cleavage events may occur concurrently in order to effect excision. Alternatively, the cleavage events may occur consecutively. For example, cleavage at site 1 may occur initially, followed by cleavage at site 2 (and hence formation of the fully functional form of the F protein) at a subsequent point in time. The present invention should also be understood to extend to a
25 sequence of cleavage events commencing with cleavage at site 2.

The present invention is exemplified with respect to respiratory syncytial virus F protein. The respiratory syncytial virus F protein amino acid sequence is defined <400>7. In accordance with the amino acid sequence numbering provided in <400>7, the previously
30 known cleavage site is located at the region of the F protein defined by the amino acid sequence KKRKRR, which sequence spans amino acid numbers 131 to 136 of <400>7.

- 42 -

The second cleavage point, which has been identified by the present inventors, is localised to the region of the F protein defined by the amino acid sequence RARR, which sequence spans amino acid numbers 106-109 of <400>7.

- 5 In a preferred embodiment the present invention is directed to a method of regulating the functional activity of a Paramyxoviridae derived F protein, which protein in its non-fully functional form comprises an F2 portion linked, bound or otherwise associated with an F1 portion, which F2 portion comprises an intervening peptide sequence, said method comprising modulating cleavage of said intervening peptide sequence wherein excision of
10 at least part of said intervening sequence from said non-fully functional form of said F protein up-regulates F protein functional activity.

Still more preferably said F protein is derived from the Genus Pneumovirus and still more preferably said virus is respiratory syncytial virus.

15

- In a most preferred embodiment there is provided a method of regulating the functional activity of a respiratory syncytial virus F protein, which protein in its non-fully functional form comprises an F2 portion linked, bound or otherwise associated with an F1 portion, which F2 portion comprises an intervening peptide sequence, said method comprising
20 modulating cleavage of said intervening peptide sequence, wherein excision of at least part of said intervening sequence from said non-fully functional form of said F protein up-regulates F protein functional activity and wherein said cleavage events occur at the cleavage sites defined by the peptide sequences RARR (<400>564) and KKRKRR (<400>563).

25

- That the subject cleavage events "occur at" a given cleavage site should be understood to mean that cleavage of the F protein amino acid sequence will involve cleavage of the bonding mechanism associated with anyone or more of the amino acids comprising the defined sites. Without limiting the invention in any way, the amino acids comprising the
30 cleavage sites define the peptide sequence recognised by the proteolytic enzyme which cleaves the subject F protein (Steiner, 1998).

- 43 -

In a related aspect, the present invention provides a method of regulating the functional activity of a viral F protein, which protein in its non-fully functional form comprises the structure:

5 X₁, X₂, X₃

wherein:

 X₁ comprises the non-intervening peptide sequence region of the F₂ portion;

 X₂ comprises the intervening peptide sequence region of the F₂ portion; and

10 X₃ comprises the F₁ portion

said method comprising modulating cleavage of said intervening peptide sequence wherein excision of at least part of said intervening sequence from said non-fully functional form of said F protein up-regulates F protein functional activity.

15

The representation X₁, X₂, X₃ is not to be taken as imposing any sequential constraints on the subject F protein and the present invention encompasses any conformational secondary and/or tertiary structural arrangement of X₁, X₂, X₃ to the extent that X₁ and X₃ are both linked, bound or otherwise associated with X₂ in the subject F protein's non-fully
20 functional form.

Reference to the "non-intervening peptide sequence region" of F₂ should be understood as a reference to that part of the F₂ subunit which does not form part of the intervening sequence as herein defined.

25

Preferably said virus is a virus from the family Paramyxoviridae and still more preferably is a virus of the Genus Pneumovirus. Most preferably said virus is respiratory syncytial virus.

- 44 -

In another preferred embodiment said cleavage events occur at the cleavage sites comprising X₂ and defined by the peptide sequences RARR (<400>564) and KKRKRR (<400>563).

5 Modulating cleavage of the intervening sequence can be achieved by any one of a number of methods including, but in no way limited to:

(i) Contacting the F protein or F protein encoding nucleic acid molecule with a
proteinaceous or non-proteinaceous molecule (herein referred to as an "agent")
10 which up-regulates or down-regulates cleavage of either one or both of the
cleavage sites comprising the intervening sequence. The proteinaceous or non-
proteinaceous molecule may achieve this objective by functioning as either an
agonist or antagonist of the cleavage event, for example. This molecule may act in
any one of a number of ways including interacting with the subject F protein or
15 interacting with the enzymes which recognise the cleavage sites comprising the F
protein.

(ii) Mutating the amino acid sequence of the F protein cleavage site such that
proteolytic cleavage cannot occur. This can be performed at either the amino acid
20 sequence level (for example by adding, substituting or deleting an amino acid in the
newly identified cleavage site) or at the nucleotide level such that the transcribed
and translated F protein expression product does not express a functional form of
the subject cleavage site.

25 Said proteinaceous molecule may be derived from natural or recombinant sources
including fusion proteins or following, for example, natural product screening. Said non-
proteinaceous molecule may be, for example, a nucleic acid molecule or may be derived
from natural sources, such as for example natural product screening or may be chemically
synthesised. The present invention contemplates chemical analogues of the F protein
30 capable of acting as agonists or antagonists of either the fully functional or non-fully
functional F protein. Chemical agonists may not necessarily be derived from the F protein

- 45 -

but may share certain conformational similarities. Alternatively, chemical agonists may be specifically designed to mimic certain physiochemical properties of the F protein. Antagonists may be any compound capable of blocking, inhibiting or otherwise preventing F protein from carrying out its normal biological function. Antagonists include
5 monoclonal antibodies specific for the F protein, or parts of the F protein, and antisense nucleic acids which prevent transcription and/or translation of the F protein encoding nucleic acid molecule or mRNA in mammalian cells.

Although the preferred method is to inhibit, retard or otherwise down-regulate F protein
10 functional activity by preventing cleavage of the non-fully functional F protein form and subsequent activation, up-regulation of F protein functional activity may be desired in certain circumstances. In this regard, use of agonistic agents which augment and/or induce the cleavage events herein described may be utilised. Reference to "down-regulating" F protein functional activity should be understood to encompass prevention of the functional
15 activation of the non-fully functional F protein.

Accordingly, in a most preferred embodiment there is provided a method of inhibiting, retarding or otherwise down-regulating the functional activity of a Paramyxoviridae derived F protein, which protein in its non-fully functional form comprises an F2 portion
20 linked, bound or otherwise associated with an F1 portion, which F2 portion comprises an intervening peptide sequence, said method comprising inhibiting or otherwise down-regulating cleavage of said intervening peptide sequence.

Preferably said F protein is derived from the Genus Pneumovirus and still more preferably
25 said virus is respiratory syncytial virus. Most preferably said cleavage events occur at the cleavage sites defined by peptide sequences RARR (<400>564) and KKRKRR (<400>563).

In another most preferred embodiment the present invention provides a method of down-
30 regulating the functional activity of a Paramyxoviridae derived F protein, which protein in its non-fully functional form comprises the structure:

- 46 -

$X_1X_2X_3$

wherein:

- 5 X_1 comprises the non-intervening peptide sequence region of the F2 portion;
 X_2 comprises the intervening peptide sequence region of the F2 portion; and
 X_3 comprises the F1 portion

10 said method comprising inhibiting or otherwise down-regulating cleavage of said
 intervening peptide sequence.

Preferably said F protein is derived from the Genus Pneumovirus and still more preferably
said virus is respiratory syncytial virus. Most preferably said cleavage events occur at the
cleavage sites defined by peptide sequences RARR (<400>564) and KKRKRR
15 (<400>563).

Without limiting the present invention to any one theory or mode of action, the F proteins
of viruses of the family Paramyxoviridae are involved in facilitating fusion between the
virus envelope and the host cell plasma membrane in order to effect infection. Further, it
20 is thought that the F proteins are also inserted into the host plasma membrane where,
during maturation, the virions bud through the region of the membrane containing these
proteins. Accordingly, it is thought that down-regulating F protein functional activity will
inhibit or otherwise reduce virion fusion with and infection of a potential host cell and/or
virion budding. Accordingly, the development of a method for recombinantly expressing
25 the F protein by eukaryotic cells, and in particular mammalian cells, now facilitates the
development of screening assays, utilising the F protein produced in accordance with the
method of the present invention, for the purpose of identifying agents capable of
modulating F protein functional activity, and preferably, down-regulating F protein
functional activity.

30

Screening for agents which modulate F protein functional activity can be achieved by any one of a number of suitable methods, which would be known to those of skill in the art, including but not limited to:

- 5 (i) High throughput screening for agents which modulate F protein functional activities utilising assays based on the detection of changes in F protein functioning. Such changes may be detected directly or indirectly.

10 An example of indirect detection of modulation of F protein functioning includes the screening of agents on cultured cells which have been co-transfected with the F protein encoding nucleic acid molecule of the present invention and a virus which utilises the F protein in order to propagate. In this regard, either the full length F protein encoding nucleic acid sequence can be utilised or a partial sequence which encodes a functionally active F protein portion can be used. By assessing cell
15 viability it can be determined whether the subject agent inhibits or down-regulates F protein functioning thereby preventing F protein mediated propagation of cell to cell fusion. This would be evident by continued cell viability. A typical assay of this type can be performed, for example, in 293 cells which have been transiently co-transfected with a plasmid encoding the adenoviral VA RNA genes.

20

(ii) Antibody Recognition Assays

The use of antibodies which bind to conformational epitopes is a recognised method for assessing whether a protein's three dimensional structure differs from
25 the natural state. Thus an assay can be conducted on protein exposed to agents that are expected to modulate function via perturbation of the native conformation or interference with a functional conformational transition. A number of suitable F-specific antibodies and their target sites have been identified by workers in the field (see for example Lopez et al., 1998 and references therein). For example, F protein
30 exposed to agents intended to modulate F function is subsequently incubated with F specific monoclonal antibodies using an ELISA format. Reduction or increase in F binding relative to F which has not been exposed to agents is measured by addition

of polyclonal antibody to F followed by suitable detection reagents according to standard methods.

(iii) Immunisation leading to protection and/or virus neutralisation

5 RSV is known to infect a wide range of animal species when inoculated experimentally into the respiratory tract and several small animal experimental models have been described (see for example Collins et al., 1996 and references therein). These models can be used to determine whether immunisation is
10 protective and/or results in the production of a virus neutralising response.

An example of a suitable method is as follows: Cotton rats (average weight 100 g) are anesthetized with methoxyflurane and a sample of pre-immune blood harvested via standard procedures. While anesthetized, the cotton rats are administered a
15 suitable quantity of agent (for example, purified F protein) via an appropriate route (for example, intramuscular injection or intranasal instillation). The cotton rats are housed for an appropriate period (generally several days to weeks depending on the agents under consideration and the objectives of the study) and then anesthetized as above. Anesthetized animals are bled to obtain a post-immunization sample and
20 infected with 100,000 plaque forming units of a suitable RSV strain (for example, RSV Long). Four days later the animals are sacrificed and lungs harvested aseptically. Protective efficacy of the agent is measured by determination of the effect on whole lung virus titre. Briefly, lungs are homogenised in sterile saline (1:10 w/v) and virus concentration determined by standard methods (for example,
25 plaque assay).

To determine whether the agent elicited a neutralising response, pre-immunization and post-immunization samples and control samples are examined using a virus neutralization test. An example of such a test is as follows. Sera are prepared from
30 the blood samples according to standard methods. Serial dilutions of the sera are then prepared and mixed with a known concentration of RSV (for example, 100 plaque forming units of RSV Long). Mixtures are incubated for 1 hour at room temperature before being assayed for virus concentration by standard methods (for

- 49 -

example, plaque assay). A neutralizing response is characterised by reduction in virus titre in comparison to control samples.

Accordingly, in another aspect there is provided a method for detecting an agent capable of
5 regulating the functional activity of a viral F protein or derivative thereof said method comprising contacting a eukaryotic cell expressing an optimised nucleic acid molecule encoding said viral F protein or derivative thereof, as hereinbefore described, with a putative modulatory agent and detecting an altered expression phenotype and/or functional activity.

10

It should be understood that the subject agent may act via any mechanism including, but not limited to, modulating the cleavage events hereinbefore described.

In yet another aspect there is provided a method for detecting an agent capable of
15 regulating the functional activity of a viral F protein or derivative thereof said method comprising contacting a host cell, which host cell expresses a nucleic acid molecule encoding the non-fully functional form of said viral F protein or derivative thereof as hereinbefore described, with a putative modulatory agent and detecting an altered expression phenotype and/or altered functional activity wherein said agent modulates
20 cleavage of the intervening peptide sequence.

To the extent that this aspect of the present invention is directed to screening for agents which modulate the site 2 cleavage event, it should be understood that this methodology is not limited to systems expressing an optimised nucleic acid sequence but extends to
25 systems utilising any method of expressing the subject F protein.

Reference to a "modulatory agent" should be understood as a reference to an agent which down-regulates, up regulates or otherwise alters at least one functional activity of the subject F protein. For example, the agent may increase or decrease the level of activity of
30 the F protein or it may entirely inhibit F protein functioning. Although the preferred method is to identify agents which inhibit F protein functional activity, for example by

- 50 -

preventing cleavage of the non-fully functional form of the F protein, thereby providing a potential antiviral therapy, the identification of agents which up regulate F protein functional activity may be desired in certain circumstances. For example, it is thought that an agent which causes the F protein to prematurely initiate the conformational changes
5 required for fusion would be inactivating.

Still more preferably, said viral F protein is a Pneumovirus F protein and yet still more preferably a respiratory syncytial virus F protein. Most preferably, said codon optimised nucleic acid molecule is the nucleic acid molecule defined in <400>5.

10

Preferably, said regulation is inhibition, retardation or other form of down-regulation.

Reference to "functional activity" should be understood as a reference to any one or more of the functions which the F protein performs. Accordingly, an agent which modulates the
15 functional activity of the F protein may modulate all or only some of the functions which the F protein performs. The phrase "functional activity" should be understood to include within its scope the cleavage events which the F protein undergoes.

In addition to screening for agents which modulate F protein functional activity utilising
20 function based assays of the type described above, the development of methodology which facilitates production of the F protein or derivatives thereof also facilitates the screening, analysis, rational design and/or modification of agents for modulating F protein functional activity based on analysis of the physical interaction of a putative agent or lead compound with the subject F protein or derivative thereof.

25

Specifically, *in vitro* production of the F protein or derivative thereof, which is now possible in light of the development of the present invention, now facilitates analysis of the tertiary structure of the F protein by techniques such as X-ray crystallography. Of particular value in this regard is the fact that the present invention permits production of
30 useful quantities of the F protein F_{sol} portion.

- 51 -

Accordingly, another aspect of the present invention is directed to a method for analysing, designing and/or modifying an agent capable of interacting with a viral F protein or derivative thereof and modulating at least one functional activity associated with said protein, which protein is produced in accordance with the method of the present invention
5 said method comprising contacting said F protein or derivate thereof with a putative agent and assessing the degree of interactive complementarity of said agent with said protein.

Preferably said viral F protein is a Pneumovirus F protein and even more preferably the F_{sol} portion of said Pneumovirus F protein. Still more preferably, said F_{sol} portion is defined by
10 the amino acid sequence of <400>8.

It should be understood that the F protein which is contacted with the putative agent for evaluation of interactive complementarity may be recombinantly produced. However, it should also be understood that the subject protein may take the form of an image based on
15 the structure elucidated via analysis of the F protein produced in accordance with the method of the present invention, such as an electron density map, molecular models (including, but not limited to, stick, ball and stick, space filling or surface representation models) or other digital or non-digital surface representation models or image, which facilitates the analysis of F protein: agent interactions utilising techniques and software
20 which would be known to those of skill in the art. For example, interaction analyses can be performed utilising techniques such as Biacore real-time analysis of on and off-rates and dissociation constants for binding of ligands (Gardsvoll *et al*, 1999; Hoyer-Hansen *et al*, 1997; Ploug, 1998; Ploug *et al*, 1994; 1995; 1998) and NMR perturbation studies (Stephens *et al*, 1992).

25 Reference to "assessing the degree of interactive complementarity" of an agent with the subject F protein should be understood as a reference to elucidating any feature of interest including, but not limited to, the nature and/or degree of interaction between the subject F protein and an agent of interest. As detailed above, any suitable technique can be utilised.
30 Such techniques would be known to the person of skill in the art and can be utilised in this regard. In terms of the nature of the subject interaction, it may be desirable to assess the

- 52 -

- types of interactive mechanisms which occur between specific residues of any given agent and those of the F protein (for example, peptide bonding or formation of hydrogen bonds, ionic bonds, van der Waals forces, etc.) and/or their relative strengths. It may also be desirable to assess the degree of interaction which occurs between an agent of interest and the subject F protein. For example, by analysing the location of actual sites of interaction between the subject agent and F protein it is possible to determine the quality of fit of the agent into any region of the F protein and the relative strength and stability of that binding interaction. For example, if it is the object that F protein functioning be blocked, an agent which interacts with the F protein such that it blocks or otherwise hinders (for example, sterically hinders or chemically or electrostatically repels) F2/F1 cleavage will be sought. The form of association which is required in relation to modulating F protein functioning may not involve the formation of any interactive bonding mechanism, as this is traditionally understood, but may involve a non-bonding mechanism such as the proximal location of a region of the agent relative to the subject binding region of the F protein, for example, to effect steric hindrance with respect to the binding of an activating molecule. Where the interaction takes the form of hindrance or the creation of other repulsive forces, this should nevertheless be understood as a form of "interaction" despite the lack of formation of any of the traditional forms of bonding mechanisms.
- It should also be understood that the F protein which is utilised either in a physical form or as an image, as hereinbefore discussed, to assess the interactive complementarity of a putative agent may be a naturally occurring form of the F protein or it may be a derivative, homologue, analogue, mutant, fragment or equivalent thereof. The derivative, homologue, analogue, mutant, fragment or equivalent thereof may take either a physical or non-physical (such as an image) form.

The determination of F protein binding regions has been made possible only by development of the present invention which has permitted F protein production and thereby has facilitated determination of the three dimensional structure of the F protein and the identification and/or rational modification and design of agents which can be used to modulate F protein functioning.

Without limiting the application of the present invention in any way, the method of the present invention facilitates the analysis, design and/or modification of agents capable of interacting with the F protein. In this regard, reference to "analysis, design and/or modification" of an agent should be understood in its broadest sense to include:

- 5
- (i) Randomly screening (for example, utilising routine high-throughput screening technology) to identify agents which exhibit some modulatory capacity with respect to F protein functional activity and then analysing the precise nature and magnitude of the agent's modulatory capacity utilising the method of this aspect of
- 10 the present invention. In this regard, existing crystals could be soaked with said agents or co-crystallisation could be performed. A combination of modelling and synthetic modification of the local compound together with mutagenesis of the F protein could then be performed for example. In screening for agents which may modulate activity, standard methods of phage display and also combinatorial
- 15 chemistry may be utilised (Goodson *et al.*, 1994; Terrett., 2000). Such interaction studies can also be furthered utilising techniques such as the Biacore analysis and NMR perturbation studies. Such agents are often commonly referred to as "lead" agents in terms of the random screening of proteinaceous or non-proteinaceous
- 20 molecules for their capacity to function either agonistically or antagonistically. Further, for example, binding affinity and specificity could be enhanced by modifying lead agents to maximise interactions with the F protein. Such analyses would facilitate the selection of agents which are the most suitable for a given purpose. In this way, the selection step is based not only on *in vitro* data but also
- 25 on a technical analysis of sites of agent: F protein interaction in terms of their frequency, stability and suitability for a given purpose. For example, such analysis may reveal that what appears to be an acceptable *in vitro* activity in respect of a randomly identified agent is in fact induced by a highly unstable interaction due to the presence of proximally located agent: F protein sites which exhibit significant repulsive forces thereby de-stabilising the overall interaction between the agent and
- 30 the F protein. This would then facilitate the selection of another prospective lead compound, exhibiting an equivalent degree of *in vitro* activity, but which agent

- 54 -

does not, upon further analysis, involve the existence of such de-stabilising repulsive forces.

5 Screening for the modulatory agents herein defined can be achieved by any one of several suitable methods, including in silico methods, which would be well known to those of skill in the art and which are, for example, routinely used to randomly screen proteinaceous and non-proteinaceous molecules for the purpose of identifying lead compounds.

10 These methods provide a mechanism for performing high throughput screening of putative modulatory agents such as the proteinaceous or non-proteinaceous agents comprising synthetic, recombinant, chemical and natural libraries.

15 (ii) The candidate or lead agent (for example, the agent identified in accordance with the methodology described in relation to point (i)) could be modified in order to maximise desired interactions (for example, binding affinity to specificity) with the F protein and to minimise undesirable interactions (such as repulsive or otherwise de-stabilising interactions). Such modification is only possible in light of knowledge of the three-dimensional structure of the F protein and the capacity
20 therefore to identify regions of functional importance, thereby facilitating the structural modification of an agent to maximise an agonistic or antagonistic interaction. Such methodology is particularly applicable to rational drug design.

25 Methods of modification of a candidate or lead agent in accordance with the purpose as defined herein would be well known to those of skill in the art. For example, a molecular replacement program such as Amore (Navaza, 1994) may be utilised in this regard. The method of the present invention also facilitates the mutagenesis of known signal inducing agents in order to ablate or improve signalling activity.

30

- 55 -

- (iii) In addition to analysing fit and/or structurally modifying existing molecules, the method of the present invention also facilitates the rational design and synthesis of an agent, such as an agonistic or antagonistic agent, based on theoretically modelling an agent exhibiting the desired F protein interactive structural features followed by the synthesis and testing of the subject agent.

It should be understood that any one or more of applications (i) – (iii) above, may be utilised in identifying a particular agent.

- 10 In a related aspect, the present invention should be understood to extend to the agents identified utilising any of the methods hereinbefore defined. In this regard, reference to an agent should be understood as a reference to any proteinaceous or non-proteinaceous molecule which modulates at least one F protein functional activity. As hereinbefore discussed, to the extent that the present invention encompasses methods of screening for agents utilising F proteins produced in accordance with the expression system hereinbefore defined, this is not to be taken as a restriction on the methodology which is employed to screen for agents which modulate the newly identified cleavage event. In this regard, the present invention extends to agents identified utilising F protein molecules or derivatives thereof howsoever produced.

- 20 Accordingly, the present invention is directed to an agent capable of interacting with a viral F protein and modulating at least one functional activity associated with said viral protein.

- 25 Preferably, said agent is identified in accordance with the methods hereinbefore defined.

More preferably, said agent is an antagonist which interacts with a sequence selected from:

CFASGQNITE <400>9	FASGQNITEE <400>10
ASGQNITEEF <400>11	SGQNITEEFY <400>12
GQNITEEFYQ <400>13	QNITEEFYQS <400>14
NITEEFYQST <400>15	ITEEFYQSTC <400>16
TEEFYQSTCS <400>17	EEFYQSTCSA <400>18

- 56 -

EFYQSTCSAV	<400>19	FYQSTCSAVS	<400>20
YQSTCSAVSK	<400>21	QSTCSAVSKG	<400>22
STCSAVSKGY	<400>23	TCSAVSKGYL	<400>24
CSAVSKGYLS	<400>25	SAVSKGYLSA	<400>26
AVSKGYLSAL	<400>27	VSKGYLSALR	<400>28
SKGYLSALRT	<400>29	KGYSALALRTG	<400>30
GYLSALRTGW	<400>31	YLSALRTGWY	<400>32
LSALRTGWYT	<400>33	SALRTGWYTS	<400>34
ALRTGWYTSV	<400>35	LRTGWYTSVI	<400>36
RTGWYTSVIT	<400>37	TGWYTSVITI	<400>38
GWYTSVITIE	<400>39	WYTSVITIEL	<400>40
YTSVITIELS	<400>41	TSVITIELSN	<400>42
SVITIELSNI	<400>43	VITIELSNIK	<400>44
ITIELSNIKK	<400>45	TIELSNIKKN	<400>46
IELSNIKKNK	<400>47	ELSNIKKNKC	<400>48
LSNIKKNKC	<400>49	SNIKKNKCNG	<400>50
NIKKNKCNGT	<400>51	IKKNKCNGTD	<400>52
KKNKCNGTDA	<400>53	KNKCNGTDAK	<400>54
NKCNGTDAKV	<400>55	KCNGTDAKVK	<400>56
CNGTDAKVKL	<400>57	NGTDAKVCLI	<400>58
GTDAKVCLI	<400>59	TDAKVCLIKQ	<400>60
DAKVCLIKQE	<400>61	AKVCLIKQEL	<400>62
KVCLIKQELD	<400>63	VKLIKQELDK	<400>64
KLIKQELDKY	<400>65	LIKQELDKYK	<400>66
IKQELDKYKN	<400>67	KQELDKYKNA	<400>68
QELDKYKNAV	<400>69	ELDKYKNAV	<400>70
LDKYKNAVTE	<400>71	DKYKNAVTEL	<400>72
KYKNAVTELQ	<400>73	YKNAVTELQL	<400>74
KNAVTELQLL	<400>75	NAVTELQLLM	<400>76
AVTELQLLMQ	<400>77	VTELQLLMQS	<400>78
TELQLLMQST	<400>79	ELQLLMQSTQ	<400>80
LQLLMQSTQA	<400>81	QLLMQSTQAT	<400>82
LLMQSTQATN	<400>83	LMQSTQATNN	<400>84
MQSTQATNNR	<400>85	QSTQATNNRA	<400>86
STQATNNRAR	<400>87	TQATNNRARR	<400>88
QATNNRARRE	<400>89	ATNNRARREL	<400>90
TNNRARRELP	<400>91	NNRARRELPR	<400>92
NNRARRELPR	<400>93	RARRELPRFM	<400>94
ARRELPRFMN	<400>95	RRELPRFMNY	<400>96
RELPRFMNYT	<400>97	ELPRFMNYTL	<400>98
LPRFMNYTLN	<400>99	PRFMNYTLNN	<400>100
RFMNYTLNNA	<400>101	FMNYTLNNAK	<400>102
MNYTLNNAKK	<400>103	NYTLNNAKKT	<400>104
YTLNNAKKTN	<400>105	TLNNAKKTNV	<400>106
LNNAKKTNTV	<400>107	NNAKKTNTVTL	<400>108
NAKKTNTVTL	<400>109	AKKTNTVTL	<400>110
KKTNTVTL	<400>111	KTNTVTL	<400>112
TNTVTL	<400>113	NVTLS	<400>114
VTL	<400>115	TL	<400>116
LS	<400>117	SK	<400>118
KK	<400>119	KR	<400>120
RR	<400>121	RR	<400>122
RR	<400>123	RR	<400>124
FL	<400>125	LG	<400>126

GFLGVGSAI <400>127
LLGVGSAIAS <400>129
GVGSAIASGV <400>131
GSAIASGVAV <400>133
AIASGVAVSK <400>135
ASGVAVSKVL <400>137
GVAVSKVLHL <400>139
AVSKVLHLEG <400>141
SKVLHLEGEV <400>143
VLHLEGEVVK <400>145
HLEGEVVKIK <400>147
EGEVVKIKSA <400>149
EVVKIKSALL <400>151
NKIKSALLST <400>153
IKSALLSTNK <400>155
SALLSTNKAV <400>157
LLSTNKAVVS <400>159
STNKAVVSLS <400>161
NKAVVSLSNG <400>163
AVVSLSNGVS <400>165
VVSLSNGVSVL <400>167
LSNGVSVLTS <400>169
NGVSVLTSKV <400>171
VSVLTSKVLD <400>173
VLTskVLDLk <400>175
TSKVLDLKNY <400>177
KVLDLKNYID <400>179
LDLKNYIDKQ <400>181
LKNYIDKQLL <400>183
NYIDKQLLPI <400>185
IDKQLLPIVN <400>187
KQLLPIVKNQ <400>189
LLPIVKNQSC <400>191
PIVKNQSCSI <400>193
VKNQSCSISN <400>195
KQSCSISNIE <400>197
SCSISNIETV <400>199
SISNIETVIE <400>201
SNIETVIEFQ <400>203
IETVIEFQQK <400>205
TVIEFQQKNN <400>207
IEFQQKNNRL <400>209
FQQKNNRLLE <400>211
QKNNRLLEIT <400>213
NNRLLEITRE <400>215
RLLEITREFS <400>217
LEITREFSVN <400>219
ITREFSVNAG <400>221
REFSVNAGVT <400>223
FSVNAGVTPV <400>225
VNAGVTPVST <400>227
AGVTPVSTY <400>229
VTPVSTYML <400>231
TPVSTYMLTN <400>233

FLLGVGSAIA <400>128
LGVGSAIASG <400>130
VGSIAIASGVA <400>132
SAIASGVAVS <400>134
IASGVAVSKV <400>136
SGVAVSKVLH <400>138
VAVSKVLHLE <400>140
VSKVLHLEGE <400>142
KVLHLEGEVN <400>144
LHLEGEVNKI <400>146
LEGEVNKIKS <400>148
GEVNKIKSAL <400>150
VNKIKSALLS <400>152
KIKSALLSTN <400>154
KSALLSTNKA <400>156
ALLSTNKAVV <400>158
LSTNKAVVSL <400>160
TNKAVVSLSN <400>162
KAVVSLSNGV <400>164
VVSLSNGVSV <400>166
SLSNGVSVLT <400>168
SNGVSVLTSK <400>170
GVSVLTSKVL <400>172
SVLTSKVLDL <400>174
LTSKVLDLKN <400>176
SKVLDLKNYI <400>178
VLDLKNYIDK <400>180
DLKNYIDKQL <400>182
KNYIDKQLLP <400>184
YIDKQLLPIV <400>186
DKQLLPIVKN <400>188
QLLPIVKNQS <400>190
LPIVKNQSCS <400>192
IVKNQSCSIS <400>194
NKQSCSISNI <400>196
QSCSISNIET <400>198
CSISNIETVI <400>200
ISNIETVIEF <400>202
NIETVIEFQQ <400>204
ETVIEFQQKN <400>206
VIEFQQKNNR <400>208
EFQQKNNRLL <400>210
QQKNNRLLEI <400>212
KNNRLLEITR <400>214
NRLLEITREF <400>216
LLEITREFSV <400>218
EITREFSVNA <400>220
TREFSVNAGV <400>222
EFSVNAGVTT <400>224
SVNAGVTPV <400>226
NAGVTPVST <400>228
GVTPVSTYM <400>230
TTPVSTYMLT <400>232
PVSTYMLTNS <400>234

- 58 -

VSTYMLTNSE	<400>235	STYMLTNSEL	<400>236
TYMLTNSELL	<400>237	YMLTNSELLS	<400>238
MLTNSELLSL	<400>239	LTNSELLSLI	<400>240
TNSELLSLIN	<400>241	NSELLSLIND	<400>242
SELLSLINDM	<400>243	ELLSLINDMP	<400>244
LLSLINDMPI	<400>245	LSLINDMPIT	<400>246
SLINDMPITN	<400>247	LINDMPITND	<400>248
INDMPITNDQ	<400>249	NDMPITNDQK	<400>250
DMPITNDQKK	<400>251	MPITNDQKKL	<400>252
PITNDQKKLM	<400>253	ITNDQKKLMS	<400>254
TNDQKKLMSN	<400>255	NDQKKLMSNN	<400>256
DQKKLMSNNV	<400>257	QKKLMSNNVQ	<400>258
KKLMSNNVQI	<400>259	KLMSNNVQIV	<400>260
LMSNNVQIVR	<400>261	MSNNVQIVRQ	<400>262
SNNVQIVRQQ	<400>263	NNVQIVRQQS	<400>264
NVQIVRQQSY	<400>265	VQIVRQQSYS	<400>266
QIVRQQSYSI	<400>267	IVRQQSYSIM	<400>268
VRQQSYSIMS	<400>269	RQQSYSIMSI	<400>270
QSYSSIMSII	<400>271	QSYSSIMSIK	<400>272
SYSIMSIIKE	<400>273	YSIMSIIKEE	<400>274
SIMSIIKEEV	<400>275	IMSIIKEEVL	<400>276
MSIIKEEVLA	<400>277	SIIKEEVLAY	<400>278
IIKEEVLAYV	<400>279	IKEEVLAYVV	<400>280
KEEVLAYVVQ	<400>281	EEVLAYVVQL	<400>282
EVLAYVVQLP	<400>283	VLAYVVQLPL	<400>284
LAYVVQLPLY	<400>285	AYVVQLPLYG	<400>286
YVVQLPLYGV	<400>287	VVQLPLYGVI	<400>288
VQLPLYGVID	<400>289	QLPLYGVIDT	<400>290
LPLYGVIDTP	<400>291	PLYGVIDTPC	<400>292
LYGVIDTPCW	<400>293	YGVIDTPCWK	<400>294
GVIDTPCWKL	<400>295	VIDTPCWKLH	<400>296
IDTPCWKLHT	<400>297	DTPCWKLHTS	<400>298
TPCWKLHTSP	<400>299	PCWKLHTSPL	<400>300
CWKLHTSPLC	<400>301	WKLHTSPLCT	<400>302
KLHTSPLCTT	<400>303	LHTSPLCTTN	<400>304
HTSPLCTTNT	<400>305	TSPLCTTNTK	<400>306
SPLCTTNTKE	<400>307	PLCTTNTKEG	<400>308
LCTTNTKEGS	<400>309	CTTNTKEGSN	<400>310
TTNTKEGSNI	<400>311	TNTKEGSNIC	<400>312
NTKEGSNICL	<400>313	TKEGSNICLT	<400>314
KEGSNICLTR	<400>315	EGSNICLTRT	<400>316
GSNICLTRTD	<400>317	SNICLTRTRD	<400>318
NICLTRTRDRG	<400>319	ICLTRTRDRGW	<400>320
CLTRTRDRGWY	<400>321	LTRTRDRGWYC	<400>322
TRTRDRGWYCD	<400>323	RTDRGWYCDN	<400>324
TDRGWYCDNA	<400>325	DRGWYCDNAG	<400>326
RGWYCDNAGS	<400>327	GWYCDNAGSV	<400>328
WYCDNAGSVS	<400>329	YCDNAGSVSF	<400>330
CDNAGSVSFF	<400>331	DNAGSVSFFP	<400>332
NAGSVSFFPQ	<400>333	AGSVSFFPQA	<400>334
GSVSFFPQAE	<400>335	SVSFFPQAET	<400>336
VSFFPQAETC	<400>337	SFFPQAETCK	<400>338
FFPQAETCKV	<400>339	FPQAETCKVQ	<400>340
PQAETCKVQS	<400>341	QAETCKVQSN	<400>342

- 59 -

AETCKVQSNR <400>343
TCKVQSNRVF <400>345
KVQSNRVFCD <400>347
QSNRVFCDTM <400>349
NRVFCDTMNS <400>351
VFCDTMNSLT <400>353
CDTMNSLTLP <400>355
TMNSLTLPSE <400>357
NSLTLPSEVN <400>359
LTLPSEVNLC <400>361
LPSEVNLCNV <400>363
SEVNLCNVDI <400>365
VNLCNVDIFN <400>367
LCNVDIFNPK <400>369
NVDIFNPKYD <400>371
DIFNPKYDCK <400>373
FNPKYDCKIM <400>375
PKYDCKIMTS <400>377
YDCKIMTSKT <400>379
CKIMTSKTDV <400>381
IMTSKTDVSS <400>383
TSKTDVSSSV <400>385
KTDVSSSVIT <400>387
DVSSSVITSL <400>389
SSSVITSLGA <400>391
SVITSLGAIV <400>393
ITSLGAIVSC <400>395
SLGAIVSCYG <400>397
GAIVSCYGKT <400>399
IVSCYGKTKC <400>401
SCYGKTKCTA <400>403
YGKTKCTASN <400>405
KTKCTASNKN <400>407
KCTASNKNRG <400>409
TASNKNRGI I <400>411
SNKNRGI IKT <400>413
KNRGI IKTFS <400>415
RGI IKTFSNG <400>417
I IKTFSNGCD <400>419
KTFSNGCDYV <400>421
FSNGCDYVSN <400>423
NGCDYVSNKG <400>425
CDYVSNKGVD <400>427
YVSNKGVDTV <400>429
SNKGVDTVSV <400>431
KGVDTVSVGN <400>433
VDTVSVGNTL <400>435
TVSVGNTLYY <400>437
SVGNTLYYVN <400>439
GNTLYYVKNQ <400>441
TLYYVKNQEG <400>443
YYVKNQEGKS <400>445
VKNQEGKSLY <400>447
QEGKSLYVK <400>449

ETCKVQSNRV <400>344
CKVQSNRVFC <400>346
VQSNRVFCDT <400>348
SNRVFCDTMN <400>350
RVFCDTMNSL <400>352
FCDTMNSLTL <400>354
DTMNSLTLP <400>356
MNSLTLPSEV <400>358
SLTLPSEVNL <400>360
TLPSEVNLCN <400>362
PSEVNLCNVD <400>364
EVNLCNVDIF <400>366
NLCNVDIFNP <400>368
CNVDIFNPKY <400>370
VDIFNPKYDC <400>372
IFNPKYDCKI <400>374
NPKYDCKIMT <400>376
KYDCKIMTSK <400>378
DCKIMTSKTD <400>380
KIMTSKTDVS <400>382
MTSKTDVSSS <400>384
SKTDVSSSVI <400>386
TDVSSSVITS <400>388
VSSSVITSLG <400>390
SSVITSLGAI <400>392
VITSLGAIVS <400>394
TSLGAIVSCY <400>396
LGAIVSCYGK <400>398
AIVSCYGKTK <400>400
VSCYGKTKCT <400>402
CYGKTKCTAS <400>404
GKTKCTASNK <400>406
TKCTASNKNR <400>408
CTASNKNRGI <400>410
ASNKNRGI I K <400>412
NKNRGI I KTF <400>414
NRGI IKTFSN <400>416
GI IKTFSNGC <400>418
IKTFSNGCDY <400>420
TFSNGCDYVS <400>422
SNGCDYVSNK <400>424
GCDYVSNKGV <400>426
DYVSNKGVDV <400>428
VSNKGVDTVS <400>430
NKGVDTVSVG <400>432
GVDTVSVGNT <400>434
DTVSVGNTLY <400>436
VSVGNTLYYV <400>438
VGNTLYYVKN <400>440
NTLYYVKNQE <400>442
LYYVKNQEKG <400>444
YVKNQEKGSL <400>446
NKQEKGKSLY <400>448
QEKGKSLYVK <400>450

- 60 -

EGKSLYVKGE	<400>451	GKSLYVKGEP	<400>452
KSLYVKGEPI	<400>453	SLYVKGEPII	<400>454
LYVKGEPIIN	<400>455	YVKGEPIINF	<400>456
VKGEPIINFY	<400>457	KGEPIINFYD	<400>458
GEPIINFYDP	<400>459	EPIINFYDPL	<400>460
PIINFYDPLV	<400>461	IINFYDPLVF	<400>462
INFYDPLVFP	<400>463	NFYDPLVFPS	<400>464
FYDPLVFPSD	<400>465	YDPLVFPSDE	<400>466
DPLVFPSDEF	<400>467	PLVFPSDEFD	<400>468
LVFPSDEFDA	<400>469	VFPSDEFDAS	<400>470
FPSDEFDASI	<400>471	PSDEFDASIS	<400>472
SDEFDASISQ	<400>473	DEFDASISQV	<400>474
EFDASISQVN	<400>475	FDASISQVNE	<400>476
DASISQVNEK	<400>477	ASISQVNEKI	<400>478
SISQVNEKIN	<400>479	ISQVNEKINQ	<400>480
SQVNEKINQS	<400>481	QVNEKINQSL	<400>482
VNEKINQSLA	<400>483	NEKINQSLAF	<400>484
EKINQSLAFI	<400>485	KINQSLAFIR	<400>486
INQSLAFIRK	<400>487	NQSLAFIRKS	<400>488
QSLAFIRKSD	<400>489	SLAFIRKSDE	<400>490
LAFIRKSDEL	<400>491	AFIRKSDELL	<400>492
FIRKSDELLH	<400>493	IRKSDELLHN	<400>494
RKSDELLHNV	<400>495	KSDELLHNVN	<400>496
SDELLHNVNA	<400>497	DELLHNVNAG	<400>498
ELLHNVNAGK	<400>499	LLHNVNAGKS	<400>500
LHNVNAGKST	<400>501	HNVNAGKSTT	<400>502
NVNAGKSTTN	<400>503	VNAGKSTTNI	<400>504
NAGKSTTNIM	<400>505	AGKSTTNIMI	<400>506
GKSTTNIMIT	<400>507	KSTTNIMITT	<400>508
STTNIMITTI	<400>509	TTNIMITTII	<400>510
TNIMITTIII	<400>511	NIMITTIIIV	<400>512
IMITTIIIVI	<400>513	MITTIIIVII	<400>514
ITTIIIVIIV	<400>515	TTIIIVIIIVI	<400>516
TIIIVIIIVIL	<400>517	IIIVIIIVILL	<400>518
IIVIIIVILLS	<400>519	IVIIIVILLSL	<400>520
VIIIVILLSLI	<400>521	IIVILLSLIA	<400>522
IVILLSLIAV	<400>523	VILLSLIAVG	<400>524
ILLSLIAVGL	<400>525	LLSLIAVGLL	<400>526
LSLIAVGLLL	<400>527	SLIAVGLLLY	<400>528
LIAVGLLLYC	<400>529	IAVGLLLYCK	<400>530
AVGLLLYCKA	<400>531	VGLLLYCKAR	<400>532
GLLLYCKARS	<400>533	LLLYCKARST	<400>534
LLYCKARSTP	<400>535	LYCKARSTPV	<400>536
YCKARSTPVT	<400>537	CKARSTPVTL	<400>538
KARSTPVTLS	<400>539	ARSTPVTLSK	<400>540
RSTPVTLSKD	<400>541	STPVTLSKDQ	<400>542
TPVTLSKDQL	<400>543	PVTLSKDQLS	<400>544
VTLSDQLSG	<400>545	TLSDQLSGI	<400>546
LSKDQLSGIN	<400>547	SKDQLSGINN	<400>548
KDQLSGINNI	<400>549	DQLSGINNIA	<400>550
QLSGINNIAF	<400>551	LSGINNIAFS	<400>552
SGINNIAFSN	<400>553		

- 61 -

Even more preferably said antagonist interacts with a sequence selected from <400>88, <400>89, <400>90, <400>91, <400>92, <400>93 or <400>94.

- 5 Reference to "interacts" should be understood as a reference to any form of interaction including, but not limited to covalent bonds, hydrogen bonds, ionic bonds, van der Waals forces or any other interactive bonding mechanism.

Still without limiting the present invention to any one theory or mode of action the
10 inventors have determined that inhibition or other form of interference with cleavage at the newly identified cleavage site disclosed herein interferes with F protein functioning. Further, it is thought that the intervening sequence exhibits relevance in relation to immune recognition. Specifically, it is thought that F proteins engineered to either retain the intervening sequence or which are engineered such that the intervening sequence is
15 removed altogether exhibit altered but improved immunogenicity. Although not wishing to be constrained by theory, it is thought that in the normal physiological setting, the intervening sequence which is excised following formation of the fully functional F glycoprotein serves as an immune decoy thereby obstructing or otherwise inhibiting the induction of an immune response against the fully functional F protein.

20

Accordingly, mutating the cleavage sites comprising the F protein (at either the amino acid or encoding nucleic acid level) provides a useful tool for producing molecules which are engineered to retain the intervening sequence and which cannot undergo the normal cleavage event in order to generate the fully functional F protein. These molecules are
25 useful in a range of applications including, but not limited to, as an immunogen for use in a vaccination protocol. In addition to producing a F protein variant which cannot be cleaved, identification by the inventors of the second cleavage site now enables the synthesis of F protein molecules which lack the intervening sequence as herein defined. This is particularly useful since it is thought that the F protein which lacks the intervening
30 sequence, but which intervening sequence was not released into the circulation of the subject, will exhibit better immunogenicity than the naturally occurring F protein.

- 62 -

Accordingly, in another aspect there is provided a viral F protein variant comprising a mutation in the intervening peptide sequence wherein said variant exhibits modulated functional activity relative to wild type F protein or a derivative, homologue, analogue, chemical equivalent or mimetic of said variant.

5

More particularly, there is provided a viral F protein variant comprising a mutation in the intervening peptide sequence wherein said variant exhibits down-regulated functional activity relative to wild type F protein or a derivative, homologue, analogue, chemical equivalent or mimetic of said variant.

10

Reference to "intervening peptide sequence" should be understood to have the same meaning as hereinbefore defined.

Reference to "wild type" F protein is a reference to the forms of F protein which are
15 predominantly expressed by negative sense single stranded RNA viruses. This should be understood to include reference to the uncleaved form of the F protein, the functional activity of which includes the capacity to undergo cleavage and excision of the intervening sequence, and the fully functional F protein in respect of which the intervening sequence has been excised. It should be understood that to the extent that the subject variant
20 molecule comprises all or part of the intervening sequence, modulation of its functional activity should be assessed relative to the wild type F protein which still comprises the intervening sequence. Conversely, a variant F protein which does not comprise the intervening sequence should be assessed relative to the cleaved wild type F protein. In this regard, reference to "functional activity" should be understood as a reference to any one or
25 more of the functional activities which the subject F protein can perform including, but not limited to, its capacity to undergo cleavage or its capacity to induce an immune response.

Reference to "mutation" should be understood as a reference to any change, alteration or other modification, whether occurring naturally or non-naturally, which results in the
30 subject F protein exhibiting functional activity which is modulated relative to that of the corresponding wild type F protein.

- 63 -

The change, alteration or other modification may take any form including, but not limited to, a structural modification (such as an alteration secondary, tertiary or quaternary structure of the F protein molecule), a molecular modification (such as an addition substitutional deletion of one or more amino acids from the F protein) or a chemical
5 modification. The subject modification should also be understood to extend to the fusion, linking or binding of a proteinaceous or non-proteinaceous molecule to the F protein or to the nucleic acid molecule encoding the F protein thereby rendering the expression product functionally distinctive over the corresponding wild type F protein. It should also be understood that although it is necessary that the subject mutation is expressed by the F
10 protein expression product, the creation of the mutation may be achieved by any suitable means including either mutating a wild type F protein, synthesising a F protein variant or modifying a nucleic acid molecule encoding a wild type F protein such that the expression product of said mutated nucleic acid molecule is a F protein variant. Preferably, said mutation is a single or multiple amino acid sequence substitution, addition and/or deletion.
15 In this regard, in one preferred embodiment the subject mutation is deletion of all or part of the intervening sequence. In another preferred embodiment, the subject mutation is an amino acid substitution which renders the newly identified cleavage site inactive. By inactive is meant that the cleavage site cannot be cleaved by the enzymatic processes which normally function to activate an F protein *in vivo*.

20

In a preferred embodiment the viral F protein is a Paramyxoviridae F protein and still more preferably the subject viral F protein is of the Genus Pneumovirus and still more preferably respiratory syncytial virus.

25 In a most preferred embodiment there is provided a respiratory syncytial virus F protein variant comprising a mutation in the cleavage site defined by amino acids RARR (<400>564) wherein said variant exhibits down-regulated functional activity relative to wild type F protein or a derivative, homologue, analogue, chemical equivalent or mimetic of said variant.

30

- 64 -

Preferably said mutation comprises one or more of the amino acid substitutions selected from the following list:

- (i) R106G
- 5 (ii) A107Q
- (iii) R108G

Still more preferably said F protein variant comprises the sequence substantially as set forth in <400>565.

10

In another preferred embodiment there is provided a respiratory syncytial virus F protein variant comprising a multiple amino acid deletion from the intervening peptide sequence wherein said variant exhibits down-regulated functional activity relative to wild type F protein or a derivative, homologue, analogue, chemical equivalent of said variant.

15

It is more preferably provided that said amino acid deletion is a partial deletion of the intervening peptide sequence and more preferably a deletion of the peptide sequence

RARRELPRFMNYTLNNAKKTNV TLS <400>569.

20

Still more preferably said variant comprises the amino acid sequence substantially as set forth in <400>567.

To the extent that the present invention relates to F protein variants comprising one or
25 more amino acid additions, substitutions and/or deletions, it should also be understood to extend to nucleic acid molecules encoding said variants.

Accordingly, another aspect of the present invention is directed to an isolated nucleic acid molecule selected from the list consisting of:

- 30 (i) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F

protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a mutation in the intervening peptide sequence wherein said variant exhibits modulated functional activity relative to wild-type F protein.

5

- (ii) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a mutation in the intervening peptide sequence wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.

10

- (iii) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a respiratory syncytial virus F protein or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a mutation in the cleavage site defined by amino acids RARR wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.

15

- (iv) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a respiratory syncytial virus F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises one or more of the amino acid substitutions selected from the following list:

25

- (a) R106G
- (b) A107Q
- (c) R108G

- (v) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F

30

- 66 -

protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a multiple amino acid deletion from the intervening peptide sequence wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.

5

- (vi) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a partial deletion of the intervening peptide sequence and more preferably a deletion of the peptide sequence
- 10

RARRELPRFMNYTLNNAKKTNVTLS <400>569.

- (vii) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises the amino acid sequence substantially as set forth in <400>567.
- 15

- (viii) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises the amino acid sequence substantially as set forth in <400>565.
- 20

25

- (ix) An isolated nucleic acid molecule or derivative or analogue thereof comprising the nucleotide substantially as set forth in <400>568.

- (x) An isolated nucleic acid molecule or derivative or analogue thereof comprising the nucleotide substantially as set forth in <400>566.
- 30

In a preferred embodiment the viral F protein is a Paramyxoviridae F protein and still more preferably the subject viral F protein is of the Genus Pneumovirus and still more preferably respiratory syncytial virus.

5 The nucleic acid molecule of the subject invention may be ligated to an expression vector capable of expression in a prokaryotic cell (eg. *E.Coli*) or a eukaryotic cell (eg. yeast cells, fungal cells, insect cells, mammalian cells or plant cells). The nucleic acid molecule may be ligated or fused or otherwise associated with a nucleic acid molecule encoding another entity such as, for example, a signal peptide. It may also comprise additional nucleotide
10 sequence information fused, linked or otherwise associated with it either at the 3' or 5' terminal portions or at both the 3' and 5' terminal portions. The nucleic acid molecule may also be part of a vector, such as an expression vector. The latter embodiment facilitates production of recombinant forms of the variant F protein encompassed by the present invention.

15

The variant F protein molecule of the present invention may be derived from natural or recombinant sources or may be chemically synthesised. Methods for producing these molecules would be well known to those skilled in the art.

20 As hereinbefore provided, "derivatives" include fragments, parts, portions, variants and mimetics from natural, synthetic or recombinant sources including fusion proteins. Parts or fragments include, for example, active regions of F protein. Derivatives may be derived from insertion, deletion or substitution of amino acids. Amino acid insertional derivatives include amino and/or carboxylic terminal fusions as well as intrasequence insertions of
25 single or multiple amino acids. Insertional amino acid sequence variants are those in which one or more amino acid residues are introduced into a predetermined site in the protein although random insertion is also possible with suitable screening of the resulting product. Deletional variants are characterised by the removal of one or more amino acids from the sequence. Substitutional amino acid variants are those in which at least one
30 residue in the sequence has been removed and a different residue inserted in its place. An example of substitutional amino acid variants are conservative amino acid substitutions.

- 68 -

Conservative amino acid substitutions typically include substitutions within the following groups: glycine and alanine; valine, isoleucine and leucine; aspartic acid and glutamic acid; asparagine and glutamine; serine and threonine; lysine and arginine; and phenylalanine and tyrosine. Additions to amino acid sequences include fusions with other peptides,
5 polypeptides or proteins.

Reference to "homologues" should be understood as a reference to F protein nucleic acid molecules or proteins derived from viral strains other than the species of origin.

- 10 Chemical and functional equivalents of F protein nucleic acid or protein molecules should be understood as molecules exhibiting any one or more of the functional activities of these molecules and may be derived from any source such as being chemically synthesized or identified via screening processes such as natural product screening.
- 15 The derivatives include fragments having particular epitopes or parts of the entire protein fused to peptides, polypeptides or other proteinaceous or non-proteinaceous molecules.

Analogues contemplated herein include, but are not limited to, modification to side chains, incorporating of unnatural amino acids and/or their derivatives during peptide, polypeptide
20 or protein synthesis and the use of crosslinkers and other methods which impose conformational constraints on the proteinaceous molecules or their analogues.

Derivatives of nucleic acid sequences may similarly be derived from single or multiple nucleotide substitutions, deletions and/or additions including fusion with other nucleic acid
25 molecules. The derivatives of the nucleic acid molecules of the present invention include oligonucleotides, PCR primers, antisense molecules, molecules suitable for use in cosuppression and fusion of nucleic acid molecules. Derivatives of nucleic acid sequences also include degenerate variants.

- 30 Examples of side chain modifications contemplated by the present invention include modifications of amino groups such as by reductive alkylation by reaction with an aldehyde followed by reduction with NaBH_4 ; amidination with methylacetimidate; acylation with acetic anhydride; carbamoylation of amino groups with cyanate;

- 69 -

trinitrobenzylation of amino groups with 2, 4, 6-trinitrobenzene sulphonic acid (TNBS); acylation of amino groups with succinic anhydride and tetrahydrophthalic anhydride; and pyridoxylation of lysine with pyridoxal-5-phosphate followed by reduction with NaBH₄.

- 5 The guanidine group of arginine residues may be modified by the formation of heterocyclic condensation products with reagents such as 2,3-butanedione, phenylglyoxal and glyoxal.

- The carboxyl group may be modified by carbodiimide activation *via* O-acylisourea
10 formation followed by subsequent derivitisation, for example, to a corresponding amide.

- Sulphydryl groups may be modified by methods such as carboxymethylation with iodoacetic acid or iodoacetamide; performic acid oxidation to cysteic acid; formation of a mixed disulphides with other thiol compounds; reaction with maleimide, maleic anhydride
15 or other substituted maleimide; formation of mercurial derivatives using 4-chloromercuribenzoate, 4-chloromercuriphenylsulphonic acid, phenylmercury chloride, 2-chloromercuri-4-nitrophenol and other mercurials; carbamoylation with cyanate at alkaline pH.

- 20 Tryptophan residues may be modified by, for example, oxidation with N-bromosuccinimide or alkylation of the indole ring with 2-hydroxy-5-nitrobenzyl bromide or sulphenyl halides. Tyrosine residues on the other hand, may be altered by nitration with tetranitromethane to form a 3-nitrotyrosine derivative.

- 25 Modification of the imidazole ring of a histidine residue may be accomplished by alkylation with iodoacetic acid derivatives or N-carboethoxylation with diethylpyrocarbonate.

- Examples of incorporating unnatural amino acids and derivatives during protein synthesis
30 include, but are not limited to, use of norleucine, 4-amino butyric acid, 4-amino-3-hydroxy-5-phenylpentanoic acid, 6-aminohexanoic acid, t-butylglycine, norvaline, phenylglycine, ornithine, sarcosine, 4-amino-3-hydroxy-6-methylheptanoic acid, 2-thienyl

- 70 -

alanine and/or D-isomers of amino acids. A list of unnatural amino acids contemplated herein is shown in Table 3.

TABLE 3

	Non-conventional	Code	Non-conventional	Code
5	amino acid		amino acid	
	α -aminobutyric acid	Abu	L-N-methylalanine	Nmala
	α -amino- α -methylbutyrate	Mgab	L-N-methylarginine	Nmarg
	aminocyclopropane-	Cpro	L-N-methylasparagine	Nmasn
	carboxylate		L-N-methylaspartic acid	Nmasp
10	aminoisobutyric acid	Aib	L-N-methylcysteine	Nmcys
	aminonorbornyl-	Norb	L-N-methylglutamine	Nmgln
	carboxylate		L-N-methylglutamic acid	Nmglu
	cyclohexylalanine	Chexa	L-N-methylhistidine	Nmhis
	cyclopentylalanine	Cpen	L-N-methylisoleucine	Nmile
15	D-alanine	Dal	L-N-methylleucine	Nmleu
	D-arginine	Darg	L-N-methyllysine	Nmlys
	D-aspartic acid	Das	L-N-methylmethionine	Nmmet
	D-cysteine	Dcys	L-N-methylnorleucine	Nmnle
	D-glutamine	Dgln	L-N-methylnorvaline	Nmnva
20	D-glutamic acid	Dglu	L-N-methylornithine	Nmorn
	D-histidine	Dhis	L-N-methylphenylalanine	Nmphe
	D-isoleucine	Dile	L-N-methylproline	Nmpro
	D-leucine	Dleu	L-N-methylserine	Nmser
	D-lysine	Dlys	L-N-methylthreonine	Nmthr
25	D-methionine	Dmet	L-N-methyltryptophan	Nmtrp
	D-ornithine	Dorn	L-N-methyltyrosine	Nmtyr
	D-phenylalanine	Dphe	L-N-methylvaline	Nmval
	D-proline	Dpro	L-N-methylethylglycine	Nmetg
	D-serine	Dser	L-N-methyl-t-butylglycine	Nmtbug
30	D-threonine	Dthr	L-norleucine	Nle
	D-tryptophan	Dtrp	L-norvaline	Nva
	D-tyrosine	Dtyr	α -methyl-aminoisobutyrate	Maib
	D-valine	Dval	α -methyl- -aminobutyrate	Mgab

- 72 -

	D- α -methylalanine	Dmala	α -methylcyclohexylalanine	Mchexa
	D- α -methylarginine	Dmarg	α -methylcyclopentylalanine	Mcpen
	D- α -methylasparagine	Dmasn	α -methyl- α -naphthylalanine	Manap
	D- α -methylaspartate	Dmasp	α -methylpenicillamine	Mpen
5	D- α -methylcysteine	Dmcys	N-(4-aminobutyl)glycine	Nglu
	D- α -methylglutamine	Dmgln	N-(2-aminoethyl)glycine	Naeg
	D- α -methylhistidine	Dmhis	N-(3-aminopropyl)glycine	Norn
	D- α -methylisoleucine	Dmile	N-amino- α -methylbutyrate	Nmaabu
	D- α -methylleucine	Dmleu	α -naphthylalanine	Anap
10	D- α -methyllysine	Dmlys	N-benzylglycine	Nphe
	D- α -methylmethionine	Dmmet	N-(2-carbamylethyl)glycine	Ngln
	D- α -methylornithine	Dmorn	N-(carbamylmethyl)glycine	Nasn
	D- α -methylphenylalanine	Dmphe	N-(2-carboxyethyl)glycine	Nglu
	D- α -methylproline	Dmpro	N-(carboxymethyl)glycine	Nasp
15	D- α -methylserine	Dmser	N-cyclobutylglycine	Ncbut
	D- α -methylthreonine	Dmthr	N-cycloheptyl glycyne	Nchep
	D- α -methyltryptophan	Dmtrp	N-cyclohexylglycine	Nchex
	D- α -methyltyrosine	Dmtty	N-cyclodecylglycine	Ncdec
	D- α -methylvaline	Dmval	N-cylcododecylglycine	Ncdod
20	D-N-methylalanine	Dnmala	N-cyclooctylglycine	Ncoct
	D-N-methylarginine	Dnmarg	N-cyclopropylglycine	Ncpro
	D-N-methylasparagine	Dnmasn	N-cycloundecylglycine	Ncund
	D-N-methylaspartate	Dnmasp	N-(2,2-diphenylethyl)glycine	Nbhm
	D-N-methylcysteine	Dnmcys	N-(3,3-diphenylpropyl)glycine	Nbhe
25	D-N-methylglutamine	Dnmgln	N-(3-guanidinopropyl)glycine	Narg
	D-N-methylglutamate	Dnmglu	N-(1-hydroxyethyl)glycine	Nthr
	D-N-methylhistidine	Dnmhis	N-(hydroxyethyl)glycine	Nser
	D-N-methylisoleucine	Dnmile	N-(imidazolylethyl)glycine	Nhis
	D-N-methylleucine	Dnmleu	N-(3-indolylethyl)glycine	Nhtrp
30	D-N-methyllysine	Dnmlys	N-methyl- γ -aminobutyrate	Nmgabu
	N-methylcyclohexylalanine	Nmchexa	D-N-methylmethionine	Dnmmet
	D-N-methylornithine	Dnmorn	N-methylcyclopentylalanine	Nmcpen
	N-methylglycine	Nala	D-N-methylphenylalanine	Dnmphe

- 73 -

	N-methylaminoisobutyrate	Nmaib	D-N-methylproline	Dnmpro
	N-(1-methylpropyl)glycine	Nile	D-N-methylserine	Dnmser
	N-(2-methylpropyl)glycine	Nleu	D-N-methylthreonine	Dnmthr
	D-N-methyltryptophan	Dnmtrp	N-(1-methylethyl)glycine	Nval
5	D-N-methyltyrosine	Dnmtyr	N-methyl- <i>n</i> -naphthylalanine	Nmanap
	D-N-methylvaline	Dnmval	N-methylpenicillamine	Nmpen
	γ -aminobutyric acid	Gabu	N-(<i>p</i> -hydroxyphenyl)glycine	Nhtyr
	L- <i>t</i> -butylglycine	Tbug	N-(thiomethyl)glycine	Ncys
	L-ethylglycine	Etg	penicillamine	Pen
10	L-homophenylalanine	Hphe	L- α -methylalanine	Mala
	L- α -methylarginine	Marg	L- α -methylasparagine	Masn
	L- α -methylaspartate	Masp	L- α -methyl- <i>t</i> -butylglycine	Mtbug
	L- α -methylcysteine	Mcys	L-methylethylglycine	Metg
	L- α -methylglutamine	Mgln	L- α -methylglutamate	Mglu
15	L- α -methylhistidine	Mhis	L- α -methylhomophenylalanine	Mhphe
	L- α -methylisoleucine	Mile	N-(2-methylthioethyl)glycine	Nmet
	L- α -methyllleucine	Mleu	L- α -methylllysine	Mlys
	L- α -methylmethionine	Mmet	L- α -methylnorleucine	Mnle
	L- α -methylnorvaline	Mnva	L- α -methylornithine	Morn
20	L- α -methylphenylalanine	Mphe	L- α -methylproline	Mpro
	L- α -methylserine	Mser	L- α -methylthreonine	Mthr
	L- α -methyltryptophan	Mtrp	L- α -methyltyrosine	Mtyr
	L- α -methylvaline	Mval	L-N-methylhomophenylalanine	Nmhph
	N-(N-(2,2-diphenylethyl)	Nnbhm	N-(N-(3,3-diphenylpropyl)	Nnbhe
25	carbamylmethyl)glycine		carbamylmethyl)glycine	
	1-carboxy-1-(2,2-diphenyl-Nmbc			
	ethylamino)cyclopropane			

-
- 30 Crosslinkers can be used, for example, to stabilise 3D conformations, using homo-bifunctional crosslinkers such as the bifunctional imido esters having (CH₂)_n spacer groups with n=1 to n=6, glutaraldehyde, N-hydroxysuccinimide esters and hetero-bifunctional

- 74 -

reagents which usually contain an amino-reactive moiety such as N-hydroxysuccinimide and another group specific-reactive moiety.

In addition to screening for agents which modulate F protein functional activity, the
5 development of a method of producing a viral F protein or derivative thereof in a
eukaryotic cell and identification of the novel F protein cleavage site has now facilitated
the development of *in vivo* methodology directed to administering to a subject a vaccine
comprising a nucleic acid molecule encoding a viral F protein or derivative thereof.
Reference to "derivative" should be understood to encompass variants thereof, such as the
10 variants hereinbefore defined. Without limiting the present invention to any one theory or
mode of action, the operation of such a vaccine is based on the generation of an immune
response, in particular antibody synthesis, directed to the subject F protein or derivative
thereof. The antibodies generated therein bind to virally produced F proteins thereby
inhibiting their fusion related functional activity and consequently reducing and/or
15 inhibiting further viral propagation. Such a vaccine is useful in either the prophylactic
and/or therapeutic sense.

Accordingly, another aspect of the present invention provides a recombinant viral
construct comprising a nucleic acid molecule encoding a viral F protein or derivative
20 thereof, the nucleotide sequence of which nucleic acid molecule comprises codons
optimised for expression in a eukaryotic cell, wherein said recombinant viral construct is
effective in inducing, enhancing or otherwise stimulating an immune response to said F
protein.

25 Still another aspect of the present invention provides a recombinant viral construct
comprising a nucleic acid molecule encoding a viral F protein variant or derivative thereof
wherein said recombinant viral construct is effective in inducing, enhancing or otherwise
stimulating an immune response to said F protein variant.

- 75 -

In a preferred embodiment the viral F protein is a Paramyxoviridae F protein and still more preferably the subject viral F protein is of the Genus Pneumovirus and still more preferably respiratory syncytial virus.

- 5 Reference to "inducing, enhancing or otherwise stimulating" an immune response to an F protein should be understood to mean stimulating or facilitating the stimulation of a specific immune response. The specific immune response is preferably a humoral response which is directed to any one or more regions of the F protein. In this regard, it should be understood that the subject immune response will down-regulate and/or inhibit
10 at least one functional activity of the subject F protein.

- Yet another aspect of the present invention relates to a vaccine comprising a recombinant viral construct which construct comprises a nucleic acid molecule encoding a respiratory syncytial virus F protein or derivative thereof, the nucleotide sequence of which nucleic
15 acid molecule is optimised for expression in a eukaryotic cell wherein said recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an immune response to said F protein.

- Still another aspect of the present invention relates to a vaccine comprising a recombinant
20 viral construct which construct comprises a nucleic acid molecule encoding a respiratory syncytial virus F protein variant or derivative thereof, wherein said recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an immune response to said F protein variant.

- 25 In accordance with these aspects of the present invention, the nucleotide sequence of the subject nucleic acid molecule is preferably the nucleotide sequence defined in <400>5, <400>6, <400>566 or <400>568.

- A further aspect of the present invention relates to use of the agents hereinbefore defined to
30 modulate F protein functional activity and, in particular, the use of these agents in the therapeutic and/or prophylactic treatment of conditions characterised by infection with a

- 76 -

negative sense single stranded RNA virus, and more particularly respiratory syncytial virus. Conditions envisaged herein include Parainfluenza induced croup and bronchiolitis. It should be understood that reference to "agent" hereinafter includes reference to agents identified or generated by the screening assays described above, including the modulatory
5 agents (for example, antibodies) which are generated *in vivo* via use of a DNA vaccine. This aspect of the present invention is also directed to use of the F protein or derivatives thereof or encoding nucleic acid molecules, including the F protein variants, as hereinbefore described in the therapeutic and/or prophylactic treatment of conditions characterised by infection with a negative sense single stranded RNA virus.

10

Accordingly, another aspect of the present invention provides the method of modulating at least one functional activity associated with a viral F protein in a subject, said method comprising introducing into said subject and effective amount of an F protein modulatory agent for a time and under condition sufficient for said agent to interact with said F protein.

15

Preferably, said functional activity is F protein mediated host cell-virion fusion and/or virion budding and said modulation is down-regulation.

In a preferred embodiment the viral F protein is a Paramyxoviridae F protein and still more
20 preferably the subject viral F protein is of the Genus Pneumovirus and still more preferably respiratory syncytial virus.

The term "subject" includes humans primates, livestock animals(eg, horses, cattle, sheep, pigs, donkeys), laboratory test animals (eg, mice, rats, rabbits, guinea pigs), companion
25 animals (eg, dogs, cats), captive wild animals (eg, kangaroos, deer, foxes), birds (eg, chickens, ducks, bantams, pheasants). Preferably the subject is a human or laboratory test animal. Even more preferably the subject is a human.

In another aspect, the present invention provides a method of modulating at least one
30 functional activity associated with a viral F protein, said method comprising contacting

- 77 -

said viral F protein with an effective amount of an F protein modulatory agent for a time and under conditions sufficient for said agent to interact with said F protein.

Preferably said viral F protein is a Pneumovirus F protein and even more preferably a
5 respiratory syncytial virus F protein. Still more preferably said modulation is down-regulation of F protein functional activity.

This aspect of the present invention should be understood to extend to the modulation of F protein associated functional activities in *in vitro* culture systems. This may be of benefit,
10 for example, when applied to *in vitro* procedures designed to virally infect a prospective host cell. This may be of particular use, for example, where it is desired to create a cell line or to otherwise create a virally transformed cell. In this regard, the subject modulation would preferably be up-regulation of F protein functional activity.

15 In yet another aspect, the present invention relates to a method for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus in a subject, said method comprising administering to said subject an effective amount of an agent, which agent is capable of down-regulating at least one functional activity of the F protein expressed by said virus, for a time and under conditions sufficient
20 for said agent to interact with said F protein.

In still yet another aspect, the present invention relates to a method for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus in a subject, said method comprising administering to said subject an effective
25 amount of a composition comprising an F protein or derivative thereof, F protein variant or derivative thereof and/or a nucleic acid molecule encoding said F protein or F protein variant as hereinbefore defined or a derivative, homologue, analogue, chemical equivalent a mimetic of said protein or nucleic acid molecule for a time and under conditions sufficient for said composition to down-regulate said viral F protein functional activity.

30

- 78 -

In a preferred embodiment the viral F protein is a Paramyxoviridae F protein and still more preferably the subject viral F protein is of the Genus Pneumovirus and still more preferably respiratory syncytial virus.

- 5 Reference to "administering" an agent should be understood to extend to the administration of a DNA vaccine for the purpose of *in vivo* generation of anti – F protein antibodies.

Reference to a condition "characterised by infection with a negative sense single stranded RNA virus" should be understood as a reference to a condition, one or more symptoms of
10 which are directly or indirectly induced due to infection of the subject with the subject virus. Preferably, said virus is a Pneumovirus and even more preferably respiratory syncytial virus.

The molecule which may be administered to a subject in accordance with the present
15 invention may also be linked to a targeting means such as a monoclonal antibody, which provides specific delivery of the molecule to the target cells.

In a preferred embodiment the subject of the prophylactic or therapeutic treatment is a mammal and still more preferably a human.

20

Administration of the subject modulatory agent or the subject F protein or derivative thereof, F protein variant or derivative thereof, nucleic acid molecule encoding said F protein or F protein variant as hereinbefore defined or a derivative, homologue, analogue, chemical equivalent or mimetic of said protein or nucleic acid molecule (hereinafter said
25 modulatory agents, proteins and/or nucleic acid molecules are collectively referred to as the "active ingredients"), in the form of a pharmaceutical composition, may be performed by any convenient means. The active ingredients of the pharmaceutical composition are contemplated to exhibit therapeutic activity when administered in an amount which depends on the particular case. The variation depends, for example, on the human or
30 animal and the active ingredient chosen. A broad range of doses may be applicable. Considering a patient, for example, from about 0.1 mg to about 1 mg of active ingredient

- 79 -

may be administered per kilogram of body weight per day. Dosage regimes may be adjusted to provide the optimum therapeutic response. For example, several divided doses may be administered daily, weekly, monthly or other suitable time intervals or the dose may be proportionally reduced as indicated by the exigencies of the situation. The active
5 ingredient may be administered in the form of pharmaceutically acceptable nontoxic salts, such as acid addition salts or metal complexes, e.g. with zinc, iron or the like (which are considered as salts for purposes of this application). Illustrative of such acid addition salts are hydrochloride, hydrobromide, sulphate, phosphate, maleate, acetate, citrate, benzoate, succinate, malate, ascorbate, tartrate and the like. If the active ingredient is to be
10 administered in tablet form, the tablet may contain a binder such as tragacanth, corn starch or gelatin; a disintegrating agent, such as alginic acid; and a lubricant, such as magnesium stearate.

Routes of administration include, but are not limited to, respiratorally, intratracheally,
15 nasopharyngeally, intravenously, intraperitoneally, subcutaneously, intracranially, intradermally, intramuscularly, intraocularly, intrathecal, intracerebrally, intranasally, infusion, orally, rectally, *via* IV drip patch and implant. Preferably, the route of administration is a route which permits directed delivery of the modulatory agent. For example, aerosol administration (such as by nebulisation) into the airways permits directed
20 delivery to the airways region, in contrast to systemic delivery which results in delivery to the whole body.

Where the disorder which is the subject of treatment or prophylaxis is a respiratory distress syndrome, delivery of the active ingredient to the airway, for example as an aerosol *via*
25 nebulisation, is an ideal approach since this maximises delivery to the airway where the infection has occurred and minimises systemic delivery which may be associated with side effects.

The term "aerosol" is used in its most general sense to include any formulation capable of
30 administration *via* nasal, pharyngeal, tracheal, bronchial or oral passages. Aerosols generally comprise particles of liquid or solid suspended in a gas or vapour. Conveniently,

- 80 -

the aerosol is a colloidal system such as a mist in which the dispersion medium is a gas. The method of administering the aerosol formulation is not critical and may be achieved using a nasal spray hand pump, electric pump, pressurised dispenser, nasal drip or other convenient means. Alternatively, the formulation may be administered in a dry powder
5 delivery system. It should be understood that the method of the present invention extends to direct application of said formulations to intra nasal surfaces. In a particularly preferred embodiment, the aerosol is delivered at a rate of from about 1 to about 20 litres/min. and preferably from about 2 to about 15 litres/min. at a droplet size of from about 0.1 to about 10 μm and more preferably from about 0.1 to about 6 μm . Conveniently, a stock solution
10 of material is prepared at a concentration of from about 0.5 to about 20 mg/ml or more preferably from about 1.0 to about 10 mg/ml of carrier solution.

The formulation is administered in a therapeutically effective amount. A therapeutically effective amount means that amount necessary at least partly to attain the desired effect, or
15 to delay the onset of, inhibit the progression of, or halt altogether, the onset or progression of the particular condition being treated. Such amounts will depend, of course, on the particular conditions being treated, the severity of the condition and individual patient parameters including age, physical conditions, size, weight and concurrent treatment. These factors are well known to those of ordinary skill in the art and can be addressed with
20 no more than routine experimentation. It is preferred generally that a maximum dose be used, that is, the highest safe dose according to sound medical judgement. It will be understood by those of ordinary skill in the art, however, that a lower dose or tolerable dose may be administered for medical reasons, psychological reasons or for virtually any other reasons.

25 Generally, daily doses of formulation will be from about 0.01 $\mu\text{g/kg}$ per day to 1000 mg/kg per day. Small doses (0.01-1 mg) may be administered initially, followed by increasing doses up to about 1000 mg/kg per day. In the event that the response in a subject is insufficient at such doses, even higher doses (or effective higher doses by a different, more
30 localised delivery route) may be employed to the extent patient tolerance permits. A single dose may be administered or multiple doses may be required on an hourly, daily, weekly or

- 81 -

monthly basis. Effective amounts of formulation vary depending on the individual but may range from about 0.1 μ g to about 20 mg, alternatively from about 1 μ g to about 10 mg and more preferably from about 1 μ g to 5 mg per dose.

5 In another aspect the present invention relates to the use of an agent capable of modulating at least one functional activity of a viral F protein, which agent is identified and/or generated in accordance with the methods hereinbefore defined, in the manufacture of a medicament for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus.

10

In still another aspect the present invention relates to the use of a composition comprising an F protein or derivative thereof, F protein variant or derivative thereof, nucleic acid molecule encoding said F protein or F protein variant as hereinbefore defined or a derivative, homologue, analogue, chemical equivalent or mimetic of said protein or nucleic acid molecule, in the manufacture of a medicament for the treatment and/or prophylaxis of
15 a condition characterised by infection with a negative sense single stranded RNA virus.

In a preferred embodiment the viral F protein is a Paramyxoviridae F protein and still more preferably the subject viral F protein is of the Genus Pneumovirus and still more preferably
20 respiratory syncytial virus.

In another aspect the present invention relates to the use of an agent, which agent is identified in accordance with the methods hereinbefore defined, in the manufacture of a medicament for the modulation of at least one viral F protein associated functional activity.

25

In a preferred embodiment the viral F protein is a Paramyxoviridae F protein and still more preferably the subject viral F protein is of the Genus Pneumovirus and still more preferably respiratory syncytial virus.

- 82 -

Yet another aspect relates to agents for use in modulating the functional activity of a viral F protein wherein said agent is identified in accordance with the methods hereinbefore defined.

- 5 Still yet another aspect relates to agents for use in the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus wherein said agent is identified in accordance with the methods hereinbefore defined.

- Yet still another aspect relates to a composition comprising an F protein or derivative thereof, F protein variant or derivative thereof, a nucleic acid molecule encoding said F protein or F protein variant as hereinbefore defined or a derivative, homologue, analogue, chemical equivalent or mimetic of said protein or nucleic acid molecule for use in the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus.

15

In a preferred embodiment the viral F protein is a Paramyxoviridae F protein and still more preferably the subject viral F protein is of the Genus Pneumovirus and still more preferably respiratory syncytial virus.

- 20 Reference herein to "treatment" and "prophylaxis" is to be considered in its broadest context. The term "treatment" does not necessarily imply that a mammal is treated until total recovery. Similarly, "prophylaxis" does not necessarily mean that the subject will not eventually contract a disease condition. Accordingly, treatment and prophylaxis include amelioration of the symptoms of a particular condition or preventing or otherwise reducing the risk of developing a particular condition. The term "prophylaxis" may be considered as reducing the severity of onset of a particular condition. "Treatment" may also reduce the severity of an existing condition or the frequency of acute attacks.

- 30 In accordance with these methods, the active ingredients defined in accordance with the present invention may be coadministered with one or more other compounds or molecules. By "coadministered" is meant simultaneous administration in the same formulation or in

- 83 -

two different formulations via the same or different routes or sequential administration by the same or different routes. By "sequential" administration is meant a time difference of from seconds, minutes, hours or days between the administration of the two types of molecules. These molecules may be administered in any order.

- 5 In yet another aspect the present invention relates to a pharmaceutical composition comprising an active ingredient, as hereinbefore defined, and one or more pharmaceutically acceptable carriers and/or diluents.
- 10 The pharmaceutical forms suitable for injectable use include sterile aqueous solutions (where water soluble) or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersion or may be in the form of a cream or other form suitable for topical application. It must be stable under the conditions of manufacture and storage and must be preserved against the contaminating action of
- 15 microorganisms such as bacteria and fungi. The carrier can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (for example, glycerol, propylene glycol and liquid polyethylene glycol, and the like), suitable mixtures thereof, and vegetable oils. The proper fluidity can be maintained, for example, by the use of a coating such as lecithin, by the maintenance of the required particle size in the case of dispersion
- 20 and by the use of surfactants. The preventions of the action of microorganisms can be brought about by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, sorbic acid, thimerosal and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars or sodium chloride. Prolonged absorption of the injectable compositions can be brought about by the use in the
- 25 compositions of agents delaying absorption, for example, aluminum monostearate and gelatin.

- Sterile injectable solutions are prepared by incorporating the active compounds in the required amount in the appropriate solvent with various of the other ingredients
- 30 enumerated above, as required, followed by filtered sterilisation. Generally, dispersions are prepared by incorporating the various sterilised active ingredient into a sterile vehicle which contains the basic dispersion medium and the required other ingredients from those

- 84 -

enumerated above. In the case of sterile powders for the preparation of sterile injectable solutions, the preferred methods of preparation are vacuum drying and the freeze-drying technique which yield a powder of the active ingredient plus any additional desired ingredient from previously sterile-filtered solution thereof.

- 5 When the active ingredients are suitably protected they may be orally administered, for example, with an inert diluent or with an assimilable edible carrier, or it may be enclosed in hard or soft shell gelatin capsule, or it may be compressed into tablets, or it may be incorporated directly with the food of the diet. For oral therapeutic administration, the
- 10 active compound may be incorporated with excipients and used in the form of ingestible tablets, buccal tablets, troches, capsules, elixirs, suspensions, syrups, wafers, and the like. Such compositions and preparations should contain at least 1% by weight of active compound. The percentage of the compositions and preparations may, of course, be varied and may conveniently be between about 5 to about 80% of the weight of the unit. The
- 15 amount of active compound in such therapeutically useful compositions is such that a suitable dosage will be obtained. Preferred compositions or preparations according to the present invention are prepared so that an oral dosage unit form contains between about 0.1 μ g and 2000 mg of active compound.
- 20 The tablets, troches, pills, capsules and the like may also contain the components as listed hereafter: a binder such as gum, acacia, corn starch or gelatin; excipients such as dicalcium phosphate; a disintegrating agent such as corn starch, potato starch, alginic acid and the like; a lubricant such as magnesium stearate; and a sweetening agent such as sucrose, lactose or saccharin may be added or a flavouring agent such as peppermint, oil of
- 25 wintergreen, or cherry flavouring. When the dosage unit form is a capsule, it may contain, in addition to materials of the above type, a liquid carrier. Various other materials may be present as coatings or to otherwise modify the physical form of the dosage unit. For instance, tablets, pills, or capsules may be coated with shellac, sugar or both. A syrup or elixir may contain the active compound, sucrose as a sweetening agent, methyl and
- 30 propylparabens as preservatives, a dye and flavouring such as cherry or orange flavour. Of course, any material used in preparing any dosage unit form should be pharmaceutically

- 85 -

pure and substantially non-toxic in the amounts employed. In addition, the active compound(s) may be incorporated into sustained-release preparations and formulations.

Pharmaceutical compositions suitable for aerosol administration have been hereinbefore
5 described.

The pharmaceutical composition may also comprise genetic molecules such as a vector capable of transfecting target cells where the vector carries a nucleic acid molecule encoding an active ingredient. The vector may, for example, be a viral vector.

10

The present invention is further described by the following non-limiting examples.

- 86 -

TABLE 1

	Sequence ID Number	Description
	<400>1	Natural F protein nucleic acid sequence
	<400>2	Natural F _{sol} portion nucleic acid sequence
5	<400>3	Restriction site modified F protein nucleic acid sequence
	<400>4	Restriction site modified F _{sol} portion nucleic acid sequence
	<400>5	Splice site and codon optimised F protein nucleic acid sequence
	<400>6	Splice site and codon optimised F _{sol} portion nucleic acid sequence
10	<400>7	F protein amino acid sequence
	<400>8	F _{sol} portion amino acid sequence
	<400>9 - <400>553	F protein amino acid decapeptides
	<400>554	P protein amino acid sequence
15	<400>555	Natural P protein nucleic acid sequence
	<400>556	Optimised P protein nucleic acid sequence
	<400>557	N protein amino acid sequence
	<400>558	Natural N protein nucleic acid sequence
	<400>559	Optimised N protein nucleic acid sequence
20	<400>560	SH protein amino acid sequence
	<400>561	Natural SH protein nucleic acid sequence
	<400>562	Optimised SH protein nucleic acid sequence
	<400>563	F protein cleavage site 1 aa sequence
	<400>564	F protein cleavage site 2 aa sequence
25	<400>565	F protein variant
	<400>566	F protein variant nucleic acid sequence
	<400>567	F protein variant
	<400>568	F protein variant nucleic acid sequence
	<400>569	F protein intervening aa sequence
30	<400>570	Poly (a) adenylation site

- 87 -

EXAMPLE 1**DESIGN OF SYNTHETIC GENE FOR RSV F EXPRESSION**

Initial attempts to express the RSV F gene sequence in a soluble form (truncated at the
5 transmembrane domain) proved unsuccessful in achieving high levels of expression. The
sequence used in the expression vectors was called F_{sol}. (this differed from the viral
sequence in 24/1575 nucleotides where restriction sites had been inserted to allow for easy
mutagenesis – see Fig. 2b). The F viral sequence (F_{sol}-viral Fig 2b) contained suboptimal
codon usage for expression in mammalian cells. In addition, a possible eight 3' splice sites
10 were identified, including preceding lariat sequences at four positions. Poly (A)
adenylation sites (AATAAA <400>570) were also identified at 4 positions. In addition,
the F natural sequence like the viral sequence is approximately 65% AT rich. Most
mammalian expressed genes are less than 50% AT rich. The DNA sequence encoding the
transmembrane form of RSV F is also shown in Fig 2a.

15

In an attempt to overcome poor expression levels in mammalian cells, a new F sequence
was designed that:

- (a) retained the same encoded amino acid sequence
- 20 (b) used wherever possible optimum codon usage
- (c) removed all potential splice sites and poly A sites
- (d) removed as many CG doublets as these may be methylation sites
- (e) designed unique restriction sites to allow cassette mutagenesis
- (f) sequence was checked by secondary structure and any large hairpin loops were
25 destabilised by changing the sequence

Sequences encoding a transmembrane version of F and the F_{sol} protein are shown in Fig.3a
and 3b respectively.

30 Both of these optimised sequences F_{opt} and F_{sol}.opt are compared to the viral sequence in
Figs 2a and 2b.

- 88 -

The synthetic DNA sequence Fopt (also referred to as F_{sol.opt}) was assembled and cloned as outlined in Fig. 4a and 4b. In brief, single stranded synthetic DNA fragments of average length 60 bases were annealed and ligated together to produce three fragments

- 5 (1) a 631bp Pst I-Mfe I fragment
- (2) a 606bp Mfe I-Xho I fragment
- (3) a 379bp Xho I-Bam HI fragment.

These gel purified fragments were cloned in pLitmus 38 or a derivative of pLITMUS
10 (pLITMUS 273/279). Clones containing the correct sequence were used as a DNA source to assemble the full length gene as outlined in Fig. 4b. In brief the respective fragment Pst-Mfe I, Xho I-Bam HI and Mfe-Xho I were sequentially cloned into the CMV expression vector pCICO or its derivatives. [pCICO is a derivative of pJW4304 which contains a full length CMV promoter and the CMV authentic intron sequence preceding the Pst I site.
15 The 3' terminator used is derived from SV40 early region and this vector also contains the SV40 origin of replication. The plasmid is from the pUC series and contains an ampicillin resistance gene. (pJW4304 was obtained from J. Mullins Dept. of Microbiology, University of Washington, Chapman *et al.*, NAR, 19:3979-3980, 1991)]. This produced the final clone pCICO.Fopt.

20

pCICO.Fopt was further modified by cloning in a 270bp EcoRI-Xba I fragment (see Fig. 4b) which encodes the transmembrane and cytoplasmic domains of the RSV F protein. Again, the DNA sequence was optimised as for the soluble version See Fig. 2b for comparison of F.opt (Fopt FL sequence) and F (viral with a few additional restriction site
25 changes) and F.viral (viral sequence). The resulting CMV expression plasmid is called pCICO.F.FL.opt. Note FL stands for the term full length and refers to a form of F that includes the transmembrane region and the cytoplasmic tail.

30

- 89 -

EXAMPLE 2***IN VITRO* EXPRESSION OF RSV F EXPRESSION**

Vectors pCICO containing the F_{sol}.opt sequence (pCICO.Fopt) and the F_{sol} sequence
5 (pCICO.FS3) were tested for expression by CaPO₄ precipitation in 293 cells. Cells in a
60ml dish were transfected with 5µg of plasmid and 0.5µg of pVARNA. Cells were
radioactively labelled with ³⁵S methionine and ³⁵S cysteine 24 hours post transfection and
the supernatants collected 5 hours after labelling. Supernatants were immunoprecipitated
with a RSV F specific monoclonal antibody and the precipitates were analysed by
10 polyacrylamide gel electrophoresis. Gels were subjected to fluorography, dried and
exposed to X-ray film. Fig. 5 shows an autoradiograph comparing the amount of F in
pCICO.FS3, pCICO.Fopt and control (mock-transfected) cells. Expression is much
improved in the pCICO.Fopt transfected cells by at least 20 fold.

15

EXAMPLE 3**RSV FUSION ASSAY**

293 cells were also transfected with the plasmid pCICO.F.FL.opt which contains the
transmembrane spanning version of F. Cells transfected with this plasmid were observed
20 24-48 hours post transfection to contain many large synetia and dying cells. Control cells
were confluent. The F transfected cells look indistinguishable from RSV infected cells.
Thus high level expression of F is all that is necessary for cell fusion to occur. This is
markedly different to what is reported in the literature (Collins et al, Fields, and references
within). This assay forms a useful screen for detecting F specific inhibitors of RSV fusion.
25 Agents found by this assay are also useful for inhibiting RSV replication.

EXAMPLE 4**RSV SECOND CLEAVAGE SITE MUTANTS**

30 The RSV F protein sequence at amino acid singular numbers 106-109, contains the
sequence RARR. As shown in Figure 1c, this potential cleavage site is contained within

- 90 -

the F2 sub-unit of the F protein. When the F protein is expressed in mammalian cells, proteolytic cleavage occurs at two sites being site 1 (KKRKRR amino acids 131-136) which was previously identified and the previously unknown site 2 (RARR amino acids 106-109).

5

The site RARR was mutated to GQGR in the expression plasmid pCICO.FL.Fopt to give rise to the plasmid pCICO.F.FL.S2-2. Transfection of this plasmid into 293 cells revealed cleavage at site 1 but not at site 2 as expected. This was detected by a larger size F2 sub-unit (~30K versus 18K) in the S2-2 mutant than in the wild type. The size of the protein
10 between site 2 and site 1 would be expected to be 10-12K (25 amino acids plus two NH₂ – linked glycosylation sites). It was surprisingly noted that no evidence of fusion was seen in the 293 cells transfected with the S2-2 mutant plasmid of wild type. This evidence would suggest that cleavage at both site 1 and site 2 is necessary for cleavage. Note that in additional experiments, mutation of site 1 (KKRKRR) to GGKQGR, produced a mutant
15 showing no fusion activity.

In the next experiments the issue of whether the sequence between sites 1 and 2 were necessary for fusion was addressed. A mutant was constructed by standard techniques (cassette mutagenesis) in which amino acids 106-130 were deleted. This mutant is
20 designated delta 106-130. Transfection of 293 cells with an expression plasmid containing this mutant (pCICO.FLFA106-130) showed that fusion did occur. This fusion was phenotypically different from wild type in that only small syncytia were visible, suggesting that the ability of the RSV F protein to initiate or perform fusion had been attenuated.

25

EXAMPLE 5

EXPRESSION OF NATURAL F -V- F OPTIMISED SEQUENCE

5 *Cloning of RSVA2 F cDNA*

RNA prepared from RSVA2 infected Hep-2 cells was used as a source of RSV A2 F mRNA. RT-PCR (reverse transcriptase PCR) using 5'- and 3'- end primers was used to prepare cDNA encoding RSV A2 F according to standard methods. PCR products were
10 subcloned into standard vectors. Sequencing of many clones revealed a consensus sequence for the F gene of RSV A2. This sequence is shown in Figure 6 as F.nat and compared to F .viral. The F.nat sequence differs at nt 174 and 222. Both of these T to C changes do not result in amino acid changes. A pCICO vector containing the F.nat sequence (called pCICO.F.nat) was assembled from a synthetic Pst1 to Acc1 157 bp
15 fragment ligated to a 445 bp Acc1 to Mfe 1 fragment and a 1125 bp Mfe 1 to Xba 1 fragment derived from independent RT-PCR RSVA2 F cDNA clones. The synthetic fragment was used to make the addition of extra 5'-untranslated sequences not present in the PCR products. The 5'-untranslated sequence is 5'- CTGCAGTCACCGTCCTTGACACC -3' (<400>571) and includes a Pst 1 site. This sequence is added just 5' to the
20 initiator ATG in the following constructions pCICO.F.nat and the previously described pCICO.F.FL.opt. The Acc1 to Mfe 1 and Mfe 1 to Xba1 fragments were derived from independent RT-PCR RSVA2 F cDNA clones. The sequence F.nat encodes the same 574 amino acid sequence as shown in Fig 1.

25 *Expression of pCICO.F.FL.opt versus pCICO.F.nat*

293 cells were transfected with plasmids pCICO.F.FL.opt , pCICO.F.nat and a control as described in example 2. Cells were harvested at 24, 48 and 72 hours post transfection in cell lysis buffer. The amount of F protein in these samples was measured by Western blot
30 analysis using standard techniques. The primary antibody called 18B2, is a mouse monoclonal antibody that recognizes the F1 protein. A proteolytic breakdown product of

- 92 -

F1 called F1' is also recognized by this antibody. The western blots were developed using a secondary anti – mouse horseradish peroxidase antibody and a light emitting substrate according to standard procedures.

- 5 The results of these experiments are shown in fig 7. Lanes labelled WT refer to samples from cells transfected with pCICO.F.FL.opt : A2 lanes refer to samples from cells transfected with pCICO.F.nat and Ctrl lanes are from cells transfected with control plasmids lacking either F sequence. F protein (F1 and F1') is only observed in WT lanes indicating that the F expression level in cells transfected with pCICO.F.Fl.opt is far
10 superior to those transfected with pCICO.F.nat.

- In parallel to the above experiments 293 cells were transfected with the same three plasmids and observed microscopically for signs of cell to cell fusion (syncytia formation). In three parallel experiments only cells tranfected with pCICO.F.FL.opt show any cell to
15 cell fusion. At 72 hours post transfection between 75 to 100 % of cells were involved in syncytia in pCICO.FL.opt transfected cells. No fusion is observed in either the pCICO.F.nat or Ctrl transfected cells (see Fig 8).

- Those skilled in the art will appreciate that the invention described herein is susceptible to
20 variations and modifications other than those specifically described. It is to be understood that the invention includes all such variations and modifications. The invention also includes all of the steps, features, compositions and compounds referred to or indicated in this specification, individually or collectively, and any and all combinations of any two or more of said steps or features.

- 105 -

TNIMITTIII <400>511	NIMITTIIIV <400>512
IMITTIIIVI <400>513	MITTIIIVII <400>514
ITTTIIIVII <400>515	TTIIIVIIVI <400>516
TIIIVIIIVIL <400>517	IIIVIIIVILL <400>518
IIVIIIVILLS <400>519	IVIIIVILLSL <400>520
VIIIVILLSLI <400>521	IIVILLSLIA <400>522
IVILLSLIAV <400>523	VILLSLIAVG <400>524
ILLSLIAVGL <400>525	LLSLIAVGLL <400>526
LSLIAVGLLL <400>527	SLIAVGLLLY <400>528
LIAVGLLLYC <400>529	IAVGLLLYCK <400>530
AVGLLLYCKA <400>531	VGLLLYCKAR <400>532
GLLLLYCKARS <400>533	LLLYCKARST <400>534
LLYCKARSTP <400>535	LYCKARSTPV <400>536
YCKARSTPVT <400>537	CKARSTPVTL <400>538
KARSTPVTLS <400>539	ARSTPVTLSK <400>540
RSTPVTLSKD <400>541	STPVTLSKDQ <400>542
TPVTLSKDQL <400>543	PVTLSKDQLS <400>544
VTLSKDQLSG <400>545	TLSDQQLSGI <400>546
LSKDQLSGIN <400>547	SKDQLSGINN <400>548
KDQLSGINNI <400>549	DQLSGINNIA <400>550
QLSGINNIAF <400>551	LSGINNIAFS <400>552
SGINNIAFSN <400>553	

43. The agent according to claim 42 wherein said antagonist interacts with a sequence selected from <400>88, <400>89, <400>90, <400>91, <400>92, <400>93 or <400>94.

44. A viral F protein variant comprising a mutation in the intervening peptide sequence wherein said variant exhibits modulated functional activity relative to wild-type F protein or a derivative, homologue, analogue, chemical equivalent or mimetic of said variant.

45. The variant according to claim 44 wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.

46. The variant according to claim 44 or claim 45 wherein said virus is a virus from the family Paramyxoviridae.

47. The variant according to claim 46 wherein said virus is of the sub-family Pneumovirinae.

48. The variant according to claim 47 wherein said virus is respiratory syncytial virus.

- 106 -

49. The variant according to claim 48 wherein said variant comprises a mutation in the cleavage site defined by amino acids RARR (<400>564).

50. The variant according to claim 49 wherein said mutation comprises one or more of the amino acid substitutions selected from the following list:

(i) R106G

(ii) A107Q

(iii) R108G.

51. The variant according to claim 50 wherein said variant comprises the sequence substantially as set forth in <400>565.

52. The variant according to any one of claims 44-48 wherein said variant comprises a multiple amino acid deletion from the intervening peptide sequence.

53. The variant according to claim 52 wherein said amino acid deletion is a partial deletion of the intervening peptide sequence.

54. The variant according to claim 53 wherein said deletion is a deletion of the peptide sequence

RARRELPRFMNYTLNNAKKTNVTLS <400>569

55. The variant according to claim 54 wherein said variant comprises the amino acid sequence substantially as set forth in <400>567.

56. An isolated nucleic acid molecule selected from the list consisting of:

- 107 -

- (i) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a mutation in the intervening peptide sequence wherein said variant exhibits modulated functional activity relative to wild-type F protein.
- (ii) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a mutation in the intervening peptide sequence wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.
- (iii) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a respiratory syncytial virus F protein or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a mutation in the cleavage site defined by amino acids RARR wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.
- (iv) An isolated nucleic acid molecule or derivative or equivalent thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a respiratory syncytial virus F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises one or more of the amino acid substitutions selected from the following list:

- 108 -

- (a) R106G
 - (b) A107Q
 - (c) R108G
- (v) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a multiple amino acid deletion from the intervening peptide sequence wherein said variant exhibits down-regulated functional activity relative to wild-type F protein.
- (vi) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises a partial deletion of the intervening peptide sequence and more preferably a deletion of the peptide sequence
- RARRELPRFMNYTLNNAKKTNVTLS <400>569.
- (vii) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue, analogue, chemical equivalent or mimetic of said variant, which variant comprises the amino acid sequence substantially as set forth in <400>567.
- (viii) An isolated nucleic acid molecule or derivative or analogue thereof comprising a nucleotide sequence encoding or complementary to a sequence encoding a viral F protein variant or derivative, homologue,

- 109 -

analogue, chemical equivalent or mimetic of said variant, which variant comprises the amino acid sequence substantially as set forth in <400>565.

- (ix) An isolated nucleic acid molecule or derivative or analogue thereof comprising the nucleotide substantially as set forth in <400>568.
- (x) An isolated nucleic acid molecule or derivative or analogue thereof comprising the nucleotide substantially as set forth in <400>566.

57. The isolated nucleic acid molecule of claim 56 wherein said virus is a virus from the family Paramyxoviridae.

58. The isolated nucleic acid molecule of claim 57 wherein said virus is of the sub-family Pneumovirinae.

59. The isolated nucleic acid molecule of claim 58 wherein said virus is respiratory syncytial virus.

60. A recombinant viral construct comprising a nucleic acid molecule encoding a viral F protein or derivative thereof, the nucleotide sequence of which nucleic acid molecule comprises codons optimised for expression in a eukaryotic cell, wherein said recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an immune response to said F protein.

61. A recombinant viral construct comprising a nucleic acid molecule encoding a viral F protein variant or derivative thereof wherein said recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an immune response to said F protein variant.

62. A vaccine comprising a recombinant viral construct which construct comprises a nucleic acid molecule encoding a respiratory syncytial virus F protein or derivative thereof,

- 110 -

the nucleic sequence of which nucleic acid molecule is optimised for expression in a eukaryotic cell wherein said recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an immune response to said F protein.

63. A vaccine comprising a recombinant viral construct which construct comprises a nucleic acid molecule encoding a respiratory syncytial virus F protein variant or derivative thereof, wherein said recombinant viral construct is effective in inducing, enhancing or otherwise stimulating an immune response to said F protein variant.

64. A vaccine according to claim 62 or claim 63 wherein said nucleotide sequence is defined in one of <400>5, <400>6, <400>566 or <400>568.

65. Use of the agent according to any one of claims 41-43 or identified in accordance with the method of any one of claims 34-40 to modulate F protein functional activity.

66. Use of the agent according to any one of claims 41-43 or identified in accordance with the method of any one of claims 34-40 in the therapeutic and/or prophylactic treatment of conditions characterised by infection with a negative sense single stranded RNA virus.

67. A method of modulating at least one functional activity associated with a viral F protein in a subject, said method comprising introducing into said subject an effective amount of a F protein modulatory agent according to any one of claims 41-43 or identified in accordance with the method of any one of claims 34-40 for a time and under conditions sufficient for said agent to interact with said F protein.

68. The method according to claim 68 wherein said functional activity is F protein mediated host cell virion fusion and/or virion budding and said modulating is down-regulation.

- 111 -

69. A method of modulating at least one functional activity associated with a viral F protein, said method comprising contacting said viral F protein with an effective amount of a F protein modulatory agent according to any one of claims 41-43 or identified in accordance with the method of any one of claims 34-40 for a time and under conditions sufficient for said agent to interact with said F protein.

70. A method for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus in a subject, said method comprising administering to said subject an effective amount of an agent according to any one of claims 41-43 or identified in accordance with the method of any one of claims 34-40 which agent is capable of down-regulating at least one functional activity of the F protein expressed by said virus, for a time and under conditions sufficient for said agent to interact with said F protein.

71. A method for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded virus in a subject, said method comprising administering to said subject an effective amount of a composition comprising an F protein or derivative thereof, F protein variant or derivative thereof and/or a nucleic acid molecule encoding said F protein or F protein variant or a derivative, homologue, analogue, chemical equivalent or mimetic of said protein or nucleic acid molecule for a time and under conditions sufficient for said composition to down regulate said viral F protein functional activity.

72. The method according to claim 71 wherein said subject is a mammal.

73. The method according to claim 72 wherein said mammal is a human.

74. Use of an agent capable of modulating at least one functional activity of a viral F protein which agent according to any one of claims 41-43 or identified in accordance with the method of any one of claims 34-40 in the manufacture of a medicament for the treatment and/or prophylaxis of a condition characterised by infection with negative sense

single stranded RNA virus.

75. Use of a composition comprising an F protein or derivative thereof, F protein variant or derivative thereof, nucleic acid molecule encoding said F protein or F protein variant according to any one of claims 41-43 or identified in accordance with the method of any one of claims 34-40 or a derivative, homologue, analogue, chemical equivalent or mimetic of said protein or nucleic acid molecule, in the manufacture of a medicament for the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus.

76. Use of an agent, which agent, according to any one of claims 41-43 or identified in accordance with the method of any one of claims 34-40 in the manufacture of a medicament for the modulation of at least one viral F protein associated functional activity.

77. Agents for use in modulating the functional activity of a viral F protein wherein said agent is identified in accordance with the method of any one of claims 34-40.

78. Agents for use in the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus wherein said agent is identified in accordance with the methods of any one of claims 34-40.

79. A composition comprising an F protein or derivative thereof, F protein variant or derivative thereof, a nucleic acid molecule encoding said F protein or F protein variant or a derivative, homologue, analogue, chemical equivalent or mimetic of said protein or nucleic acid molecule for use in the treatment and/or prophylaxis of a condition characterised by infection with a negative sense single stranded RNA virus.

1/40

MELLILKANAITTILTAVTECFASGQNIITEEFYQSTCSAVSKGYLSALRTGWYTSVITIELSNIKKKNCN 70
GTDAKVKLKQELDKYKNAVTELOLLMQSTQATNNRARRELPRFMNYTLNNAKKTNTVLSKKRRRFLGF 140
LLGVGSAIASGVAVSKVLHLEGEVKNKIKSALLSTNKAVVSLNMGVSVLTSKVLDLKNYIDKQLLPINVNKQ 210
SCSISNIETVIEFQQKNNRLLLEITREFSVNAGVTPVSTYMLTNSELLSLINDMPIITNDQKKLMSNNVQI 280
VRQQSYSIMSIIKEEVLAYVVQPLPLYGVIDTPCWKLHTSPLCTTNTKEGSNICLTRDRGWYCDNAGSVS 350
FFPQAECKVQSNRVFCDTMNSLTLPSEVNLGNVDIFNPKYDCKIMTSKTDVSSSVITSLGAIVSCYGKT 420
KCTASNKNRGIKTFESNGCDYVSNKGVDTVSVGNTLYYVKNQEGKSLYVKGEPIINFYDPLVFPSDEFDA 490
SISQVNEKINQSLAFIRKSDELLHNVNAGKSTTNIMITTIIIVILLSLIAGVLLLYCKARSTPVTLS 560
KDQLSGINNIAFSN* 574

Figure 1a

2/40

MELLILKANAI T T I L T A V T F C F A S G Q N I T E E F Y Q S T C S A V S K G Y L S A L R T G W Y T S V I T I E L S N I K K N K C N 70
G T D A K V K L I K Q E L D K Y K N A V T E L Q L L M Q S T Q A T N N R A R R E L P R F M N Y T L N N A K K T N V T L S K K R K R R F L G F 140
L L G V G S A I A S G V A V S K V L H L E G E V N K I K S A L L S T N K A V V S L S N G V S V L T S K V L D L K N Y I D K Q L L P I V N K Q 210
S C S I S N I E T V I E F Q Q K N N R L L E I T R E F S V N A G V T P V S T Y M L T N S E L L S L I N D M P I T N D Q K K L M S N N V Q I 280
V R Q Q S Y S I M S I I K E E V L A Y V V Q L P L Y G V I D T P C W K L H T S P L C T T N T K E G S N I C L T R T D R G W Y C D N A G S V S 350
F F P Q A E T C K V Q S N R V F C D T M N S L T L P S E V N L C N V D I F N P K Y D C K I M T S K T D V S S S V I T S L G A I V S C Y G K T 420
K C T A S N K N R G I I K T F S N G C D Y V S N K G V D T V S V G N T L Y Y V N K Q E G K S L Y V K G E P I I N F Y D P L V F P S D E F D A 490
S I S Q V N E K I N Q S L A F I R K S D E L L H N V N A G K S T T N 524

Figure 1b

3/40

F and F_{sol} forms of the RSV fusion Protein




Figure 1c
SUBSTITUTE SHEET (RULE 26)

4/40

(i)
(ii)
(iii)
(iv)
(v)
(vi)
(vii)

Figure 2a
SUBSTITUTE SHEET (RULE 26)

5/40

ClustalW Formatted Alignments

```

                                10          20          30
F.viral  A T G G A G T T G C T A A T C C T C A A A G C A A A T G C A
F         A T G G A G T T G C T A A T C C T C A A A G C A A A T G C A
F.opt    A T G G A G C T G C T G A T C C T G A A G G C C A A C G C C
          A T G G A G T T G C T A A T C C T C A A A G C A A A T G C A

                                40          50          60
F.viral  A T T A C C A C A A T C C T C A C T G C A G T C A C A T T T
F         A T T A C C A C A A T C C T C A C T G C G G T C A C C T T T
F.opt    A T C A C C A C C A T C C T G A C C G C G G T G A C C T T C
          A T T A C C A C A A T C C T C A C T G C G G T C A C C T T T

                                70          80          90
F.viral  T G T T T T G C T T C T G G T C A A A A C A T C A C T G A A
F         T G T T T T G C T T C T G G T C A A A A C A T C A C T G A A
F.opt    T G C T T C G C C T C T G G C C A G A A C A T C A C T G A G
          T G T T T T G C T T C T G G T C A A A A C A T C A C T G A A

                                100         110         120
F.viral  G A A T T T T A T C A A T C A A C A T G C A G T G C A G T T
F         G A A T T T T A T C A A T C A A C A T G C A G T G C A G T T
F.opt    G A G T T C T A C C A G A G C A C T T G T T C C G C T G T G
          G A A T T T T A T C A A T C A A C A T G C A G T G C A G T T

                                130         140         150
F.viral  A G C A A A G G C T A T C T T A G T G C T C T G A G A A C T
F         A G C A A A G G A T A T C T T A G T G C T C T G A G A A C C
F.opt    A G C A A A G G C T A C C T G A G C G C C C T G A G G A C C
          A G C A A A G G C T A T C T T A G T G C T C T G A G A A C C

                                160         170         180
F.viral  G G T T G G T A T A C C A G T G T T A T A A C T A T A G A A
F         G G T T G G T A T A C C A G T G T T A T A A C T A T A G A A
F.opt    G G T T G G T A C A C C A G C G T G A T C A C C A T C G A G
          G G T T G G T A T A C C A G T G T T A T A A C T A T A G A A

                                190         200         210
F.viral  T T A A G T A A T A T C A A G A A A A A T A A G T G T A A T
F         T T A A G T A A T A T C A A G A A A A A T A A G T G T A A T
F.opt    C T G A G C A A C A T C A A G A A G A A C A A G T G C A A C
          T T A A G T A A T A T C A A G A A A A A T A A G T G T A A T

                                220         230         240
F.viral  G G A A C A G A T G C T A A G G T A A A A T T G A T A A A A
F         G G T A C C G A T G C T A A G G T A A A A T T G A T A A A A
F.opt    G G C A C C G A C G C C A A G G T G A A G C T G A T C A A G
          G G   A C C G A T G C T A A G G T A A A A T T G A T A A A A
```

Figure 2a(i)

SUBSTITUTE SHEET (RULE 26)

6/40

		250	260	270																											
<i>F.viral</i>	C	A	A	G	A	A	T	T	A	G	A	T	A	A	A	T	A	T	A	A	A	A	A	T	G	C	T	G	T	A	
<i>F</i>	C	A	A	G	A	A	T	T	A	G	A	T	A	A	A	T	A	T	A	A	A	A	A	T	G	C	T	G	T	A	
<i>F.opt</i>	C	A	A	G	A	G	C	T	G	G	A	C	A	A	G	T	A	C	A	A	G	A	A	C	G	C	C	G	T	G	
	C	A	A	G	A	A	T	T	A	G	A	T	A	A	A	T	A	T	A	A	A	A	A	T	G	C	T	G	T	A	
		280	290	300																											
<i>F.viral</i>	A	C	A	G	A	A	T	T	G	C	A	G	T	T	G	C	T	C	A	T	G	C	A	A	A	G	C	A	C	A	
<i>F</i>	A	C	A	G	A	A	T	T	G	C	A	G	T	T	G	C	T	C	A	T	G	C	A	G	T	C	G	A	C	A	
<i>F.opt</i>	A	C	C	G	A	G	C	T	G	C	A	A	C	T	G	C	T	G	A	T	G	C	A	G	T	C	G	A	C	T	
	A	C	A	G	A	A	T	T	G	C	A	G	T	T	G	C	T	C	A	T	G	C	A	G	T	C	G	A	C	A	
		310	320	330																											
<i>F.viral</i>	C	A	A	G	C	A	A	C	A	A	A	C	A	A	T	C	G	A	G	C	C	A	G	A	A	G	A	G	A	A	
<i>F</i>	C	A	A	G	C	A	A	C	A	A	A	C	A	A	T	C	G	A	G	C	C	A	G	A	A	G	A	G	A	A	
<i>F.opt</i>	C	A	A	G	C	C	A	C	C	A	A	C	A	A	C	A	G	A	G	C	C	C	G	C	A	G	A	G	A	G	
	C	A	A	G	C	A	A	C	A	A	A	C	A	A	T	C	G	A	G	C	C	A	G	A	A	G	A	G	A	A	
		340	350	360																											
<i>F.viral</i>	C	T	A	C	C	A	A	G	G	T	T	T	A	T	G	A	A	T	T	A	T	A	C	A	C	T	C	A	A	C	
<i>F</i>	C	T	A	C	C	T	A	G	G	T	T	T	A	T	G	A	A	T	T	A	T	A	C	A	C	T	C	A	A	C	
<i>F.opt</i>	C	T	G	C	C	C	C	G	C	T	T	C	A	T	G	A	A	C	T	A	C	A	C	C	C	T	G	A	A	C	
	C	T	A	C	C		A	G	G	T	T	T	A	T	G	A	A	T	T	A	T	A	C	A	C	T	C	A	A	C	
		370	380	390																											
<i>F.viral</i>	A	A	T	G	C	C	A	A	A	A	A	A	A	C	C	A	A	T	G	T	A	A	C	A	T	T	A	A	G	C	
<i>F</i>	A	A	T	G	C	C	A	A	A	A	A	A	A	C	C	A	A	T	G	T	A	A	C	A	C	T	T	T	C	G	
<i>F.opt</i>	A	A	C	G	C	C	A	A	G	A	A	G	A	C	C	A	A	C	G	T	G	A	C	C	C	T	G	T	C	C	
	A	A	T	G	C	C	A	A	A	A	A	A	A	C	C	A	A	T	G	T	A	A	C	A	C	T		T	C	C	
		400	410	420																											
<i>F.viral</i>	A	A	G	A	A	A	A	G	G	A	A	A	A	G	A	A	G	A	T	T	T	C	T	T	G	G	T	T	T	T	
<i>F</i>	A	A	G	A	A	A	A	A	G	G	A	A	A	A	G	A	A	G	A	T	T	T	C	T	T	G	G	T	T	T	T
<i>F.opt</i>	A	A	G	A	A	A	G	A	G	C	G	C	C	G	C	T	T	C	C	T	G	G	G	C	T	T	C				
	A	A	G	A	A	A	A	G	G	A	A	A	A	G	A	A	G	A	T	T	T	C	T	T	G	G	T	T	T	T	
		430	440	450																											
<i>F.viral</i>	T	T	G	T	T	A	G	G	T	G	T	T	G	G	A	T	C	T	G	C	A	A	T	C	G	C	C	A	G	T	
<i>F</i>	T	T	G	T	T	A	G	G	T	G	T	T	G	G	A	T	C	C	G	C	A	A	T	C	G	C	C	A	G	T	
<i>F.opt</i>	C	T	G	C	T	G	G	G	C	G	T	G	G	G	C	T	C	C	G	C	C	A	T	T	G	C	C	A	G	T	
	T	T	G	T	T	A	G	G	T	G	T	T	G	G	A	T	C	C	G	C	A	A	T	C	G	C	C	A	G	T	
		460	470	480																											
<i>F.viral</i>	G	G	C	G	T	T	G	C	T	G	T	A	T	C	T	A	A	G	G	T	C	C	T	G	C	A	C	C	T	A	
<i>F</i>	G	G	C	G	T	T	G	C	T	G	T	A	T	C	T	A	A	G	G	T	C	C	T	G	C	A	T	C	T	A	
<i>F.opt</i>	G	G	C	G	T	G	G	C	C	G	T	G	T	C	C	A	A	G	G	T	G	C	T	G	C	A	C	C	T	G	
	G	G	C	G	T	T	G	C	T	G	T	A	T	C	T	A	A	G	G	T	C	C	T	G	C	A	C	C	T	A	
		490	500	510																											
<i>F.viral</i>	G	A	A	G	G	G	G	A	A	G	T	G	A	A	C	A	A	G	A	T	C	A	A	A	A	G	T	G	C	T	
<i>F</i>	G	A	A	G	G	G	G	A	A	G	T	G	A	A	C	A	A	G	A	T	C	A	A	A	A	G	T	G	C	T	
<i>F.opt</i>	G	A	A	G	G	G	C	G	A	A	G	T	G	A	A	C	A	A	G	A	T	C	A	A	G	A	G	T	G	C	C
	G	A	A	G	G	G	G	A	A	G	T	G	A	A	C	A	A	G	A	T	C	A	A	A	A	G	T	G	C	T	

Figure 2a(ii)

SUBSTITUTE SHEET (RULE 26)

7/40

		520	530	540																										
<i>F.viral</i>	C	T	A	C	T	A	T	C	C	A	C	A	A	C	A	A	G	G	C	T	G	T	A	G	T	C	A	G	C	
<i>F</i>	C	T	A	C	T	A	T	C	C	A	C	A	A	C	A	A	G	G	C	T	G	T	A	G	T	C	A	G	C	
<i>F.opt</i>	C	T	G	C	T	G	T	C	C	A	C	T	A	A	C	A	A	G	G	C	C	G	T	G	G	T	G	A	G	C
	C	T	A	C	T	A	T	C	C	A	C	A	A	C	A	A	G	G	C	T	G	T	A	G	T	C	A	G	C	
		550	560	570																										
<i>F.viral</i>	T	T	A	T	C	A	A	A	T	G	G	A	G	T	T	A	G	T	G	T	C	T	T	A	A	C	C	A	G	C
<i>F</i>	T	T	A	T	C	A	A	A	T	G	G	A	G	T	T	A	G	T	G	T	C	T	T	A	A	C	C	A	G	C
<i>F.opt</i>	C	T	G	A	G	C	A	A	C	G	G	C	G	T	G	A	G	T	G	T	G	C	T	G	A	C	T	A	G	C
	T	T	A	T	C	A	A	A	T	G	G	A	G	T	T	A	G	T	G	T	C	T	T	A	A	C	C	A	G	C
		580	590	600																										
<i>F.viral</i>	A	A	A	G	T	G	T	T	A	G	A	C	C	T	C	A	A	A	A	A	C	T	A	T	A	T	A	G	A	T
<i>F</i>	A	A	A	G	T	G	T	T	A	G	A	C	C	T	C	A	A	A	A	A	C	T	A	T	A	T	A	G	A	T
<i>F.opt</i>	A	A	G	G	T	G	C	T	G	G	A	C	C	T	G	A	A	G	A	A	C	T	A	C	A	T	C	G	A	C
	A	A	A	G	T	G	T	T	A	G	A	C	C	T	C	A	A	A	A	A	C	T	A	T	A	T	A	G	A	T
		610	620	630																										
<i>F.viral</i>	A	A	A	C	A	A	T	T	G	T	T	A	C	C	T	A	T	T	G	T	G	A	A	C	A	A	G	C	A	A
<i>F</i>	A	A	A	C	A	A	T	T	G	T	T	A	C	C	T	A	T	T	G	T	G	A	A	C	A	A	G	C	A	A
<i>F.opt</i>	A	A	G	C	A	A	T	T	G	C	T	G	C	C	C	A	T	C	G	T	G	A	A	C	A	A	G	C	A	G
	A	A	A	C	A	A	T	T	G	T	T	A	C	C	T	A	T	T	G	T	G	A	A	C	A	A	G	C	A	A
		640	650	660																										
<i>F.viral</i>	A	G	C	T	G	C	A	G	C	A	T	A	T	C	A	A	A	T	A	T	A	G	A	A	A	C	T	G	T	G
<i>F</i>	A	G	C	T	G	C	A	G	C	A	T	A	T	C	A	A	A	T	A	T	A	G	A	A	A	C	T	G	T	G
<i>F.opt</i>	T	C	C	T	G	T	A	G	C	A	T	C	T	C	C	A	A	C	A	T	C	G	A	G	A	C	T	G	T	G
	A	G	C	T	G	C	A	G	C	A	T	A	T	C	A	A	A	T	A	T	A	G	A	A	A	C	T	G	T	G
		670	680	690																										
<i>F.viral</i>	A	T	A	G	A	G	T	T	C	C	A	A	C	A	A	A	A	G	A	A	C	A	A	C	A	G	A	C	T	A
<i>F</i>	A	T	A	G	A	G	T	T	C	C	A	A	C	A	A	A	A	G	A	A	C	A	A	C	A	G	A	C	T	A
<i>F.opt</i>	A	T	C	G	A	G	T	T	C	C	A	G	C	A	G	A	A	G	A	A	C	A	A	C	C	G	C	C	T	G
	A	T	A	G	A	G	T	T	C	C	A	A	C	A	A	A	A	G	A	A	C	A	A	C	A	G	A	C	T	A
		700	710	720																										
<i>F.viral</i>	C	T	A	G	A	G	A	T	T	A	C	C	A	G	G	G	A	A	T	T	T	A	G	T	G	T	T	A	A	T
<i>F</i>	C	T	A	G	A	G	A	T	T	A	C	C	A	G	G	G	A	A	T	T	T	A	G	T	G	T	T	A	A	T
<i>F.opt</i>	C	T	G	G	A	A	A	T	C	A	C	C	C	G	G	G	A	G	T	T	C	A	G	T	G	T	G	A	A	C
	C	T	A	G	A	G	A	T	T	A	C	C	A	G	G	G	A	A	T	T	T	A	G	T	G	T	T	A	A	T
		730	740	750																										
<i>F.viral</i>	G	C	A	G	G	T	G	T	A	A	C	T	A	C	A	C	C	T	G	T	A	A	G	C	A	C	T	T	A	C
<i>F</i>	G	C	A	G	G	T	G	T	A	A	C	T	A	C	A	C	C	T	G	T	A	A	G	C	A	C	T	T	A	C
<i>F.opt</i>	G	C	T	G	G	C	G	T	G	A	C	C	A	C	T	C	C	T	G	T	C	T	C	C	A	C	C	T	A	C
	G	C	A	G	G	T	G	T	A	A	C	T	A	C	A	C	C	T	G	T	A	A	G	C	A	C	T	T	A	C
		760	770	780																										
<i>F.viral</i>	A	T	G	T	T	A	A	C	T	A	A	T	A	G	T	G	A	A	T	T	A	T	T	G	T	C	A	T	T	A
<i>F</i>	A	T	G	T	T	A	A	C	T	A	A	T	A	G	T	G	A	A	T	T	A	T	T	G	T	C	A	T	T	A
<i>F.opt</i>	A	T	G	C	T	G	A	C	C	A	A	C	A	G	C	G	A	G	C	T	G	C	T	G	A	G	C	C	T	G
	A	T	G	T	T	A	A	C	T	A	A	T	A	G	T	G	A	A	T	T	A	T	T	G	T	C	A	T	T	A

Figure 2a(iii)

SUBSTITUTE SHEET (RULE 26)

	790	800	810
<i>F.viral</i>	A T C A A T G A T A T G C C T A T A A C A A A T G A T C A G		
<i>F</i>	A T C A A T G A T A T G C C T A T A A C A A A T G A T C A G		
<i>F.opt</i>	A T C A A C G A C A T G C C C A T C A C C A A C G A C C A G		
	A T C A A T G A T A T G C C T A T A A C A A A T G A T C A G		
	820	830	840
<i>F.viral</i>	A A A A A G T T A A T G T C C A A C A A T G T T C A A A T A		
<i>F</i>	A A A A A G T T A A T G T C C A A C A A T G T T C A A A T A		
<i>F.opt</i>	A A G A A G C T T A T G T C C A A C A A C G T G C A G A T C		
	A A A A A G T T A A T G T C C A A C A A T G T T C A A A T A		
	850	860	870
<i>F.viral</i>	G T T A G A C A G C A A A G T T A C T C T A T C A T G T C C		
<i>F</i>	G T T A G A C A G C A A A G T T A C T C T A T C A T G T C C		
<i>F.opt</i>	G T G A G G C A G C A G A G C T A C T C C A T C A T G A G C		
	G T T A G A C A G C A A A G T T A C T C T A T C A T G T C C		
	880	890	900
<i>F.viral</i>	A T A A T A A A A G A G G A A G T C T T A G C A T A T G T A		
<i>F</i>	A T A A T A A A A G A G G A A G T C T T A G C A T A T G T A		
<i>F.opt</i>	A T C A T C A A G G A G G A G G T G C T G G C C T A T G T G		
	A T A A T A A A A G A G G A A G T C T T A G C A T A T G T A		
	910	920	930
<i>F.viral</i>	G T A C A A T T A C C A C T A T A T G G T G T T A T A G A T		
<i>F</i>	G T A C A A T T A C C A C T A T A T G G T G T T A T A G A T		
<i>F.opt</i>	G T G C A G C T G G C C C C T G T A C G G C G T C A T C G A T		
	G T A C A A T T A C C A C T A T A T G G T G T T A T A G A T		
	940	950	960
<i>F.viral</i>	A C A C C C T G T T G G A A A C T A C A C A C A T C C C C T		
<i>F</i>	A C A C C C T G T T G G A A A C T A C A C A C A T C C C C T		
<i>F.opt</i>	A C C C C C T T G C T G G A A G C T G C A C A C C A G C C C C		
	A C A C C C T G T T G G A A A C T A C A C A C A T C C C C T		
	970	980	990
<i>F.viral</i>	C T A T G T A C A A C C A A C A C A A A A G A A G G G T C C		
<i>F</i>	C T A T G T A C A A C C A A C A C A A A A G A A G G G T C C		
<i>F.opt</i>	C T G T G C A C C A C C A A C A C C A A G G A G G G C A G C		
	C T A T G T A C A A C C A A C A C A A A A G A A G G G T C C		
	1000	1010	1020
<i>F.viral</i>	A A C A T C T G T T T A A C A A G A A A C T G A C A G A G G A		
<i>F</i>	A A C A T C T G T T T A A C A A G A A A C T G A C A G A G G A		
<i>F.opt</i>	A A C A T C T G C C T G A C C C G G A C C G A C C G C G G C		
	A A C A T C T G T T T A A C A A G A A A C T G A C A G A G G A		
	1030	1040	1050
<i>F.viral</i>	T G G T A C T G T G A C A A T G C A G G A T C A G T A T C T		
<i>F</i>	T G G T A C T G T G A C A A T G C A G G A T C A G T A T C T		
<i>F.opt</i>	T G G T A C T G T G A C A A C G C T G G C T C G G T G A G C		
	T G G T A C T G T G A C A A T G C A G G A T C A G T A T C T		

SUBSTITUTE SHEET (RULE 26)

9/40

		1060	1070	1080
<i>F.viral</i>	T T C T T C C C A C A A G C T G A A A C A T G T A A A G T T			
<i>F</i>	T T C T T C C C A C A A G C T G A A A C A T G T A A A G T T			
<i>F.opt</i>	T T C T T C C C T C A A G C T G A A A C C T G C A A G G T C			
	T T C T T C C C A C A A G C T G A A A C A T G T A A A G T T			
		1090	1100	1110
<i>F.viral</i>	C A A T C A A A T C G A G T A T T T T G T G A C A C A A T G			
<i>F</i>	C A A T C A A A T C G A G T A T T T T G T G A C A C A A T G			
<i>F.opt</i>	C A G A G C A A C A G A G T G T T C T G T G A C A C C A T G			
	C A A T C A A A T C G A G T A T T T T G T G A C A C A A T G			
		1120	1130	1140
<i>F.viral</i>	A A C A G T T T A A C A T T A C C A A G T G A A G T A A A T			
<i>F</i>	A A C A G T T T A A C A T T A C C A A G T G A A G T A A A T			
<i>F.opt</i>	A A C T C C C T G A C C C T G C C C T C C G A G G T G A A C			
	A A C A G T T T A A C A T T A C C A A G T G A A G T A A A T			
		1150	1160	1170
<i>F.viral</i>	C T C T G C A A T G T T G A C A T A T T C A A C C C C A A A			
<i>F</i>	C T C T G C A A T G T T G A C A T A T T C A A C C C C A A A			
<i>F.opt</i>	C T G T G C A A C G T G G A T A T C T T C A A C C C C A A G			
	C T C T G C A A T G T T G A C A T A T T C A A C C C C A A A			
		1180	1190	1200
<i>F.viral</i>	T A T G A T T G T A A A A T T A T G A C T T C A A A A A C A			
<i>F</i>	T A T G A T T G T A A A A T T A T G A C T T C A A A A A C A			
<i>F.opt</i>	T A T G A C T G C A A G A T C A T G A C C T C C A A G A C C			
	T A T G A T T G T A A A A T T A T G A C T T C A A A A A C A			
		1210	1220	1230
<i>F.viral</i>	G A T G T A A G C A G C T C C G T T A T C A C A T C T C T A			
<i>F</i>	G A T G T A A G C A G C T C C G T T A T C A C A T C T C T A			
<i>F.opt</i>	G A T G T C T C G A G C T C C G T G A T C A C C A G C C T G			
	G A T G T A A G C A G C T C C G T T A T C A C A T C T C T A			
		1240	1250	1260
<i>F.viral</i>	G G A G C C A T T G T G T C A T G C T A T G G C A A A A C T			
<i>F</i>	G G A G C C A T T G T G T C A T G C T A T G G C A A A A C T			
<i>F.opt</i>	G G C G C C A T C G T G T C C T G C T A T G G C A A G A C C			
	G G A G C C A T T G T G T C A T G C T A T G G C A A A A C T			
		1270	1280	1290
<i>F.viral</i>	A A A T G T A C A G C A T C C A A T A A A A A T C G T G G A			
<i>F</i>	A A A T G T A C A G C A T C C A A T A A A A A T C G T G G A			
<i>F.opt</i>	A A G T G C A C C G C C A G C A A C A A G A A C C G G G G C			
	A A A T G T A C A G C A T C C A A T A A A A A T C G T G G A			
		1300	1310	1320
<i>F.viral</i>	A T C A T A A A G A C A T T T T T C T A A C G G G T G C G A T			
<i>F</i>	A T C A T A A A G A C A T T T T T C T A A C G G G T G C G A T			
<i>F.opt</i>	A T C A T C A A G A C C T T C A G C A A T G G G T G C G A C			
	A T C A T A A A G A C A T T T T T C T A A C G G G T G C G A T			

Figure 2a(v)

SUBSTITUTE SHEET (RULE 26)

10/40

		1330	1340	1350
<i>F.viral</i>	T A T G T A T C A A A T A A A G G G G T G G A C A C T G T G			
<i>F</i>	T A T G T A T C A A A T A A A G G G G T G G A C A C T G T G			
<i>F.opt</i>	T A C G T T T C G A A C A A G G G C G T G G A C A C T G T G			
	T A T G T A T C A A A T A A A G G G G T G G A C A C T G T G			
		1360	1370	1380
<i>F.viral</i>	T C T G T A G G T A A C A C A T T A T A T T A T G T A A A T			
<i>F</i>	T C T G T A G G T A A C A C A T T A T A T T A T G T A A A T			
<i>F.opt</i>	T C C G T G G G C A A C A C C C T G T A C T A C G T G A A C			
	T C T G T A G G T A A C A C A T T A T A T T A T G T A A A T			
		1390	1400	1410
<i>F.viral</i>	A A G C A A G A A G G T A A A A G T C T C T A T G T A A A A			
<i>F</i>	A A G C A A G A A G G T A A A A G T C T C T A T G T A A A A			
<i>F.opt</i>	A A G C A A G A A G G G C A A G A G C C T G T A T G T G A A G			
	A A G C A A G A A G G T A A A A G T C T C T A T G T A A A A			
		1420	1430	1440
<i>F.viral</i>	G G T G A A C C A A T A A T A A A T T T C T A T G A C C C A			
<i>F</i>	G G T G A A C C A A T A A T A A A T T T C T A T G A C C C A			
<i>F.opt</i>	G G C G A G C C C A T C A T C A A C T T C T A C G A C C C C			
	G G T G A A C C A A T A A T A A A T T T C T A T G A C C C A			
		1450	1460	1470
<i>F.viral</i>	T T A G T A T T C C C C T C T G A T G A A T T T G A T G C A			
<i>F</i>	T T A G T A T T C C C C T C T G A T G A A T T T G A C G C G			
<i>F.opt</i>	C T G G T G T T C C C C T C C G A C G A A T T C G A C G C C			
	T T A G T A T T C C C C T C T G A T G A A T T T G A C G C			
		1480	1490	1500
<i>F.viral</i>	T C A A T A T C T C A A G T C A A C G A G A A G A T T A A C			
<i>F</i>	T C A A T A T C T C A A G T C A A C G A G A A G A T T A A C			
<i>F.opt</i>	T C C A T T A G C C A A G T C A A C G A G A A G A T C A A C			
	T C A A T A T C T C A A G T C A A C G A G A A G A T T A A C			
		1510	1520	1530
<i>F.viral</i>	C A G A G C C T A G C A T T T A T T C G T A A A T C C G A T			
<i>F</i>	C A G A G C C T A G C A T T T A T T C G T A A A T C C G A T			
<i>F.opt</i>	C A G A G C C T G G C C T T C A T C C G C A A G T C C G A C			
	C A G A G C C T A G C A T T T A T T C G T A A A T C C G A T			
		1540	1550	1560
<i>F.viral</i>	G A A T T A T T A C A T A A T G T A A A T G C T G G T A A A			
<i>F</i>	G A A T T A T T A C A T A A T G T A A A T G C T G G G A A G			
<i>F.opt</i>	G A G C T G C T G C A C A A C G T C A A C G C T G G C A A G			
	G A A T T A T T A C A T A A T G T A A A T G C T G G A A G			
		1570	1580	1590
<i>F.viral</i>	T C C A C C A C A A A T A T C A T G A T A A C T A C T A T A			
<i>F</i>	A G C A C C A C A A A T A T C A T G A T A A C T A C T A T A			
<i>F.opt</i>	A G C A C C A C C A A C A T C A T G A T C A C C A C C A T C			
	A G C A C C A C A A A T A T C A T G A T A A C T A C T A T A			

Figure 2a(vi)

SUBSTITUTE SHEET (RULE 26)

11/40

		1600	1610	1620
<i>F.viral</i>		A T T A T A G T G A T T A T A G T A A T A T T G T T A T C A		
<i>F</i>		A T T A T A G T G A T T A T A G T A A T A T T G T T A T C A		
<i>F.opt</i>		A T C A T C G T G A T C A T C G T G A T C C T G C T G A G C		
		A T T A T A G T G A T T A T A G T A A T A T T G T T A T C A		
		1630	1640	1650
<i>F.viral</i>		T T A A T T G C T G T T G G A C T G C T C T T A T A C T G T		
<i>F</i>		T T A A T T G C T G T T G G A C T G C T C T T A T A C T G T		
<i>F.opt</i>		C T G A T C G C C G T G G G C C T G C T G C T G T A C T G C		
		T T A A T T G C T G T T G G A C T G C T C T T A T A C T G T		
		1660	1670	1680
<i>F.viral</i>		A A G G C C A G A A G C A C A C C A G T C A C A C T A A G C		
<i>F</i>		A A G G C C A G A T C T A C A C C A G T C A C A C T A A G C		
<i>F.opt</i>		A A G G C C C G G A G C A C T C C C G T G A C C C T G A G C		
		A A G G C C A G A A G C A C A C C A G T C A C A C T A A G C		
		1690	1700	1710
<i>F.viral</i>		A A A G A T C A A C T G A G T G G T A T A A A T A A T A T T		
<i>F</i>		A A A G A T C A A C T G A G T G G T A T A A A T A A T A T T		
<i>F.opt</i>		A A G G A C C A G C T G A G C G G C A T C A A C A A C A T C		
		A A A G A T C A A C T G A G T G G T A T A A A T A A T A T T		
		1720	1730	1740
<i>F.viral</i>		G C A T T T A G T A A C T A A		
<i>F</i>		G C A T T T A G T A A C T A A		
<i>F.opt</i>		G C C T T C A G C A A C T G A		
		G C A T T T A G T A A C T A A		

Figure 2a(vii)

SUBSTITUTE SHEET (RULE 26)

12/40




Figure 2b
SUBSTITUTE SHEET (RULE 26)

14/40

		250	260	270																											
<i>F.sol.viral</i>	C	A	A	G	A	A	T	T	A	G	A	T	A	A	A	T	A	T	A	A	A	A	T	G	C	T	G	T	A		
<i>F.sol</i>	C	A	A	G	A	A	T	T	A	G	A	T	A	A	A	A	A	T	A	T	A	A	A	A	T	G	C	T	G	T	A
<i>F.sol.opt</i>	C	A	A	G	A	G	C	T	G	G	A	C	A	A	G	T	A	C	A	A	G	A	A	C	G	C	C	G	T	G	
	C	A	A	G	A	A	T	T	A	G	A	T	A	A	A	A	T	A	T	A	A	A	A	T	G	C	T	G	T	A	
		280	290	300																											
<i>F.sol.viral</i>	A	C	A	G	A	A	T	T	G	C	A	G	T	T	G	C	T	C	A	T	G	C	A	A	A	G	C	A	C	A	
<i>F.sol</i>	A	C	A	G	A	A	T	T	G	C	A	G	T	T	G	C	T	C	A	T	G	C	A	G	T	C	G	A	C	A	
<i>F.sol.opt</i>	A	C	C	G	A	G	C	T	G	C	A	A	C	T	G	C	T	G	A	T	G	C	A	G	T	C	G	A	C	T	
	A	C	A	G	A	A	T	T	G	C	A	G	T	T	G	C	T	C	A	T	G	C	A	G	T	C	G	A	C	A	
		310	320	330																											
<i>F.sol.viral</i>	C	A	A	G	C	A	A	C	A	A	A	C	A	A	T	C	G	A	G	C	C	A	G	A	A	G	A	G	A	A	
<i>F.sol</i>	C	A	A	G	C	A	A	C	A	A	A	C	A	A	T	C	G	A	G	C	C	A	G	A	A	G	A	G	A	A	
<i>F.sol.opt</i>	C	A	A	G	C	C	A	C	C	A	A	C	A	A	C	A	G	A	G	C	C	C	G	C	A	G	A	G	A	G	
	C	A	A	G	C	A	A	C	A	A	A	C	A	A	T	C	G	A	G	C	C	A	G	A	A	G	A	G	A	A	
		340	350	360																											
<i>F.sol.viral</i>	C	T	A	C	C	A	A	G	G	T	T	T	A	T	G	A	A	T	T	A	T	A	C	A	C	T	C	A	A	C	
<i>F.sol</i>	C	T	A	C	C	T	A	G	G	T	T	T	A	T	G	A	A	T	T	A	T	A	C	A	C	T	C	A	A	C	
<i>F.sol.opt</i>	C	T	G	C	C	C	C	G	C	T	T	C	A	T	G	A	A	C	T	A	C	A	C	C	C	T	G	A	A	C	
	C	T	A	C	C		A	G	G	T	T	T	A	T	G	A	A	T	T	A	T	A	C	A	C	T	C	A	A	C	
		370	380	390																											
<i>F.sol.viral</i>	A	A	T	G	C	C	A	A	A	A	A	A	A	C	C	A	A	T	G	T	A	A	C	A	T	T	A	A	G	C	
<i>F.sol</i>	A	A	T	G	C	C	A	A	A	A	A	A	A	C	C	A	A	T	G	T	A	A	C	A	C	T	T	T	C	G	
<i>F.sol.opt</i>	A	A	C	G	C	C	A	A	G	A	A	G	A	C	C	A	A	C	G	T	G	A	C	C	C	T	G	T	C	C	
	A	A	T	G	C	C	A	A	A	A	A	A	A	C	C	A	A	T	G	T	A	A	C	A	C	T		T	C	C	
		400	410	420																											
<i>F.sol.viral</i>	A	A	G	A	A	A	A	G	G	A	A	A	A	G	A	A	G	A	T	T	T	C	T	T	G	G	T	T	T	T	
<i>F.sol</i>	A	A	G	A	A	A	A	A	G	G	A	A	A	A	G	A	A	G	A	T	T	T	C	T	T	G	G	T	T	T	
<i>F.sol.opt</i>	A	A	G	A	A	A	G	A	G	G	A	A	G	C	G	C	C	G	C	T	T	C	C	T	G	G	G	C	T	T	
	A	A	G	A	A	A	A	G	G	A	A	A	A	G	A	A	G	A	T	T	T	C	T	T	G	G	T	T	T	T	
		430	440	450																											
<i>F.sol.viral</i>	T	T	G	T	T	A	G	G	T	G	T	T	G	G	A	T	C	T	G	C	A	A	T	C	G	C	C	A	G	T	
<i>F.sol</i>	T	T	G	T	T	A	G	G	T	G	T	T	G	G	A	T	C	C	G	C	A	A	T	C	G	C	C	A	G	T	
<i>F.sol.opt</i>	C	T	G	C	T	G	G	G	C	G	T	G	G	G	C	T	C	C	G	C	C	A	T	T	G	C	C	A	G	T	
	T	T	G	T	T	A	G	G	T	G	T	T	G	G	A	T	C	C	G	C	A	A	T	C	G	C	C	A	G	T	
		460	470	480																											
<i>F.sol.viral</i>	G	G	C	G	T	T	G	C	T	G	T	A	T	C	T	A	A	G	G	T	C	C	T	G	C	A	C	C	T	A	
<i>F.sol</i>	G	G	C	G	T	T	G	C	T	G	T	A	T	C	T	A	A	G	G	T	C	C	T	G	C	A	T	C	T	A	
<i>F.sol.opt</i>	G	G	C	G	T	G	G	C	C	G	T	G	T	C	C	A	A	G	G	T	G	C	T	G	C	A	C	C	T	G	
	G	G	C	G	T	T	G	C	T	G	T	A	T	C	T	A	A	G	G	T	C	C	T	G	C	A	C	C	T	A	
		490	500	510																											
<i>F.sol.viral</i>	G	A	A	G	G	G	G	A	A	G	T	G	A	A	C	A	A	G	A	T	C	A	A	A	A	G	T	G	C	T	
<i>F.sol</i>	G	A	G	G	G	G	G	A	A	G	T	G	A	A	C	A	A	G	A	T	C	A	A	A	A	G	T	G	C	T	
<i>F.sol.opt</i>	G	A	G	G	G	C	G	A	A	G	T	G	A	A	C	A	A	G	A	T	C	A	A	G	A	G	T	G	C	C	
	G	A	G	G	G	G	G	A	A	G	T	G	A	A	C	A	A	G	A	T	C	A	A	A	A	G	T	G	C	T	

Figure 2b(ii)

SUBSTITUTE SHEET (RULE 26)

15/40

		520	530	540
<i>F.sol.viral</i>	CTACTATC	CACAAACAAGGCTGTAGTCAGC		
<i>F.sol</i>	CTACTATC	CACAAACAAGGCTGTAGTCAGC		
<i>F.sol.opt</i>	CTGCTGTC	CACTAACAAAGGCGGTGGTGAGC		
	CTACTATC	CACAAACAAGGCTGTAGTCAGC		
		550	560	570
<i>F.sol.viral</i>	TTATCAAA	TGGAGTTAGTGTCTTAACCAGC		
<i>F.sol</i>	TTATCAAA	TGGAGTTAGTGTCTTAACCAGC		
<i>F.sol.opt</i>	CTGAGCAAA	CGGCGTGAAGTGTGCTGACTAGC		
	TTATCAAA	TGGAGTTAGTGTCTTAACCAGC		
		580	590	600
<i>F.sol.viral</i>	AAAGTGTT	AGACCTCAAA	AACTATATAGAT	
<i>F.sol</i>	AAAGTGTT	AGACCTCAAA	AACTATATAGAT	
<i>F.sol.opt</i>	AAAGGTGCT	GGACCTGAAGA	AACTACATCGAC	
	AAAGTGTT	AGACCTCAAA	AACTATATAGAT	
		610	620	630
<i>F.sol.viral</i>	AAACAATT	GTTACCTATTGTGAACAAGCAA		
<i>F.sol</i>	AAACAATT	GTTACCTATTGTGAACAAGCAA		
<i>F.sol.opt</i>	AAAGCAATT	GCTGCCCATCGTGAACAAGCAG		
	AAACAATT	GTTACCTATTGTGAACAAGCAA		
		640	650	660
<i>F.sol.viral</i>	AGCTGCGAG	CATATCAAA	TATAGAAACTGTG	
<i>F.sol</i>	AGCTGCGAG	CATATCAAA	TATAGAAACTGTG	
<i>F.sol.opt</i>	TCCTGTAGC	ATCTCCAACATCGAGACTGTG		
	AGCTGCGAG	CATATCAAA	TATAGAAACTGTG	
		670	680	690
<i>F.sol.viral</i>	ATAGAGTT	CCAACA	AAAGAAACAACAGACTA	
<i>F.sol</i>	ATAGAGTT	CCAACA	AAAGAAACAACAGACTA	
<i>F.sol.opt</i>	ATCGAGTT	CCAGCAGAA	GAACAACCGCCTG	
	ATAGAGTT	CCAACA	AAAGAAACAACAGACTA	
		700	710	720
<i>F.sol.viral</i>	CTAGAGATT	TACCAGGGAA	ATTTAGTGTTAAT	
<i>F.sol</i>	CTAGAGATT	TACCAGGGAA	ATTTAGTGTTAAT	
<i>F.sol.opt</i>	CTGGAAAT	CACCCGGGAGTT	CAGTGTGAAC	
	CTAGAGATT	TACCAGGGAA	ATTTAGTGTTAAT	
		730	740	750
<i>F.sol.viral</i>	GCAGGTGT	AACTACACC	TGTAAGCACTTAC	
<i>F.sol</i>	GCAGGTGT	AACTACACC	TGTAAGCACTTAC	
<i>F.sol.opt</i>	GCTGGCGT	GACCACCTCCTGTCTC	CACCTTAC	
	GCAGGTGT	AACTACACC	TGTAAGCACTTAC	
		760	770	780
<i>F.sol.viral</i>	ATGTTAAC	TAAATAGTGA	ATTATTGTCA	TTA
<i>F.sol</i>	ATGTTAAC	TAAATAGTGA	ATTATTGTCA	TTA
<i>F.sol.opt</i>	ATGCTGAC	CAACAGCGAGCTGCTGAGC	CTG	
	ATGTTAAC	TAAATAGTGA	ATTATTGTCA	TTA

Figure 2b(iii)

SUBSTITUTE SHEET (RULE 26)

16/40

		790		800		810																									
<i>F.sol.viral</i>	A	T	C	A	A	T	G	A	T	A	T	G	C	C	T	A	T	A	A	C	A	A	A	T	G	A	T	C	A	G	
<i>F.sol</i>	A	T	C	A	A	T	G	A	T	A	T	G	C	C	T	A	T	A	A	C	A	A	A	T	G	A	T	C	A	G	
<i>F.sol.opt</i>	A	T	C	A	A	C	G	A	C	A	T	G	C	C	C	A	T	C	A	C	C	A	A	C	G	A	C	C	A	G	
	A	T	C	A	A	T	G	A	T	A	T	G	C	C	T	A	T	A	A	C	A	A	A	T	G	A	T	C	A	G	
						820						830																	840		
<i>F.sol.viral</i>	A	A	A	A	A	G	T	T	A	A	T	G	T	C	C	A	A	C	A	A	T	G	T	T	C	A	A	A	T	A	
<i>F.sol</i>	A	A	A	A	A	G	T	T	A	A	T	G	T	C	C	A	A	C	A	A	T	G	T	T	C	A	A	A	T	A	
<i>F.sol.opt</i>	A	A	G	A	A	G	C	T	T	A	T	G	T	C	C	A	A	C	A	A	C	G	T	G	C	A	G	A	T	C	
	A	A	A	A	A	G	T	T	A	A	T	G	T	C	C	A	A	C	A	A	T	G	T	T	C	A	A	A	T	A	
						850																								870	
<i>F.sol.viral</i>	G	T	T	A	G	A	C	A	G	C	A	A	A	G	T	T	A	C	T	C	T	A	T	C	A	T	G	T	C	C	
<i>F.sol</i>	G	T	T	A	G	A	C	A	G	C	A	A	A	G	T	T	A	C	T	C	T	A	T	C	A	T	G	T	C	C	
<i>F.sol.opt</i>	G	T	G	A	G	G	C	A	G	C	A	G	A	G	C	T	A	C	T	C	C	A	T	C	A	T	G	A	G	C	
	G	T	T	A	G	A	C	A	G	C	A	A	A	G	T	T	A	C	T	C	T	A	T	C	A	T	G	T	C	C	
						880																								900	
<i>F.sol.viral</i>	A	T	A	A	T	A	A	A	A	G	A	G	G	A	A	G	T	C	T	T	A	G	C	A	T	A	T	G	T	A	
<i>F.sol</i>	A	T	A	A	T	A	A	A	A	G	A	G	G	A	A	G	T	C	T	T	A	G	C	A	T	A	T	G	T	A	
<i>F.sol.opt</i>	A	T	C	A	T	C	A	A	G	G	A	G	G	A	G	G	T	G	C	T	G	G	C	C	T	A	T	G	T	G	
	A	T	A	A	T	A	A	A	A	G	A	G	G	A	A	G	T	C	T	T	A	G	C	A	T	A	T	G	T	A	
						910																								930	
<i>F.sol.viral</i>	G	T	A	C	A	A	T	T	A	C	C	A	C	T	A	T	A	T	G	G	T	G	T	T	A	T	A	G	A	T	
<i>F.sol</i>	G	T	A	C	A	A	T	T	A	C	C	A	C	T	A	T	A	T	G	G	T	G	T	T	A	T	A	G	A	T	
<i>F.sol.opt</i>	G	T	G	C	A	G	C	T	G	C	C	C	C	T	G	T	A	C	G	G	C	G	T	C	A	T	C	G	A	T	
	G	T	A	C	A	A	T	T	A	C	C	A	C	T	A	T	A	T	G	G	T	G	T	T	A	T	A	G	A	T	
						940																								960	
<i>F.sol.viral</i>	A	C	A	C	C	C	T	G	T	T	G	G	A	A	A	C	T	A	C	A	C	A	C	A	T	C	C	C	C	T	
<i>F.sol</i>	A	C	A	C	C	C	T	G	T	T	G	G	A	A	A	C	T	A	C	A	C	A	C	A	T	C	C	C	C	T	
<i>F.sol.opt</i>	A	C	C	C	C	C	T	T	G	C	T	G	G	A	A	G	C	T	G	C	A	C	A	C	C	A	G	C	C	C	
	A	C	A	C	C	C	T	G	T	T	G	G	A	A	A	C	T	A	C	A	C	A	C	A	T	C	C	C	C	T	
						970																								990	
<i>F.sol.viral</i>	C	T	A	T	G	T	A	C	A	A	C	C	A	A	C	A	C	A	A	A	A	G	A	A	G	G	G	T	C	C	
<i>F.sol</i>	C	T	A	T	G	T	A	C	A	A	C	C	A	A	C	A	C	A	A	A	A	G	A	A	G	G	G	T	C	C	
<i>F.sol.opt</i>	C	T	G	T	G	C	A	C	C	A	C	C	A	A	C	A	C	C	A	A	G	G	A	A	G	G	G	C	A	G	C
	C	T	A	T	G	T	A	C	A	A	C	C	A	A	C	A	C	A	A	A	A	G	A	A	G	G	G	T	C	C	
						1000																								1020	
<i>F.sol.viral</i>	A	A	C	A	T	C	T	G	T	T	T	A	A	C	A	A	G	A	A	C	T	G	A	C	A	G	A	G	G	A	
<i>F.sol</i>	A	A	C	A	T	C	T	G	T	T	T	A	A	C	A	A	G	A	A	C	T	G	A	C	A	G	A	G	G	A	
<i>F.sol.opt</i>	A	A	C	A	T	C	T	G	C	C	T	G	A	C	C	C	G	G	A	C	C	G	A	C	C	G	C	G	G	C	
	A	A	C	A	T	C	T	G	T	T	T	A	A	C	A	A	G	A	A	C	T	G	A	C	A	G	A	G	G	A	
						1030																								1050	
<i>F.sol.viral</i>	T	G	G	T	A	C	T	G	T	G	A	C	A	A	T	G	C	A	G	G	A	T	C	A	G	T	A	T	C	T	
<i>F.sol</i>	T	G	G	T	A	C	T	G	T	G	A	C	A	A	T	G	C	A	G	G	A	T	C	A	G	T	A	T	C	T	
<i>F.sol.opt</i>	T	G	G	T	A	C	T	G	T	G	A	C	A	A	C	G	C	T	G	G	C	T	C	G	G	T	G	A	G	C	
	T	G	G	T	A	C	T	G	T	G	A	C	A	A	T	G	C	A	G	G	A	T	C	A	G	T	A	T	C	T	

Figure 2b(iv)

SUBSTITUTE SHEET (RULE 26)

17/40

		1060	1070	1080
<i>F.sol.viral</i>	T T C T T C C C A C A A G C T G A A A C A T G T A A A G T T			
<i>F.sol</i>	T T C T T C C C A C A A G C T G A A A C A T G T A A A G T T			
<i>F.sol.opt</i>	T T C T T C C C T C A A G C T G A A A C C T G C A A G G T C			
	T T C T T C C C A C A A G C T G A A A C A T G T A A A G T T			
		1090	1100	1110
<i>F.sol.viral</i>	C A A T C A A A T C G A G T A T T T T G T G A C A C A A T G			
<i>F.sol</i>	C A A T C A A A T C G A G T A T T T T G T G A C A C A A T G			
<i>F.sol.opt</i>	C A G A G C A A C A G A G T G T T C T G T G A C A C C A T G			
	C A A T C A A A T C G A G T A T T T T G T G A C A C A A T G			
		1120	1130	1140
<i>F.sol.viral</i>	A A C A G T T T A A C A T T A C C A A G T G A A G T A A A T			
<i>F.sol</i>	A A C A G T T T A A C A T T A C C A A G T G A A G T A A A T			
<i>F.sol.opt</i>	A A C T C C C T G A C C C T G C C C T C C G A G G T G A A C			
	A A C A G T T T A A C A T T A C C A A G T G A A G T A A A T			
		1150	1160	1170
<i>F.sol.viral</i>	C T C T G C A A T G T T G A C A T A T T C A A C C C C A A A			
<i>F.sol</i>	C T C T G C A A T G T T G A C A T A T T C A A C C C C A A A			
<i>F.sol.opt</i>	C T G T G C A A C G T G G A T A T C T T C A A C C C C A A G			
	C T C T G C A A T G T T G A C A T A T T C A A C C C C A A A			
		1180	1190	1200
<i>F.sol.viral</i>	T A T G A T T G T A A A A T T A T G A C T T C A A A A A C A			
<i>F.sol</i>	T A T G A T T G T A A A A T T A T G A C T T C A A A A A C A			
<i>F.sol.opt</i>	T A T G A C T G C A A G A T C A T G A C C T C C A A G A C C			
	T A T G A T T G T A A A A T T A T G A C T T C A A A A A C A			
		1210	1220	1230
<i>F.sol.viral</i>	G A T G T A A G C A G C T C C G T T A T C A C A T C T C T A			
<i>F.sol</i>	G A T G T A A G C A G C T C C G T T A T C A C A T C T C T A			
<i>F.sol.opt</i>	G A T G T C T C G A G C T C C G T G A T C A C A G C C T G			
	G A T G T A A G C A G C T C C G T T A T C A C A T C T C T A			
		1240	1250	1260
<i>F.sol.viral</i>	G G A G C C A T T G T G T C A T G C T A T G G C A A A A C T			
<i>F.sol</i>	G G A G C C A T T G T G T C A T G C T A T G G C A A A A C T			
<i>F.sol.opt</i>	G G C G C C A T C G T G T C C T G C T A T G G C A A G A C C			
	G G A G C C A T T G T G T C A T G C T A T G G C A A A A C T			
		1270	1280	1290
<i>F.sol.viral</i>	A A A T G T A C A G C A T C C A A T A A A A A T C G T G G A			
<i>F.sol</i>	A A A T G T A C A G C A T C C A A T A A A A A T C G T G G A			
<i>F.sol.opt</i>	A A G T G C A C C G C C A G C A A C A A G A A C C G G G G C			
	A A A T G T A C A G C A T C C A A T A A A A A T C G T G G A			
		1300	1310	1320
<i>F.sol.viral</i>	A T C A T A A A G A C A T T T T C T A A C G G G T G C G A T			
<i>F.sol</i>	A T C A T A A A G A C A T T T T C T A A C G G G T G C G A T			
<i>F.sol.opt</i>	A T C A T C A A G A C C T T C A G C A A T G G G T G C G A C			
	A T C A T A A A G A C A T T T T C T A A C G G G T G C G A T			

Figure 2b(v)

SUBSTITUTE SHEET (RULE 26)

18/40

	1330	1340	1350
<i>F.sol.viral</i>	T A T G T A T C A A A T A A A G G G G T G G A C A C T G T G		
<i>F.sol</i>	T A T G T A T C A A A T A A A G G G G T G G A C A C T G T G		
<i>F.sol.opt</i>	T A C G T T T C G A A C A A G G G C G T G G A C A C T G T G		
	T A T G T A T C A A A T A A A G G G G T G G A C A C T G T G		
	1360	1370	1380
<i>F.sol.viral</i>	T C T G T A G G T A A C A C A T T A T A T T A T G T A A A T		
<i>F.sol</i>	T C T G T A G G T A A C A C A T T A T A T T A T G T A A A T		
<i>F.sol.opt</i>	T C C G T G G G C A A C A C C C T G T A C T A C G T G A A C		
	T C T G T A G G T A A C A C A T T A T A T T A T G T A A A T		
	1390	1400	1410
<i>F.sol.viral</i>	A A G C A A G A A G G T A A A A G T C T C T A T G T A A A A		
<i>F.sol</i>	A A G C A A G A A G G T A A A A G T C T C T A T G T A A A A		
<i>F.sol.opt</i>	A A G C A A G A G G G C A A G A G C C T G T A T G T G A A G		
	A A G C A A G A A G G T A A A A G T C T C T A T G T A A A A		
	1420	1430	1440
<i>F.sol.viral</i>	G G T G A A C C A A T A A T A A A T T T C T A T G A C C C A		
<i>F.sol</i>	G G T G A A C C A A T A A T A A A T T T C T A T G A C C C A		
<i>F.sol.opt</i>	G G C G A G C C C A T C A T C A A C T T C T A C G A C C C C		
	G G T G A A C C A A T A A T A A A T T T C T A T G A C C C A		
	1450	1460	1470
<i>F.sol.viral</i>	T T A G T A T T C C C C T C T G A T G A A T T T G A T G C A		
<i>F.sol</i>	T T A G T A T T C C C C T C T G A T G A A T T T G A C G C G		
<i>F.sol.opt</i>	C T G G T G T T C C C C T C C G A C G A A T T C G A C G C C		
	T T A G T A T T C C C C T C T G A T G A A T T T G A C G C		
	1480	1490	1500
<i>F.sol.viral</i>	T C A A T A T C T C A A G T C A A C G A G A A G A T T A A C		
<i>F.sol</i>	T C A A T A T C T C A A G T C A A C G A G A A G A T T A A C		
<i>F.sol.opt</i>	T C C A T T A G C C A A G T C A A C G A G A A G A T C A A C		
	T C A A T A T C T C A A G T C A A C G A G A A G A T T A A C		
	1510	1520	1530
<i>F.sol.viral</i>	C A G A G C C T A G C A T T T A T T C G T A A A T C C G A T		
<i>F.sol</i>	C A G A G C T T A G C A T T T A T T C G T A A A T C C G A T		
<i>F.sol.opt</i>	C A G A G C C T G G C C T T C A T C C G C A A G T C C G A C		
	C A G A G C C T A G C A T T T A T T C G T A A A T C C G A T		
	1540	1550	1560
<i>F.sol.viral</i>	G A A T T A T T A C A T A A T G T A A A T G C T G G T A A A		
<i>F.sol</i>	G A A T T A T T A C A T A A T G T A A A T G C T G G G A A G		
<i>F.sol.opt</i>	G A G C T G C T G C A C A A C G T C A A C G C T G G C A A G		
	G A A T T A T T A C A T A A T G T A A A T G C T G G A A G		
	1570	1580	1590
<i>F.sol.viral</i>	T C C A C C A C A A A T T A A		
<i>F.sol</i>	A G C A C C A C A A A T T A A		
<i>F.sol.opt</i>	A G C A C C A C C A A C T G A		
	A G C A C C A C A A A T T A A		

Figure 2b(vi)

SUBSTITUTE SHEET (RULE 26)

19/40




Figure 3a
SUBSTITUTE SHEET (RULE 26)

[illegible]

Figure 3a(i)

21/40

510	520	530	540	550	560	570	580	590	600
CTGAGGGCG	AGTGAACAA	GATCAAGAGT	GCCCTGCTGT	CCACTAACAA	GGCCGTGCTG	AGCCTGAGCA	ACGGCGTGAG	TGTGCTGACT	AGCAAGGTGC
GACCTCCCGC	TCCACTTGTT	CTAGTTCTCA	CGGGACGACA	GGTGATTGTT	CCGGCACAC	TCGGACTCGT	TGCCGCACTC	ACACGACTGA	TCGTTCCACG
L E G	E V N K	I K S	A L L	S T N K	A V V	S L S	N G V S	V L T S	K V>
a	a	a	a	a	a	a	a	a	a
>MfeI									
610	620	630	640	650	660	670	680	690	700
TGGACCTGAA	GAACTACATC	GACAAGCAAT	TGCTGCCCAT	CGTGAACAAG	CAGTCCCTGA	GCATCTCCAA	CATCGAGACT	GTGATCGAGT	TCCAGCAGAA
ACCTGGACTT	CTTGATGTAG	CTGTTCTGTTA	ACGACGGGTA	GCACCTTGTC	GTCAGGACAT	CGTAGAGGTT	GTAGCTCTGA	CACTAGCTCA	AGGTCGTCTT
L D L K	N Y I	D K Q	L L P I	V N K	Q S C	S I S N	I E T V	I E F Q	Q K>
a	a	a	a	a	a	a	a	a	a
>SmaI									
710	720	730	740	750	760	770	780	790	800
GAACAACCGC	CTGCTGGAAA	TCACCCGGGA	GTTCAAGTGT	AACGCTGGCG	TGACCACTCC	TGCTCTCCAC	TACATGCTGA	CCAACAGCGA	GCTGCTGAGC
CTTGTTGGCG	GACGACCTTT	AGTGGGCCCT	CAAGTCACAC	TTGGGACCGC	ACTGSGTGGG	ACAGAGGTGG	ATGTACGACT	GCTTGTGCGT	CGACGACTCG
N N R	L L E	I T R E	F S V	N A G	V T T P	V S T Y	M L T N	S E L L	S>
a	a	a	a	a	a	a	a	a	a
>HindIII									
810	820	830	840	850	860	870	880	890	900
CTGATCAACG	ACATGCCCAT	CACCAACGAC	CAGAAGAAGC	TTATGTCCAA	CAACGTGCAG	ATCGTGAGGC	AGCAGAGCTA	CTCCATCATG	AGCATCATCA
GACTAGTTGC	TGTACGGGTA	GTGGTTGCTG	GTCTTCTTCG	AATACAGGTT	GTTGCACGTC	TAGCACTCCG	TCGTCTCGAT	GAGGTAGTAC	TCGTAGTAGT
L I N	D M P I	T N D	Q K K	L M S N	N V Q	I V R	Q Q S Y	S I M S	I I>
a	a	a	a	a	a	a	a	a	a
>ClaI									
910	920	930	940	950	960	970	980	990	1000
AGGAGGAGGT	GCTGGCCTAT	GTGGTGCAGC	TGCCCTCTGA	CGGCGTCATC	GATACCCCTT	GCTGGAAGCT	GCACACCAGC	CCCCTGTGCA	CCACCAACAC
TCCTCCTCCA	CGACCGGATA	CACCACGTGC	ACGGGGACAT	GCCGCGAGTAG	CTATGGGAA	CGACCTTCGA	CGTGTGGTCG	GGGGACACGT	GGTGGTTGTG
K E E V	L A Y	V V Q	L P L Y	G V I	D T P	C W K L	H T S	P L C	T T N T>
a	a	a	a	a	a	a	a	a	a

Figure 3a(ii)

22/40

>RsrII									
1010	1020	1030	1040	1050	1060	1070	1080	1090	1100
CAAGGAGGC	AGCAACATCT	GCCTGACCG	GACCGACCG	GGCTGGTACT	GTGACAACGC	TGGCTCGGTG	AGCTTCTTCC	CTCAAGCTGA	AACCTGCAAG
GTTCTCCCG	TCGTTGTAGA	CGGACTGGC	CTGGCTGGCG	CCGACCATGA	CACCTGTGCG	ACCGAGCCAC	TGCAAGGAGG	GAGTTCGACT	TTGGACGTTT
K E G S N I	C L T R	T D R	G W Y	C D N A	G S V	S F F	P Q A	E T C	K>
a	a	a	a	a	a	a	a	a	a
>EcoRV									
1110	1120	1130	1140	1150	1160	1170	1180	1190	1200
GTCCAGAGCA	ACAGAGTGT	CTGTGACACC	ATGAACCTCC	TGACCCCTGCC	CTCCGAGGTG	AACCTGTGCA	ACGTGGATAT	CTTCAACCCC	AAGTATGACT
CAGGTCTCGT	TGTCTCACAA	GACACTGTGG	TACTTGAGGG	ACTGGGACGG	GAGGCTCCAC	TTGGACACGT	TGCACCTATA	GAGTTGGGG	TTCATACTGA
V Q S N R V	F C D T	M N S	L T L	P S E	V N L	C N V	D I	F N P	K Y D>
a	a	a	a	a	a	a	a	a	a
>XhoI									
1210	1220	1230	1240	1250	1260	1270	1280	1290	1300
GCAAGATCAT	GACCTCCAAG	ACCGATGTCT	CGAGCTCCGT	GATCACCAGC	CTGGGCGCCA	TCGTGTCTCTG	CTATGGCAAG	ACCAAGTGCA	CCGCCAGCAA
CGTTCTAGTA	CTGGAGGTTT	TGGCTACAGA	GCTCGAGGCA	CTAGTGGTCG	GACCCGCGGT	AGCACAGGAC	GATACCGTTC	TGTTTCACGT	GGCGGTCGTT
C K I M	T S K	T D V	S S S	V I T	S L G	A I V	S C Y	G K T	K C T A S N>
a	a	a	a	a	a	a	a	a	a
>BstBI									
1310	1320	1330	1340	1350	1360	1370	1380	1390	1400
CAAGAACCG	GGCATCATCA	AGACCTTCAG	CAATGGGTGC	GACTACGTTT	CGAACAAAGG	CGTGGACACT	GTGTCCGTGG	GCAACACCCCT	GTACTACGTG
GTTCTTGGC	CCGTAGTAGT	TCTGGAAGTC	GTTACCCACG	CTGATGCANA	GCTTGTTC	GCACCTGTGA	CACAGGCACC	CGTTGTGGGA	CATGATGCAC
K N R	G I I	K T F	S N G	C D Y	V S N	K G V	D T V	S V G	N T L Y Y V>
a	a	a	a	a	a	a	a	a	a
>									
1410	1420	1430	1440	1450	1460	1470	1480	1490	1500
AACAAGCAAG	AGGGCAAGAG	CCTGTATGTG	AAGGGCGAGC	CCATCATCAA	CTTCTACGAC	CCCCTGGTGT	TCCCCTCCGA	CGAATTTCGAC	GCCTCCATTA
TTGTTCTGTT	TCCCGTTCTC	GGACATACAC	TTCCCGTCTG	GGTAGTAGTT	GAAGATGCTG	GGGGACCACA	AGGGGAGGCT	GCTTAAGCTG	CGGAGGTAAT
N K Q	E G K	S L Y	V K G	E P I	I N F	Y D P	L V F	P S D	E F D A S I>
a	a	a	a	a	a	a	a	a	a

Figure 3a(iii)

23/40

```

1510      1520      1530      1540      1550      1560      1570      1580      1590      1600
GCCAAGTCAA CGAGAAGATC AACCAAGAGCC TGGCCTTCAT CCGCAAGTCC GACGAGCTGC TGCACACAGT CAACGCTGGC AAGAGCACCA CCAACATCAT
CGGTTTCAGTT GCTCTTCTAG TTGGTCTCGG ACCGGAAGTA GGCCTTCAGG CTGCTCGACG ACGTGTTGCA GTTGGACCG TTCTCGTGGT GGTGTAGTA
S Q V N E K I I N Q S L A F I R K S D E L L H N V N A G K S T T N 'I M>
a      a      a      a      a      a      a      a      a      a

1610      1620      1630      1640      1650      1660      1670      1680      1690      1700
GATCACCACC ATCATCATCG TGATCATCGT GATCCTGCTG AGCCTGATCG CCGTGGGCCT GCTGCTGTAC TGCAAGGCCC GGAGCACTCC CGTGACCCCTG
CTAGTGGTGG TAGTAGTAGC ACTAGTAGCA CTAGGACGAC TCGACTAGC GGCACCCGGA CGACGACATG ACGTTCCGGG CCTCGTGAGG GCACTGGGAC
I T T I I I V I I V I L L I S L I A V C L L L Y C K A R S T P V T L>
a      a      a      a      a      a      a      a      a      a

      >XbaI      >BamHI
1710      1720      1730      1740      1750      1760
AGCAAGGACC AGCTGAGCGG CATCAACAAAC ATCGCCTTCA GCAACTGATA GTCTAGAGGA TCC
TCGTTCTCTGG TCGACTCGCC GTAGTTGTTG TAGCGGAAGT CGTTGACTAT CAGATCTCCT AGG
S K D Q L S G I N N I A F S N X>
a      a      a      a      a      a

```

Figure 3a(iv)

24/40




Figure 3b

[illegible]

Figure 3b(i)

Figure 3b(ii)

27/40

>RsrII																
1010	1020	1030	1040	1050	1060	1070	1080	1090	1100							
CAAGGAGGC	AGCAACATCT	GCCTGACCCG	GACCGACCGC	GGCTGGTACT	GTGACAACGC	TGGCTCGGTG	AGCTTCTTCC	CTCAAGCTGA	AACCTGCAAG							
GTTCTCCCG	TCGTTGTAGA	CGGACTGGGC	CTGGCTGGCG	CCGACCATGA	CACCTGTTGG	ACCGAGCCAC	TCGAAGAAGG	GAGTTTCGACT	TTGGACGTTT							
K E G	S N I	C L T	R T	D R	T D	R G	W Y	C D	N A	G S	V S	F F	P Q	A E	T C	K
a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a	a
>EcoRV																
1110	1120	1130	1140	1150	1160	1170	1180	1190	1200							
GTCCAGAGCA	ACAGAGTGTT	CTGTGACACC	ATGAACCTCC	TGACCCCTGCC	CTCCGAGGTG	AACCTGTGCA	ACGTGGATAT	CTTCAACCCC	AAGTATGACT							
CAGGTCTCGT	TGTCTCACAA	GACACTGTGG	TACTTGAGGG	ACTGGGACGG	GAGGCTCCAC	TTGGACACGT	TGCACCTATA	GAAGTTGGGG	TTCATACTGA							
V Q S	N R V	F C D	T M N	S L T	P S E	V N L	C N V	D I F	N P K	Y D						
a	a	a	a	a	a	a	a	a	a	a						
>XhoI																
1210	1220	1230	1240	1250	1260	1270	1280	1290	1300							
GCAAGATCAT	GACCTCCAAG	ACCGATGTCT	CGAGCTCCGT	GATCACCAGC	CTGGGGGCCA	TCGTGTCCCTG	CTATGGCAAG	ACCAAGTGCA	CCGCCAGCAA							
CGTTCTAGTA	CTGGAGGTTT	TGGCTACAGA	GCTCGAGGCA	CTAGTGGTCG	GACCCGCGGT	AGCACAGGAC	GATACCGTTC	TGGTTCACGT	GGCGGTCTGT							
C K I	M T S	K T D	V S S	S V I	T S L	G A I	V S C	Y G K	T K C	T A S	N					
a	a	a	a	a	a	a	a	a	a	a	a					
>BstBI																
1310	1320	1330	1340	1350	1360	1370	1380	1390	1400							
CAAGAACCGG	GGCATCATCA	AGACCTTCAG	CAATGGGTGC	GACTACGTTT	CGAACAAAGG	CGTGGACACT	GTGTCCGTGG	GCAACACCC	GTACTACGTG							
GTTCTTGGCC	CCGTAGTAGT	TCTGGAAGTC	GTTACCCACG	CTGATGCAAA	GCTTGTTC	GCACCTGTGA	CACAGGCACC	CGTTGTGGGA	CATGATGCAC							
K N R	G I I	K T F	S N G	C D Y	V S N	K G V	D T V	S V G	N T L	Y Y	V					
a	a	a	a	a	a	a	a	a	a	a	a					

Figure 3b(iii)

[illegible]

>XbaI >BamHI

—

1610

GTCTAGAGGA TCC

CAGATCTCCT AGG

Figure 3b(iv)




Figure 4a

Assembly of F in pCICO expression vector




Figure 4b

31/40

**Autoradiograph of immunoprecipitation of
³⁵-S labelled transfected cell supernatants**




Figure 5




Figure 6
SUBSTITUTE SHEET (RULE 26)

33/40

ClustalW Formatted Alignments

```

      10      20      30
F.viral ATGGAGTTGCTAATCCTCAAAGCAAATGCA
F.nat   ATGGAGTTGCTAATCCTCAAAGCAAATGCA
      ATGGAGTTGCTAATCCTCAAAGCAAATGCA

      40      50      60
F.viral ATTACCACAATCCTCACTGCAGTCACATTT
F.nat   ATTACCACAATCCTCACTGCAGTCACATTT
      ATTACCACAATCCTCACTGCAGTCACATTT

      70      80      90
F.viral TGTTTTGCTTCTGGTCAA AACCATCACTGAA
F.nat   TGTTTTGCTTCTGGTCAA AACCATCACTGAA
      TGTTTTGCTTCTGGTCAA AACCATCACTGAA

      100     110     120
F.viral GAATTTTATCAATCAACATGCAGTGCAGTT
F.nat   GAATTTTATCAATCAACATGCAGTGCAGTT
      GAATTTTATCAATCAACATGCAGTGCAGTT

      130     140     150
F.viral AGCAAAGGCTATCTTAGTGCTCTGAGAACT
F.nat   AGCAAAGGCTATCTTAGTGCTCTGAGAACT
      AGCAAAGGCTATCTTAGTGCTCTGAGAACT

      160     170     180
F.viral GGTTGGTATACCAGTGTTATAA ACTATAGAA
F.nat   GGTTGGTATACCAGTGTTATAA ACCATAGAA
      GGTTGGTATACCAGTGTTATAA  ATAGAA

      190     200     210
F.viral TTAAGTAATATCAAGAA AAATAAGTGTAAT
F.nat   CTAAGTAATATCAAGAA AAATAAGTGTAAT
      TAAGTAATATCAAGAA AAATAAGTGTAAT

      220     230     240
F.viral GGAACAGATGCTTAAGGTAAAATTGATAAAA
F.nat   GGAACAGATGCCAAGGTAAAATTGATAAAA
      GGAACAGATGCAAGGTAAAATTGATAAAA

      250     260     270
F.viral CAGAATTAGATAAATAATAAAAAATGCTGTA
F.nat   CAGAATTAGATAAATAATAAAAAATGCTGTA
      CAGAATTAGATAAATAATAAAAAATGCTGTA

      280     290     300
F.viral ACAGAATTGCAGTTGCTCATGC AAAGCACA
F.nat   ACAGAATTGCAGTTGCTCATGC AAAGCACA
      ACAGAATTGCAGTTGCTCATGC AAAGCACA

```

Figure 6(i)

SUBSTITUTE SHEET (RULE 26)

34/40

		310	320	330
<i>F.viral</i>		C A A G C A A C A A A C A A T C G A G C C A G A A G A G A A		
<i>F.nat</i>		C A A G C A A C A A A C A A T C G A G C C A G A A G A G A A		
		C A A G C A A C A A A C A A T C G A G C C A G A A G A G A A		
		340	350	360
<i>F.viral</i>		C T A C C A A G G T T T A T G A A T T A T A C A C T C A A C		
<i>F.nat</i>		C T A C C A A G G T T T A T G A A T T A T A C A C T C A A C		
		C T A C C A A G G T T T A T G A A T T A T A C A C T C A A C		
		370	380	390
<i>F.viral</i>		A A T G C C A A A A A A A C C A A T G T A A C A T T A A G C		
<i>F.nat</i>		A A T G C C A A A A A A A C C A A T G T A A C A T T A A G C		
		A A T G C C A A A A A A A C C A A T G T A A C A T T A A G C		
		400	410	420
<i>F.viral</i>		A A G A A A A G G A A A A G A A G A T T T C T T G G T T T T		
<i>F.nat</i>		A A G A A A A G G A A A A G A A G A T T T C T T G G T T T T		
		A A G A A A A G G A A A A G A A G A T T T C T T G G T T T T		
		430	440	450
<i>F.viral</i>		T T G T T A G G T G T T G G A T C T G C A A T C G C C A G T		
<i>F.nat</i>		T T G T T A G G T G T T G G A T C T G C A A T C G C C A G T		
		T T G T T A G G T G T T G G A T C T G C A A T C G C C A G T		
		460	470	480
<i>F.viral</i>		G G C G T T G C T G T A T C T A A G G T C C T G C A C C T A		
<i>F.nat</i>		G G C G T T G C T G T A T C T A A G G T C C T G C A C C T A		
		G G C G T T G C T G T A T C T A A G G T C C T G C A C C T A		
		490	500	510
<i>F.viral</i>		G A A G G G G A A G T G A A C A A G A T C A A A A G T G C T		
<i>F.nat</i>		G A A G G G G A A G T G A A C A A G A T C A A A A G T G C T		
		G A A G G G G A A G T G A A C A A G A T C A A A A G T G C T		
		520	530	540
<i>F.viral</i>		C T A C T A T C C A C A A A C A A G G C T G T A G T C A G C		
<i>F.nat</i>		C T A C T A T C C A C A A A C A A G G C T G T A G T C A G C		
		C T A C T A T C C A C A A A C A A G G C T G T A G T C A G C		
		550	560	570
<i>F.viral</i>		T T A T C A A A T G G A G T T A G T G T C T T A A C C A G C		
<i>F.nat</i>		T T A T C A A A T G G A G T T A G T G T C T T A A C C A G C		
		T T A T C A A A T G G A G T T A G T G T C T T A A C C A G C		
		580	590	600
<i>F.viral</i>		A A A G T G T T A G A C C T C A A A A A C T A T A T A G A T		
<i>F.nat</i>		A A A G T G T T A G A C C T C A A A A A C T A T A T A G A T		
		A A A G T G T T A G A C C T C A A A A A C T A T A T A G A T		
		610	620	630
<i>F.viral</i>		A A A C A A T T G T T A C C T A T T G T G A A C A A G C A A		
<i>F.nat</i>		A A A C A A T T G T T A C C T A T T G T G A A C A A G C A A		
		A A A C A A T T G T T A C C T A T T G T G A A C A A G C A A		

Figure 6(ii)

SUBSTITUTE SHEET (RULE 26)

35/40

		640	650	660
<i>F.viral</i>		AGCTGCAGCATATCAAATATAGAAACTGTG		
<i>F.nat</i>		AGCTGCAGCATATCAAATATAGAAACTGTG		
		670	680	690
<i>F.viral</i>		ATAGAGTTTCCAACAAAAGAACAAACAGACTA		
<i>F.nat</i>		ATAGAGTTTCCAACAAAAGAACAAACAGACTA		
		700	710	720
<i>F.viral</i>		CTAGAGATTACCAGGGGAATTTAGTGTTAAT		
<i>F.nat</i>		CTAGAGATTACCAGGGGAATTTAGTGTTAAT		
		730	740	750
<i>F.viral</i>		GCAGGTGTAACTACACCTGTAAAGCACTTAC		
<i>F.nat</i>		GCAGGTGTAACTACACCTGTAAAGCACTTAC		
		760	770	780
<i>F.viral</i>		ATGTTAACTAATAAGTGAATTATTGTCAATTA		
<i>F.nat</i>		ATGTTAACTAATAAGTGAATTATTGTCAATTA		
		790	800	810
<i>F.viral</i>		ATCAATGATATGCTTATAACAAATGATCAG		
<i>F.nat</i>		ATCAATGATATGCTTATAACAAATGATCAG		
		820	830	840
<i>F.viral</i>		AAAAAGTTAATGTCCAACAATGTTCAAATA		
<i>F.nat</i>		AAAAAGTTAATGTCCAACAATGTTCAAATA		
		850	860	870
<i>F.viral</i>		GTTAGACAGCAAAGTTACTCTATCATGTCC		
<i>F.nat</i>		GTTAGACAGCAAAGTTACTCTATCATGTCC		
		880	890	900
<i>F.viral</i>		ATAATAAAGAGGGAAGTCTTAGCATATGTA		
<i>F.nat</i>		ATAATAAAGAGGGAAGTCTTAGCATATGTA		
		910	920	930
<i>F.viral</i>		GTACAATTACCACTATATGGTGTATAGAT		
<i>F.nat</i>		GTACAATTACCACTATATGGTGTATAGAT		
		940	950	960
<i>F.viral</i>		ACACCCTGTTGGAAACTACACACATCCCT		
<i>F.nat</i>		ACACCCTGTTGGAAACTACACACATCCCT		

Figure 6(iii)

SUBSTITUTE SHEET (RULE 26)

36/40

	970	980	990
<i>F.viral</i>	CTATGTACAA	CCAAACACAAA	AGAAAGGGTCC
<i>F.nat</i>	CTATGTACAA	CCAAACACAAA	AGAAAGGGTCC
	CTATGTACAA	CCAAACACAAA	AGAAAGGGTCC
	1000	1010	1020
<i>F.viral</i>	AACATCTGTTT	TAACAAGAACT	GACAGAGGGA
<i>F.nat</i>	AACATCTGTTT	TAACAAGAACT	GACAGAGGGA
	AACATCTGTTT	TAACAAGAACT	GACAGAGGGA
	1030	1040	1050
<i>F.viral</i>	TGGTACTGTG	ACAATGCAGG	ATCAGTATCT
<i>F.nat</i>	TGGTACTGTG	ACAATGCAGG	ATCAGTATCT
	TGGTACTGTG	ACAATGCAGG	ATCAGTATCT
	1060	1070	1080
<i>F.viral</i>	TTCTTCCCACA	AGCTGAACAT	GTAAAGGTT
<i>F.nat</i>	TTCTTCCCACA	AGCTGAACAT	GTAAAGGTT
	TTCTTCCCACA	AGCTGAACAT	GTAAAGGTT
	1090	1100	1110
<i>F.viral</i>	CAATCAAATCG	AGTATTTTGT	GACACAATG
<i>F.nat</i>	CAATCAAATCG	AGTATTTTGT	GACACAATG
	CAATCAAATCG	AGTATTTTGT	GACACAATG
	1120	1130	1140
<i>F.viral</i>	AACAGTTTAA	CAATTACCAAG	TGAAGTA AAT
<i>F.nat</i>	AACAGTTTAA	CAATTACCAAG	TGAAGTA AAT
	AACAGTTTAA	CAATTACCAAG	TGAAGTA AAT
	1150	1160	1170
<i>F.viral</i>	CTCTGCAATGT	TGACATATTCA	AACCCCAA
<i>F.nat</i>	CTCTGCAATGT	TGACATATTCA	AACCCCAA
	CTCTGCAATGT	TGACATATTCA	AACCCCAA
	1180	1190	1200
<i>F.viral</i>	TATGATTGTAA	AAATTATGACT	TCAAAAACA
<i>F.nat</i>	TATGATTGTAA	AAATTATGACT	TCAAAAACA
	TATGATTGTAA	AAATTATGACT	TCAAAAACA
	1210	1220	1230
<i>F.viral</i>	GATGTAAGCAG	CTCCGTTATCA	CATCTCTA
<i>F.nat</i>	GATGTAAGCAG	CTCCGTTATCA	CATCTCTA
	GATGTAAGCAG	CTCCGTTATCA	CATCTCTA
	1240	1250	1260
<i>F.viral</i>	GGAGCCATTGT	GTCATGCTATG	GGCAAAACT
<i>F.nat</i>	GGAGCCATTGT	GTCATGCTATG	GGCAAAACT
	GGAGCCATTGT	GTCATGCTATG	GGCAAAACT
	1270	1280	1290
<i>F.viral</i>	AAATGTACAG	CATCCAATAA	AAATCGTGGA
<i>F.nat</i>	AAATGTACAG	CATCCAATAA	AAATCGTGGA
	AAATGTACAG	CATCCAATAA	AAATCGTGGA

Figure 6(iv)

SUBSTITUTE SHEET (RULE 26)

37/40

		1300	1310	1320
<i>F.viral</i>		A T C A T A A A G A C A T T T T C T A A C G G G T G C G A T		
<i>F.nat</i>		A T C A T A A A G A C A T T T T C T A A C G G G T G C G A T		
		A T C A T A A A G A C A T T T T C T A A C G G G T G C G A T		
		1330	1340	1350
<i>F.viral</i>		T A T G T A T C A A A T A A A G G G G T G G A C A C T G T G		
<i>F.nat</i>		T A T G T A T C A A A T A A A G G G G T G G A C A C T G T G		
		T A T G T A T C A A A T A A A G G G G T G G A C A C T G T G		
		1360	1370	1380
<i>F.viral</i>		T C T G T A G G T A A C A C A T T A T A T T A T G T A A A T		
<i>F.nat</i>		T C T G T A G G T A A C A C A T T A T A T T A T G T A A A T		
		T C T G T A G G T A A C A C A T T A T A T T A T G T A A A T		
		1390	1400	1410
<i>F.viral</i>		A A G C A A G A A G G T A A A A G T C T C T A T G T A A A A		
<i>F.nat</i>		A A G C A A G A A G G T A A A A G T C T C T A T G T A A A A		
		A A G C A A G A A G G T A A A A G T C T C T A T G T A A A A		
		1420	1430	1440
<i>F.viral</i>		G G T G A A C C A A T A A T A A A T T T C T A T G A C C C A		
<i>F.nat</i>		G G T G A A C C A A T A A T A A A T T T C T A T G A C C C A		
		G G T G A A C C A A T A A T A A A T T T C T A T G A C C C A		
		1450	1460	1470
<i>F.viral</i>		T T A G T A T T C C C C T G T G A T G A A T T T G A T G C A		
<i>F.nat</i>		T T A G T A T T C C C C T G T G A T G A A T T T G A T G C A		
		T T A G T A T T C C C C T G T G A T G A A T T T G A T G C A		
		1480	1490	1500
<i>F.viral</i>		T C A A T A T C T C A A G T C A A C G A G A A G A T T A A C		
<i>F.nat</i>		T C A A T A T C T C A A G T C A A C G A G A A G A T T A A C		
		T C A A T A T C T C A A G T C A A C G A G A A G A T T A A C		
		1510	1520	1530
<i>F.viral</i>		C A G A G C C T A G C A T T T A T T C G T A A A T C C G A T		
<i>F.nat</i>		C A G A G C C T A G C A T T T A T T C G T A A A T C C G A T		
		C A G A G C C T A G C A T T T A T T C G T A A A T C C G A T		
		1540	1550	1560
<i>F.viral</i>		G A A T T A T T A C A T A A T G T A A A T G C T G G T A A A		
<i>F.nat</i>		G A A T T A T T A C A T A A T G T A A A T G C T G G T A A A		
		G A A T T A T T A C A T A A T G T A A A T G C T G G T A A A		
		1570	1580	1590
<i>F.viral</i>		T C C A C C A C A A A T A T C A T G A T A A C T A C T A T A		
<i>F.nat</i>		T C C A C C A C A A A T A T C A T G A T A A C T A C T A T A		
		T C C A C C A C A A A T A T C A T G A T A A C T A C T A T A		
		1600	1610	1620
<i>F.viral</i>		A T T A T A G T G A T T A T A G T A A T A T T G T T A T C A		
<i>F.nat</i>		A T T A T A G T G A T T A T A G T A A T A T T G T T A T C A		
		A T T A T A G T G A T T A T A G T A A T A T T G T T A T C A		

Figure 6(v)

SUBSTITUTE SHEET (RULE 26)

38/40

		1630		1640		1650
<i>F.viral</i>		T T A A T T G C T G T T G G A C T G C T C T T A T A C T G T				
<i>F.nat</i>		T T A A T T G C T G T T G G A C T G C T C T T A T A C T G T				
		T T A A T T G C T G T T G G A C T G C T C T T A T A C T G T				
		1660		1670		1680
<i>F.viral</i>		A A G G C C A G A A G C A C A C C A G T C A C A C T A A G C				
<i>F.nat</i>		A A G G C C A G A A G C A C A C C A G T C A C A C T A A G C				
		A A G G C C A G A A G C A C A C C A G T C A C A C T A A G C				
		1690		1700		1710
<i>F.viral</i>		A A A G A T C A A C T G A G T G G T A T A A A T A A T A T T				
<i>F.nat</i>		A A A G A T C A A C T G A G T G G T A T A A A T A A T A T T				
		A A A G A T C A A C T G A G T G G T A T A A A T A A T A T T				
		1720		1730		1740
<i>F.viral</i>		G C A T T T A G T A A C T A A				
<i>F.nat</i>		G C A T T T A G T A A C T A A				
		G C A T T T A G T A A C T A A				

Figure 6(vi)

SUBSTITUTE SHEET (RULE 26)

39/40




Figure 7
SUBSTITUTE SHEET (RULE 26)

40/40




Figure 8
SUBSTITUTE SHEET (RULE 26)

- 1 -

SEQUENCE LISTING

<110> Biota Scientific Management Pty Ltd

<120> A method of expression and agents identified thereby

<130> 2479709/TDO

<140> International application

<141> 2001-11-22

<150> US 60/252767

<151> 2000-11-22

<160> 574

<170> PatentIn version 3.1

<210> 1

<211> 1725

<212> DNA

<213> respiratory syncytival virus

<400> 1

atggagttgc taatcctcaa agcaaagca attaccacaa tcctcactgc agtcacattt	60
tgttttgctt ctggtcaaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt	120
agcaaaggct atcttagtgc tctgagaact ggttggtata ccagtgttat aactatagaa	180
ttaagtaata tcaagaaaaa taagtgtaat ggaacagatg ctaaggtaaa attgataaaa	240
caagaattag ataaatataa aaatgctgta acagaattgc agttgctcat gcaaagcaca	300
caagcaacaa acaatcgagc cagaagagaa ctaccaaggt ttatgaatta tacactcaac	360
aatgccaaaa aaaccaatgt aacattaagc aagaaaagga aaagaagatt tcttggtttt	420

- 2 -

ttgttaggtg ttggatctgc aatcgccagt ggcgttgctg tatctaaggt cctgcaccta 480

gaaggggaag tgaacaagat caaaagtgtc ctactatcca caaacaaggc tgtagtcagc 540

ttatcaaatg gagttagtgt cttaaccagc aaagtgttag acctcaaaaa ctatatagat 600

aaacaattgt tacctattgt gaacaagcaa agctgcagca tatcaaatat agaaactgtg 660

atagagttcc aacaaaagaa caacagacta ctagagatta ccaggaatt tagtgtaaat 720

gcaggtgtaa ctacacctgt aagcacttac atgttaacta atagtgaatt attgtcatta 780

atcaatgata tgcctataac aaatgatcag aaaaagttaa tgtccaacaa tgttcaaata 840

gtagacagc aaagttactc tatcatgtcc ataataaaag aggaagtctt agcatatgta 900

gtacaattac cactatatgg tggtatagat acaccctggt ggaaactaca cacatcccct 960

ctatgtacaa ccaacacaaa agaagggtcc aacatctggt taacaagaac tgacagagga 1020

tggtactgtg acaatgcagg atcagtatct ttcttcccac aagctgaaac atgtaaagtt 1080

caatcaaadc gagtattttg tgacacaatg aacagtttaa cattaccaag tgaagtaaatt 1140

ctctgcaatg ttgacatatt caaccccaaa tatgattgta aaattatgac ttcaaaaaca 1200

gatgtaagca gctccgttat cacatctcta ggagccattg tgtcatgcta tggcaaaact 1260

aaatgtacag catccaataa aaatcgtgga atcataaaga catttttctaa cgggtgcgat 1320

tatgtatcaa ataaaggggt ggacactgtg tctgtaggta acacattata ttatgtaaatt 1380

aagcaagaag gtaaaagtct ctatgtaaaa ggtgaaccaa taataaattt ctatgacca 1440

ttagtattcc cctctgatga atttgatgca tcaatatctc aagtcaacga gaagattaac 1500

cagagcctag catttattcg taaatccgat gaattattac ataatgtaaa tgctggtaaa 1560

- 3 -

tccaccacaa atatcatgat aactactata attatagtga ttatagtaat attgttatca 1620
 ttaattgctg ttggactgct cttatactgt aaggccagaa gcacaccagt cacactaagc 1680
 aaagatcaac tgagtggat aaataatatt gcatttagta actaa 1725

<210> 2
 <211> 1575
 <212> DNA
 <213> respiratory syncytial virus

<400> 2
 atggagttgc taatcctcaa agcaaagca attaccacaa tcctcactgc agtcacattt 60
 tgttttgctt ctggtcaaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt 120
 agcaaaggct atcttagtgc tctgagaact ggttggtata ccagtgttat aactatagaa 180
 ttaagtaata tcaagaaaaa taagtgtaat ggaacagatg ctaaggtaaa attgataaaa 240
 caagaattag ataaatataa aaatgctgta acagaattgc agttgctcat gcaaagcaca 300
 caagcaacaa acaatcgagc cagaagagaa ctaccaaggt ttatgaatta tacactcaac 360
 aatgccaaaa aaaccaatgt aacattaagc aagaaaagga aaagaagatt tcttggtttt 420
 ttgttaggtg ttggatctgc aatcgccagt ggcgttgctg tatctaaggt cctgcaccta 480
 gaaggggaag tgaacaagat caaaagtgt ctactatcca caaacaaggc tgtagtcagc 540
 ttatcaaatg gagttagtgt cttaaccagc aaagtgttag acctcaaaaa ctatatagat 600
 aaacaattgt tacctattgt gaacaagcaa agctgcagca tatcaaatat agaaactgtg 660
 atagagttcc aacaaaagaa caacagacta ctagagatta ccagggaatt tagtggttaat 720
 gcaggtgtaa ctacacctgt aagcacttac atgttaacta atagtgaatt attgtcatta 780

- 4 -

atcaatgata tgcctataac aaatgatcag aaaaagttaa tgtccaacaa tgttcaaata 840
gtagacagc aaagttactc tatcatgtcc ataataaaag aggaagtctt agcatatgta 900
gtacaattac cactatatgg tggtatagat. acaccctggt ggaaactaca cacatcccct 960
ctatgtacaa ccaacacaaa agaagggtcc aacatctggt taacaagaac tgacagagga 1020
tggtactgtg acaatgcagg atcagtatct ttcttccac aagctgaaac .atgtaaagtt 1080
caatcaaate gagtattttg tgacacaatg aacagtttaa cattaccaag tgaagtaa 1140
ctctgcaatg ttgacatatt caaccccaa tatgattgta aaattatgac ttcaaaaaca 1200
gatgtaagca gtcctgttat cacatctcta ggagccattg tgcattgcta tggcaaaact 1260
aaatgtacag catccaataa aaatcgtgga atcataaaga cattttctaa cgggtgcgat 1320
tatgtatcaa ataaaggggt ggacactgtg tctgtaggta acacattata ttatgtaa 1380
aagcaagaag gtaaaagtct ctatgtaaaa ggtgaaccaa taataaattt ctatgacca 1440
ttagtattcc cctctgatga atttgatgca tcaatatctc aagtcaacga gaagattaac 1500
cagagcctag catttattcg taaatccgat gaattattac ataatgtaaa tgctggtaaa 1560
tccaccacaa attaa 1575

<210> 3

<211> 1725

<212> DNA

<213> Artificial Sequence

<220>

<223> Optimised Sequence

- 5 -

<400> 3

atggagttgc taatcctcaa agcaaatgca attaccacaa tcctcactgc ggtcaccttt	60
tgttttgctt ctggcaaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt	120
agcaaaggat atcttagtgc tctgagaacc ggttggtata ccagtgttat aactatagaa	180
ttaagtaata tcaagaaaaa taagtgtaat ggtaccgatg ctaaggtaaa attgataaaa	240
caagaattag ataaatataa aaatgctgta acagaattgc agttgctcat gcagtcgaca	300
caagcaacaa acaatcgagc cagaagagaa ctacctaggt ttatgaatta tacactcaac	360
aatgccaaaa aaaccaatgt aacactttcg aagaaaagga aaagaagatt tcttggtttt	420
ttgttaggtg ttggatccgc aatcgccagt ggcgttgctg tatctaaggt cctgcatcta	480
gagggggaag tgaacaagat caaaagtgtc ctactatcca caaacaaggc tgtagtcagc	540
ttatcaaattg gagttagtgt cttaccagc aaagtgttag acctcaaaaa ctatatagat	600
aaacaattgt tacctattgt gaacaagcaa agctgcagca tatcaaatat agaaactgtg	660
atagagttcc aacaaaagaa caacagacta ctagagatta ccagggaatt tagtgtaaat	720
gcagggtgtaa ctacacctgt aagcacttac atgttaacta atagtgaatt attgtcatta	780
atcaatgata tgcctataac aaatgatcag aaaaagttaa tgtccaacaa tgttcaaata	840
gtagacagc aaagttactc tatcatgtcc ataataaaag aggaagtctt agcatatgta	900
gtacaattac cactatatgg tgttatagat acaccctgtt ggaaactaca cacatcccct	960
ctatgtacaa ccaacacaaa agaagggtcc aacatctgtt taacaagaac tgacagagga	1020
tggtactgtg acaatgcagg atcagtatct ttcttccac aagctgaaac atgtaaagtt	1080
caatcaaattc gagtattttg tgacacaatg aacagtttaa cattaccaag tgaagtaaat	1140

- 6 -

ctctgcaatg ttgacatatt caaccccaaa tatgattgta aaattatgac ttcaaaaaca 1200
gatgtaagca gctccggttat cacatctcta ggagccattg tgtcatgcta tggcaaaaact 1260
aaatgtacag catccaataa aaatcgtgga atcataaaga catttttctaa cgggtgcgat 1320
tatgtatcaa ataaaggggt ggacactgtg tctgtaggta acacattata ttatgtaaatt 1380
aagcaagaag gtaaaagtct ctatgtaaaa ggtgaaccaa taataaattt ctatgaccca 1440
ttagtattcc cctctgatga atttgacgog tcaatatctc aagtcaacga gaagattaac 1500
cagagcttag catttattcg taaatccgat gaattattac ataattgtaa tgctgggaag 1560
agcaccacaa atatcatgat aactactata attatagtga ttatagtaat attgttatca 1620
ttaattgctg ttggactgct cttatactgt aaggccagat ctacaccagt cacactaagc 1680
aaagatcaac tgagtgggtat aaataatatt gcatttagta actaa 1725

<210> 4

<211> 1575

<212> DNA

<213> Artificial Sequence

<220>

<223> Optimised Sequence

<400> 4

atggagttgc taatcctcaa agcaaatgca attaccacaa tcctcactgc ggtcaccttt 60
tgttttgctt ctggcaaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt 120
agcaaaggat atcttagtgc tctgagaacc ggttgggtata ccagtgttat aactatagaa 180
ttaagtaata tcaagaaaaa taagtgtaat ggtaccgatg ctaaggtaaa attgataaaa 240

- 7 -

caagaattag ataaatataa aaatgctgta acagaattgc agttgctcat gcagtcgaca 300

caagcaacaa acaatcgagc cagaagagaa ctacctaggt ttatgaatta tacactcaac 360

aatgccaaaa aaaccaatgt aacactttcg aagaaaagga aaagaagatt tcttggtttt 420

ttgttaggtg ttggatcgc aatcgccagt ggcgttgctg tatctaaggt cctgcatcta 480

gagggggaag tgaacaagat caaaagtgt ctactatcca caacaaggc tgtagtcagc 540

ttatcaaatg gagttagtgt cttaaccagc aaagtgttag acctcaaaaa ctatatagat 600

aaacaattgt tacctattgt gaacaagcaa agctgcagca tatcaaatat agaaactgtg 660

atagagttcc acaaaaagaa caacagacta ctagagatta ccagggaatt tagtgттаат 720

gcagggtgtaa ctacacctgt aagcacttac atgttaacta atagtgaatt attgtcatta 780

atcaatgata tgcctataac aaatgatcag aaaaagttaa tgtccaacaa tgttcaaata 840

gtagacagc aaagttactc tatcatgtcc ataataaaag aggaagtctt agcatatgta 900

gtacaattac cactatatgg tgttatagat acaccctggt ggaaactaca cacatcccct 960

ctatgtacaa ccaacacaaa agaagggtcc aacatctggt taacaagaac tgacagagga 1020

tggtactgtg acaatgcagg atcagtatct ttcttccac aagctgaaac atgtaaagtt 1080

caatcaaadc gagtattttg tgacacaatg aacagtttaa cattaccaag tgaagtaaат 1140

ctctgcaatg ttgacatatt caaccccaaa tatgattgta aaattatgac ttcaaaaaca 1200

gatgtaagca gtcctgttat cacatctcta ggagccattg tgtcatgcta tggcaaaact 1260

aaatgtacag catccaataa aaatcgtgga atcataaaga catttttctaa cgggtgcgat 1320

tatgtatcaa ataaaggggt ggacactgtg tctgtaggta acacattata ttatgtaaat 1380

- 8 -

aagcaagaag gtaaaagtct ctatgtaaaa ggtgaaccaa taataaattt ctatgaccca 1440
ttagtattcc cctctgatga atttgacgcg tcaatatctc aagtcaacga gaagattaac 1500
cagagcttag catttattcg taaatccgat gaattattac ataatgtaaa tgctgggaag 1560
agcaccacaa attaa 1575

<210> 5
<211> 1725
<212> DNA
<213> Artificial Sequence

<220>
<223> Optimised Sequence

<400> 5
atggagctgc tgatcctgaa ggccaacgcc atcaccacca tcctgaccgc ggtgaccttc 60
tgcttcgcct ctggccagaa catcactgag gagttctacc agagcacttg ttccgctgtg 120
agcaagggct acctgagcgc cctgaggacc ggttgggtaca ccagcgtgat caccatcgag 180
ctgagcaaca tcaagaagaa caagtgaac ggcaccgacg ccaaggtgaa gctgatcaag 240
caagagctgg acaagtacaa gaacgccgtg accgagctgc aactgctgat gcagtcgact 300
caagccacca acaacagagc ccgcagagag ctgccccgct tcatgaacta caccctgaac 360
aacgccaaga agaccaacgt gaccctgtcc aagaagagga agcgccgctt cctgggcttc 420
ctgctgggcg tgggctccgc cattgccagt ggcgtggccg tgtccaaggt gctgcacctg 480
gagggcgagg tgaacaagat caagagtgcc ctgctgtcca ctaacaaggc cgtggtgagc 540
ctgagcaacg gcgtgagtggt gctgactagc aaggtgctgg acctgaagaa ctacatcgac 600

- 9 -

aagcaattgc tgcccatcgt gaacaagcag tcctgtagca tctccaacat cgagactgtg 660
atcgagttcc agcagaagaa caaccgcctg ctggaaatca cccgggagtt cagtgtgaac 720
gctggcgtga ccaactcctgt ctccacctac atgctgacca acagcgagct gctgagcctg 780
atcaacgaca tgcccatcac caacgaccag aagaagctta tgtccaacaa cgtgcagatc 840
gtgaggcagc agagctactc catcatgagc atcatcaagg aggagggtgct ggcttatgtg 900
gtgcagctgc ccctgtacgg cgtcatcgat accccttgct ggaagctgca caccagcccc 960
ctgtgcacca ccaacaccaa ggagggcagc aacatctgcc tgaccgggac cgaccgcggc 1020
tgggtactgtg acaacgctgg ctcggtgagc ttcttccctc aagctgaaac ctgcaaggtc 1080
cagagcaaca gagtgttctg tgacaccatg aactccctga ccctgccctc cgagggtgaac 1140
ctgtgcaacg tggatatctt caacccaag tatgactgca agatcatgac ctccaagacc 1200
gatgtctcga gctccgtgat caccagcctg ggcgccatcg tgtcctgcta tggcaagacc 1260
aagtgcaccg ccagcaacaa gaaccggggc atcatcaaga ccttcagcaa tgggtgcgac 1320
tacgtttcga acaagggcgt ggacactgtg tccgtgggca acaccctgta ctacgtgaac 1380
aagcaagagg gcaagagcct gtatgtgaag ggcgagccca tcatcaactt ctacgacccc 1440
ctggtgttcc cctccgacga attcgacgcc tccattagcc aagtcaacga gaagatcaac 1500
cagagcctgg ccttcacccg caagtccgac gagctgctgc acaacgtcaa cgctggcaag 1560
agcaccacca acatcatgat caccaccatc atcatcgtga tcatcgtgat cctgctgagc 1620
ctgatcgccg tgggcctgct gctgtactgc aaggcccgga gcactcccgt gaccctgagc 1680
aaggaccagc tgagcggcat caacaacatc gccttcagca actga 1725

- 10 -

<210> 6
<211> 1575
<212> DNA
<213> Artificial Sequence

<220>
<223> Optimised Sequence

<400> 6
atggagctgc tgatcctgaa ggccaacgcc atcaccacca tectgaccgc ggtgaccttc 60
tgcttcgcct ctggccagaa catcactgag gagttctacc agagcacttg ttccgctgtg 120
agcaagggct acctgagcgc cctgaggacc ggttgggtaca ccagcgtgat caccatcgag 180
ctgagcaaca tcaagaagaa caagtgaac ggcaccgacg ccaaggtgaa gctgatcaag 240
caagagctgg acaagtacaa gaacgccgtg accgagctgc aactgctgat gcagtcgact 300
caagccacca acaacagagc ccgcagagag ctgccccgct tcatgaacta caccctgaac 360
aacgccaaga agaccaacgt gaccctgtcc aagaagagga agcgccgctt cctgggcttc 420
ctgctgggcg tgggctccgc cattgccagt ggcgtggccg tgtccaaggt gctgcacctg 480
gagggcgagg tgaacaagat caagagtgcc ctgctgtcca ctaacaaggc cgtggtgagc 540
ctgagcaacg gcgtgagtgt gctgactagc aaggtgctgg acctgaagaa ctacatcgac 600
aagcaattgc tgcccatcgt gaacaagcag tcctgtagca tctccaacat cgagactgtg 660
atcgagttcc agcagaagaa caaccgcctg ctggaaatca cccgggagtt cagtgtgaac 720
gctggcgatga ccactcctgt ctccacctac atgctgacca acagcgagct gctgagcctg 780
atcaacgaca tgcccatcac caacgaccag aagaagctta tgtccaacaa cgtgcagatc 840

- 11 -

gtgaggcagc agagctactc catcatgagc atcatcaagg aggaggtgct ggcctatgtg 900
 gtgcagctgc ccctgtacgg cgtcatcgat accccttgct ggaagctgca caccagcccc 960
 ctgtgcacca ccaacaccaa ggagggcagc aacatctgcc tgacccggaac cgaccgcggc 1020
 tgggtactgtg acaacgctgg ctcggtgagc ttcttcctc aagctgaaac ctgcaaggtc 1080
 cagagcaaca gagtgttctg tgacaccatg aactccctga ccctgccctc cgaggtgaac 1140
 ctgtgcaacg tggatatctt caacccaag tatgactgca agatcatgac ctccaagacc 1200
 gatgtctcga gctccgtgat caccagcctg ggcgccatcg tgtcctgcta tggcaagacc 1260
 aagtgcaccg ccagcaacaa gaaccggggc atcatcaaga ccttcagcaa tgggtgcgac 1320
 tacgtttcga acaagggcgt ggacactgtg tccgtgggca acaccctgta ctacgtgaac 1380
 aagcaagagg gcaagagcct gtatgtgaag ggcgagccca tcatcaactt ctacgacccc 1440
 ctggtgttcc cctccgacga attcgacgcc tccattagcc aagtcaacga gaagatcaac 1500
 cagagcctgg ccttcacccg caagtccgac gagctgctgc acaacgtcaa cgctggcaag 1560
 agcaccacca actga 1575

<210> 7

<211> 574

<212> PRT

<213> respiratory syncytial virus

<400> 7

Met Glu Leu Leu Ile Leu Lys Ala Asn Ala Ile Thr Thr Ile Leu Thr

1

5

10

15

- 12 -

Ala Val Thr Phe Cys Phe Ala Ser Gly Gln Asn Ile Thr Glu Glu Phe
20 25 30

Tyr Gln Ser Thr Cys Ser Ala Val Ser Lys Gly Tyr Leu Ser Ala Leu
35 40 45

Arg Thr Gly Trp Tyr Thr Ser Val Ile Thr Ile Glu Leu Ser Asn Ile
50 55 60

Lys Lys Asn Lys Cys Asn Gly Thr Asp Ala Lys Val Lys Leu Ile Lys
65 70 75 80

Gln Glu Leu Asp Lys Tyr Lys Asn Ala Val Thr Glu Leu Gln Leu Leu
85 90 95

Met Gln Ser Thr Gln Ala Thr Asn Asn Arg Ala Arg Arg Glu Leu Pro
100 105 110

Arg Phe Met Asn Tyr Thr Leu Asn Asn Ala Lys Lys Thr Asn Val Thr
115 120 125

Leu Ser Lys Lys Arg Lys Arg Arg Phe Leu Gly Phe Leu Leu Gly Val
130 135 140

Gly Ser Ala Ile Ala Ser Gly Val Ala Val Ser Lys Val Leu His Leu
145 150 155 160

Glu Gly Glu Val Asn Lys Ile Lys Ser Ala Leu Leu Ser Thr Asn Lys

- 13 -

165

170

175

Ala Val Val Ser Leu Ser Asn Gly Val Ser Val Leu Thr Ser Lys Val
180 185 190

Leu Asp Leu Lys Asn Tyr Ile Asp Lys Gln Leu Leu Pro Ile Val Asn
195 200 205

Lys Gln Ser Cys Ser Ile Ser Asn Ile Glu Thr Val Ile Glu Phe Gln
210 215 220

Gln Lys Asn Asn Arg Leu Leu Glu Ile Thr Arg Glu Phe Ser Val Asn
225 230 235 240

Ala Gly Val Thr Thr Pro Val Ser Thr Tyr Met Leu Thr Asn Ser Glu
245 250 255

Leu Leu Ser Leu Ile Asn Asp Met Pro Ile Thr Asn Asp Gln Lys Lys
260 265 270

Leu Met Ser Asn Asn Val Gln Ile Val Arg Gln Gln Ser Tyr Ser Ile
275 280 285

Met Ser Ile Ile Lys Glu Glu Val Leu Ala Tyr Val Val Gln Leu Pro
290 295 300

Leu Tyr Gly Val Ile Asp Thr Pro Cys Trp Lys Leu His Thr Ser Pro
305 310 315 320

- 14 -

Leu Cys Thr Thr Asn Thr Lys Glu Gly Ser Asn Ile Cys Leu Thr Arg
325 330 335

Thr Asp Arg Gly Trp Tyr Cys Asp Asn Ala Gly Ser Val Ser Phe Phe
340 345 350

Pro Gln Ala Glu Thr Cys Lys Val Gln Ser Asn Arg Val Phe Cys Asp
355 360 365

Thr Met Asn Ser Leu Thr Leu Pro Ser Glu Val Asn Leu Cys Asn Val
370 375 380

Asp Ile Phe Asn Pro Lys Tyr Asp Cys Lys Ile Met Thr Ser Lys Thr
385 390 395 400

Asp Val Ser Ser Ser Val Ile Thr Ser Leu Gly Ala Ile Val Ser Cys
405 410 415

Tyr Gly Lys Thr Lys Cys Thr Ala Ser Asn Lys Asn Arg Gly Ile Ile
420 425 430

Lys Thr Phe Ser Asn Gly Cys Asp Tyr Val Ser Asn Lys Gly Val Asp
435 440 445

Thr Val Ser Val Gly Asn Thr Leu Tyr Tyr Val Asn Lys Gln Glu Gly
450 455 460

Lys Ser Leu Tyr Val Lys Gly Glu Pro Ile Ile Asn Phe Tyr Asp Pro

- 15 -

465 470 475 480

Leu Val Phe Pro Ser Asp Glu Phe Asp Ala Ser Ile Ser Gln Val Asn
 485 490 495

Glu Lys Ile Asn Gln Ser Leu Ala Phe Ile Arg Lys Ser Asp Glu Leu
 500 505 510

Leu His Asn Val Asn Ala Gly Lys Ser Thr Thr Asn Ile Met Ile Thr
 515 520 525

Thr Ile Ile Ile Val Ile Ile Val Ile Leu Leu Ser Leu Ile Ala Val
 530 535 540

Gly Leu Leu Leu Tyr Cys Lys Ala Arg Ser Thr Pro Val Thr Leu Ser
545 550 555 560

Lys Asp Gln Leu Ser Gly Ile Asn Asn Ile Ala Phe Ser Asn
 565 570

<210> 8

<211> 524

<212> PRT

<213> respiratory syncytial virus

<400> 8

Met Glu Leu Leu Ile Leu Lys Ala Asn Ala Ile Thr Thr Ile Leu Thr
1 5 10 15

- 16 -

Ala Val Thr Phe Cys Phe Ala Ser Gly Gln Asn Ile Thr Glu Glu Phe
20 25 30

Tyr Gln Ser Thr Cys Ser Ala Val Ser Lys Gly Tyr Leu Ser Ala Leu
35 40 45

Arg Thr Gly Trp Tyr Thr Ser Val Ile Thr Ile Glu Leu Ser Asn Ile
50 55 60

Lys Lys Asn Lys Cys Asn Gly Thr Asp Ala Lys Val Lys Leu Ile Lys
65 70 75 80

Gln Glu Leu Asp Lys Tyr Lys Asn Ala Val Thr Glu Leu Gln Leu Leu
85 90 95

Met Gln Ser Thr Gln Ala Thr Asn Asn Arg Ala Arg Arg Glu Leu Pro
100 105 110

Arg Phe Met Asn Tyr Thr Leu Asn Asn Ala Lys Lys Thr Asn Val Thr
115 120 125

Leu Ser Lys Lys Arg Lys Arg Arg Phe Leu Gly Phe Leu Leu Gly Val
130 135 140

Gly Ser Ala Ile Ala Ser Gly Val Ala Val Ser Lys Val Leu His Leu
145 150 155 160

Glu Gly Glu Val Asn Lys Ile Lys Ser Ala Leu Leu Ser Thr Asn Lys
165 170 175

- 17 -

Ala Val Val Ser Leu Ser Asn Gly Val Ser Val Leu Thr Ser Lys Val
180 185 190

Leu Asp Leu Lys Asn Tyr Ile Asp Lys Gln Leu Leu Pro Ile Val Asn
195 200 205

Lys Gln Ser Cys Ser Ile Ser Asn Ile Glu Thr Val Ile Glu Phe Gln
210 215 220

Gln Lys Asn Asn Arg Leu Leu Glu Ile Thr Arg Glu Phe Ser Val Asn
225 230 235 240

Ala Gly Val Thr Thr Pro Val Ser Thr Tyr Met Leu Thr Asn Ser Glu
245 250 255

Leu Leu Ser Leu Ile Asn Asp Met Pro Ile Thr Asn Asp Gln Lys Lys
260 265 270

Leu Met Ser Asn Asn Val Gln Ile Val Arg Gln Gln Ser Tyr Ser Ile
275 280 285

Met Ser Ile Ile Lys Glu Glu Val Leu Ala Tyr Val Val Gln Leu Pro
290 295 300

Leu Tyr Gly Val Ile Asp Thr Pro Cys Trp Lys Leu His Thr Ser Pro
305 310 315 320

- 18 -

Leu Cys Thr Thr Asn Thr Lys Glu Gly Ser Asn Ile Cys Leu Thr Arg
325 330 335

Thr Asp Arg Gly Trp Tyr Cys Asp Asn Ala Gly Ser Val Ser Phe Phe
340 345 350

Pro Gln Ala Glu Thr Cys Lys Val Gln Ser Asn Arg Val Phe Cys Asp
355 360 365

Thr Met Asn Ser Leu Thr Leu Pro Ser Glu Val Asn Leu Cys Asn Val
370 375 380

Asp Ile Phe Asn Pro Lys Tyr Asp Cys Lys Ile Met Thr Ser Lys Thr
385 390 395 400

Asp Val Ser Ser Ser Val Ile Thr Ser Leu Gly Ala Ile Val Ser Cys
405 410 415

Tyr Gly Lys Thr Lys Cys Thr Ala Ser Asn Lys Asn Arg Gly Ile Ile
420 425 430

Lys Thr Phe Ser Asn Gly Cys Asp Tyr Val Ser Asn Lys Gly Val Asp
435 440 445

Thr Val Ser Val Gly Asn Thr Leu Tyr Tyr Val Asn Lys Gln Glu Gly
450 455 460

Lys Ser Leu Tyr Val Lys Gly Glu Pro Ile Ile Asn Phe Tyr Asp Pro
465 470 475 480

- 19 -

Leu Val Phe Pro Ser Asp Glu Phe Asp Ala Ser Ile Ser Gln Val Asn
485 490 495

Glu Lys Ile Asn Gln Ser Leu Ala Phe Ile Arg Lys Ser Asp Glu Leu
500 505 510

Leu His Asn Val Asn Ala Gly Lys Ser Thr Thr Asn
515 520

<210> 9
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 9

Cys Phe Ala Ser Gly Gln Asn Ile Thr Glu
1 5 10

<210> 10
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 10

Phe Ala Ser Gly Gln Asn Ile Thr Glu Glu
1 5 10

<210> 11
<211> 10

- 20 -

<212> PRT

<213> respiratory syncytial virus

<400> 11

Ala	Ser	Gly	Gln	Asn	Ile	Thr	Glu	Glu	Phe
1				5					10

<210> 12

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 12

Ser	Gly	Gln	Asn	Ile	Thr	Glu	Glu	Phe	Tyr
1				5					10

<210> 13

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 13

Gly	Gln	Asn	Ile	Thr	Glu	Glu	Phe	Tyr	Gln
1				5					10

<210> 14

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 14

- 21 -

Gln Asn Ile Thr Glu Glu Phe Tyr Gln Ser
1 5 10

<210> 15

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 15

Asn Ile Thr Glu Glu Phe Tyr Gln Ser Thr
1 5 10

<210> 16

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 16

Ile Thr Glu Glu Phe Tyr Gln Ser Thr Cys
1 5 10

<210> 17

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 17

Thr Glu Glu Phe Tyr Gln Ser Thr Cys Ser
1 5 10

<210> 18

- 22 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 18

Glu Glu Phe Tyr Gln Ser Thr Cys Ser Ala
1 5 10

<210> 19
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 19

Glu Phe Tyr Gln Ser Thr Cys Ser Ala Val
1 5 10

<210> 20
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 20

Phe Tyr Gln Ser Thr Cys Ser Ala Val Ser
1 5 10

<210> 21
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 21

- 23 -

Tyr Gln Ser Thr Cys Ser Ala Val Ser Lys
1 5 10

<210> 22
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 22

Gln Ser Thr Cys Ser Ala Val Ser Lys Gly
1 5 10

<210> 23
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 23

Ser Thr Cys Ser Ala Val Ser Lys Gly Tyr
1 5 10

<210> 24
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 24

Thr Cys Ser Ala Val Ser Lys Gly Tyr Leu
1 5 10

- 24 -

<210> 25
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 25

Cys Ser Ala Val Ser Lys Gly Tyr Leu Ser
1 5 10

<210> 26
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 26

Ser Ala Val Ser Lys Gly Tyr Leu Ser Ala
1 5 10

<210> 27
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 27

Ala Val Ser Lys Gly Tyr Leu Ser Ala Leu
1 5 10

<210> 28
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 25 -

<400> 28

Val Ser Lys Gly Tyr Leu Ser Ala Leu Arg
1 5 10

<210> 29

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 29

Ser Lys Gly Tyr Leu Ser Ala Leu Arg Thr
1 5 10

<210> 30

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 30

Lys Gly Tyr Leu Ser Ala Leu Arg Thr Gly
1 5 10

<210> 31

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 31

Gly Tyr Leu Ser Ala Leu Arg Thr Gly Trp
1 5 10

- 26 -

<210> 32
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 32

Tyr Leu Ser Ala Leu Arg Thr Gly Trp Tyr
1 5 10

<210> 33
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 33

Leu Ser Ala Leu Arg Thr Gly Trp Tyr Thr
1 5 10

<210> 34
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 34

Ser Ala Leu Arg Thr Gly Trp Tyr Thr Ser
1 5 10

<210> 35
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 27 -

<400> 35

Ala Leu Arg Thr Gly Trp Tyr Thr Ser Val
1 5 10

<210> 36

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 36

Leu Arg Thr Gly Trp Tyr Thr Ser Val Ile
1 5 10

<210> 37

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 37

Arg Thr Gly Trp Tyr Thr Ser Val Ile Thr
1 5 10

<210> 38

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 38

Thr Gly Trp Tyr Thr Ser Val Ile Thr Ile
1 5 10

- 28 -

<210> 39
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 39

Gly Trp Tyr Thr Ser Val Ile Thr Ile Glu
1 5 10

<210> 40
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 40

Trp Tyr Thr Ser Val Ile Thr Ile Glu Leu
1 5 10

<210> 41
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 41

Thr Ser Val Ile Thr Ile Glu Leu Ser Asn
1 5 10

<210> 42
<211> 10
<212> PRT

- 29 -

<213> respiratory syncytial virus

<400> 42

Ser	Val	Ile	Thr	Ile	Glu	Leu	Ser	Asn	Ile
1				5					10

<210> 43

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 43

Ser	Val	Ile	Thr	Ile	Glu	Leu	Ser	Asn	Ile
1				5					10

<210> 44

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 44

Val	Ile	Thr	Ile	Glu	Leu	Ser	Asn	Ile	Lys
1				5					10

<210> 45

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 45

Ile	Thr	Ile	Glu	Leu	Ser	Asn	Ile	Lys	Lys
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- 30 -

1 5 10

<210> 46

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 46

Thr Ile Glu Leu Ser Asn Ile Lys Lys Asn

1 5 10

<210> 47

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 47

Ile Glu Leu Ser Asn Ile Lys Lys Asn Lys

1 5 10

<210> 48

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 48

Glu Leu Ser Asn Ile Lys Lys Asn Lys Cys

1 5 10

<210> 49

<211> 10

- 31 -

<212> PRT

<213> respiratory syncytial virus

<400> 49

Leu Ser Asn Ile Lys Lys Asn Lys Cys Asn
1 5 10

<210> 50

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 50

Ser Asn Ile Lys Lys Asn Lys Cys Asn Gly
1 5 10

<210> 51

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 51

Asn Ile Lys Lys Asn Lys Cys Asn Gly Thr
1 5 10

<210> 52

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 52

- 32 -

Ile Lys Lys Asn Lys Cys Asn Gly Thr Asp
1 5 10

<210> 53

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 53

Lys Lys Asn Lys Cys Asn Gly Thr Asp Ala
1 5 10

<210> 54

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 54

Lys Asn Lys Cys Asn Gly Thr Asp Ala Lys
1 5 10

<210> 55

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 55

Asn Lys Cys Asn Gly Thr Asp Ala Lys Val
1 5 10

<210> 56

- 33 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 56

Lys	Cys	Asn	Gly	Thr	Asp	Ala	Lys	Val	Lys
1				5					10

<210> 57
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 57

Cys	Asn	Gly	Thr	Asp	Ala	Lys	Val	Lys	Leu
1				5					10

<210> 58
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 58

Asn	Gly	Thr	Asp	Ala	Lys	Val	Lys	Leu	Ile
1				5					10

<210> 59
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 59

- 34 -

Gly Thr Asp Ala Lys Val Lys Leu Ile Lys
1 5 10

<210> 60

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 60

Thr Asp Ala Lys Val Lys Leu Ile Lys Gln
1 5 10

<210> 61

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 61

Asp Ala Lys Val Lys Leu Ile Lys Gln Glu
1 5 10

<210> 62

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 62

Ala Lys Val Lys Leu Ile Lys Gln Glu Leu
1 5 10

- 35 -

<210> 63
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 63

Lys Val Lys Leu Ile Lys Gln Glu Leu Asp
1 5 10

<210> 64
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 64

Val Lys Leu Ile Lys Gln Glu Leu Asp Lys
1 5 10

<210> 65
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 65

Lys Leu Ile Lys Gln Glu Leu Asp Lys Tyr
1 5 10

<210> 66
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 36 -

<400> 66

Leu Ile Lys Gln Glu Leu Asp Lys Tyr Lys
1 5 10

<210> 67

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 67

Ile Lys Gln Glu Leu Asp Lys Tyr Lys Asn
1 5 10

<210> 68

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 68

Lys Gln Glu Leu Asp Lys Tyr Lys Asn Ala
1 5 10

<210> 69

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 69

Gln Glu Leu Asp Lys Tyr Lys Asn Ala Val
1 5 10

- 37 -

<210> 70
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 70

Glu Leu Asp Lys Tyr Lys Asn Ala Val Thr
1 5 10

<210> 71
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 71

Leu Asp Lys Tyr Lys Asn Ala Val Thr Glu
1 5 10

<210> 72
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 72

Asp Lys Tyr Lys Asn Ala Val Thr Glu Leu
1 5 10

<210> 73
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 38 -

<400> 73

Lys Tyr Lys Asn Ala Val Thr Glu Leu Gln
1 5 10

<210> 74

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 74

Tyr Lys Asn Ala Val Thr Glu Leu Gln Leu
1 5 10

<210> 75

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 75

Lys Asn Ala Val Thr Glu Leu Gln Leu Leu
1 5 10

<210> 76

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 76

Asn Ala Val Thr Glu Leu Gln Leu Leu Met
1 5 10

- 39 -

<210> 77
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 77

Ala Val Thr Glu Leu Gln Leu Leu Met Gln
1 5 10

<210> 78
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 78

Val Thr Glu Leu Gln Leu Leu Met Gln Ser
1 5 10

<210> 79
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 79

Thr Glu Leu Gln Leu Leu Met Gln Ser Thr
1 5 10

<210> 80
<211> 10
<212> PRT

- 40 -

<213> respiratory syncytial virus

<400> 80

Glu	Leu	Gln	Leu	Leu	Met	Gln	Ser	Thr	Gln
1				5					10

<210> 81

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 81

Glu	Leu	Gln	Leu	Leu	Met	Gln	Ser	Thr	Gln
1				5					10

<210> 82

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 82

Gln	Leu	Leu	Met	Gln	Ser	Thr	Gln	Ala	Thr
1				5					10

<210> 83

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 83

Leu	Leu	Met	Gln	Ser	Thr	Gln	Ala	Thr	Asn
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- 41 -

1 5 10

<210> 84
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 84

Leu Met Gln Ser Thr Gln Ala Thr Asn Asn
1 5 10

<210> 85
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 85

Met Gln Ser Thr Gln Ala Thr Asn Asn Arg
1 5 10

<210> 86
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 86

Gln Ser Thr Gln Ala Thr Asn Asn Arg Ala
1 5 10

<210> 87
<211> 10

- 42 -

<212> PRT

<213> respiratory syncytial virus

<400> 87

Ser	Thr	Gln	Ala	Thr	Asn	Asn	Arg	Ala	Arg
1				5					10

<210> 88

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 88

Thr	Gln	Ala	Thr	Asn	Asn	Arg	Ala	Arg	Arg
1				5					10

<210> 89

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 89

Gln	Ala	Thr	Asn	Asn	Arg	Ala	Arg	Arg	Glu
1				5					10

<210> 90

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 90

- 43 -

Ala Thr Asn Asn Arg Ala Arg Arg Glu Leu
1 5 10

<210> 91
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 91

Thr Asn Asn Arg Ala Arg Arg Glu Leu Pro
1 5 10

<210> 92
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 92

Asn Asn Arg Ala Arg Arg Glu Leu Pro Arg
1 5 10

<210> 93
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 93

Asn Arg Ala Arg Arg Glu Leu Pro Arg Phe
1 5 10

<210> 94

- 44 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 94

Arg Ala Arg Arg Glu Leu Pro Arg Phe Met
1 5 10

<210> 95
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 95

Ala Arg Arg Glu Leu Pro Arg Phe Met Asn
1 5 10

<210> 96
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 96

Arg Arg Glu Leu Pro Arg Phe Met Asn Tyr
1 5 10

<210> 97
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 97

- 45 -

Arg Glu Leu Pro Arg Phe Met Asn Tyr Thr
1 5 10

<210> 98
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 98

Glu Leu Pro Arg Phe Met Asn Tyr Thr Leu
1 5 10

<210> 99
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 99

Leu Pro Arg Phe Met Asn Tyr Thr Leu Asn
1 5 10

<210> 100
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 100

Pro Arg Phe Met Asn Tyr Thr Leu Asn Asn
1 5 10

- 46 -

<210> 101
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 101

Arg Phe Met Asn Tyr Thr Leu Asn Asn Ala
1 5 10

<210> 102
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 102

Phe Met Asn Tyr Thr Leu Asn Asn Ala Lys
1 5 10

<210> 103
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 103

Met Asn Tyr Thr Leu Asn Asn Ala Lys Lys
1 5 10

<210> 104
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 47 -

<400> 104

Asn Tyr Thr Leu Asn Asn Ala Lys Lys Thr
1 5 10

<210> 105

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 105

Tyr Thr Leu Asn Asn Ala Lys Lys Thr Asn
1 5 10

<210> 106

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 106

Thr Leu Asn Asn Ala Lys Lys Thr Asn Val
1 5 10

<210> 107

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 107

Leu Asn Asn Ala Lys Lys Thr Asn Val Thr
1 5 10

- 48 -

<210> 108
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 108

Asn Asn Ala Lys Lys Thr Asn Val Thr Leu
1 5 10

<210> 109
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 109

Asn Ala Lys Lys Thr Asn Val Thr Leu Ser
1 5 10

<210> 110
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 110

Ala Lys Lys Thr Asn Val Thr Leu Ser Lys
1 5 10

<210> 111
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 49 -

<400> 111

Lys Lys Thr Asn Val Thr Leu Ser Lys Lys
1 5 10

<210> 112

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 112

Lys Thr Asn Val Thr Leu Ser Lys Lys Arg
1 5 10

<210> 113

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 113

Thr Asn Val Thr Leu Ser Lys Lys Arg Lys
1 5 10

<210> 114

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 114

Asn Val Thr Leu Ser Lys Lys Arg Lys Arg
1 5 10

- 50 -

<210> 115
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 115

Val	Thr	Leu	Ser	Lys	Lys	Arg	Lys	Arg	Arg
1				5					10

<210> 116
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 116

Thr	Leu	Ser	Lys	Lys	Arg	Lys	Arg	Arg	Phe
1				5					10

<210> 117
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 117

Leu	Ser	Lys	Lys	Arg	Lys	Arg	Arg	Phe	Leu
1				5					10

<210> 118
<211> 10
<212> PRT

- 51 -

<213> respiratory syncytial virus

<400> 118

Ser Lys Lys Arg Lys Arg Arg Phe Leu Gly
1 5 10

<210> 119

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 119

Lys Lys Arg Lys Arg Arg Phe Leu Gly Phe
1 5 10

<210> 120

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 120

Lys Arg Lys Arg Arg Phe Leu Gly Phe Leu
1 5 10

<210> 121

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 121

Arg Lys Arg Arg Phe Leu Gly Phe Leu Leu

- 52 -

1 5 10

<210> 122
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 122

Lys Arg Arg Phe Leu Gly Phe Leu Leu Gly
1 5 10

<210> 123
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 123

Arg Arg Phe Leu Gly Phe Leu Leu Gly Val
1 5 10

<210> 124
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 124

Arg Phe Leu Gly Phe Leu Leu Gly Val Gly
1 5 10

<210> 125
<211> 10

- 53 -

<212> PRT

<213> respiratory syncytial virus

<400> 125

Phe	Leu	Gly	Phe	Leu	Leu	Gly	Val	Gly	Ser
1				5					10

<210> 126

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 126

Leu	Gly	Phe	Leu	Leu	Gly	Val	Gly	Ser	Ala
1				5					10

<210> 127

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 127

Gly	Phe	Leu	Leu	Gly	Val	Gly	Ser	Ala	Ile
1				5					10

<210> 128

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 128

- 54 -

Phe Leu Leu Gly Val Gly Ser Ala Ile Ala
1 5 10

<210> 129

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 129

Leu Leu Gly Val Gly Ser Ala Ile Ala Ser
1 5 10

<210> 130

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 130

Leu Gly Val Gly Ser Ala Ile Ala Ser Gly
1 5 10

<210> 131

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 131

Gly Val Gly Ser Ala Ile Ala Ser Gly Val
1 5 10

<210> 132

- 55 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 132

Val Gly Ser Ala Ile Ala Ser Gly Val Ala
1 5 10

<210> 133
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 133

Gly Ser Ala Ile Ala Ser Gly Val Ala Val
1 5 10

<210> 134
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 134

Ser Ala Ile Ala Ser Gly Val Ala Val Ser
1 5 10

<210> 135
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 135

- 56 -

Ala Ile Ala Ser Gly Val Ala Val Ser Lys
1 5 10

<210> 136

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 136

Ile Ala Ser Gly Val Ala Val Ser Lys Val
1 5 10

<210> 137

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 137

Ala Ser Gly Val Ala Val Ser Lys Val Leu
1 5 10

<210> 138

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 138

Ser Gly Val Ala Val Ser Lys Val Leu His
1 5 10

- 57 -

<210> 139
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 139

Gly Val Ala Val Ser Lys Val Leu His Leu
1 5 10

<210> 140
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 140

Val Ala Val Ser Lys Val Leu His Leu Glu
1 5 10

<210> 141
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 141

Val Ala Val Ser Lys Val Leu His Leu Glu
1 5 10

<210> 142
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 58 -

<400> 142

Val Ser Lys Val Leu His Leu Glu Gly Glu
1 5 10

<210> 143

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 143

Ser Lys Val Leu His Leu Glu Gly Glu Val
1 5 10

<210> 144

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 144

Lys Val Leu His Leu Glu Gly Glu Val Asn
1 5 10

<210> 145

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 145

Val Leu His Leu Glu Gly Glu Val Asn Lys
1 5 10

- 59 -

<210> 146
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 146

Leu His Leu Glu Gly Glu Val Asn Lys Ile
1 5 10

<210> 147
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 147

His Leu Glu Gly Glu Val Asn Lys Ile Lys
1 5 10

<210> 148
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 148

Leu Glu Gly Glu Val Asn Lys Ile Lys Ser
1 5 10

<210> 149
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 60 -

<400> 149

Glu Gly Glu Val Asn Lys Ile Lys Ser Ala
1 5 10

<210> 150

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 150

Gly Glu Val Asn Lys Ile Lys Ser Ala Leu
1 5 10

<210> 151

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 151

Glu Val Asn Lys Ile Lys Ser Ala Leu Leu
1 5 10

<210> 152

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 152

Val Asn Lys Ile Lys Ser Ala Leu Leu Ser
1 5 10

- 61 -

<210> 153
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 153

Asn Lys Ile Lys Ser Ala Leu Leu Ser Thr
1 5 10

<210> 154
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 154

Lys Ile Lys Ser Ala Leu Leu Ser Thr Asn
1 5 10

<210> 155
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 155

Ile Lys Ser Ala Leu Leu Ser Thr Asn Lys
1 5 10

<210> 156
<211> 10
<212> PRT

- 62 -

<213> respiratory syncytial virus

<400> 156

Lys Ser Ala Leu Leu Ser Thr Asn Lys Ala
1 5 10

<210> 157

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 157

Ser Ala Leu Leu Ser Thr Asn Lys Ala Val
1 5 10

<210> 158

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 158

Ala Leu Leu Ser Thr Asn Lys Ala Val Val
1 5 10

<210> 159

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 159

Leu Leu Ser Thr Asn Lys Ala Val Val Ser

- 63 -

1 5 10

<210> 160
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 160

Leu Ser Thr Asn Lys Ala Val Val Ser Leu
1 5 10

<210> 161
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 161

Ser Thr Asn Lys Ala Val Val Ser Leu Ser
1 5 10

<210> 162
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 162

Thr Asn Lys Ala Val Val Ser Leu Ser Asn
1 5 10

<210> 163
<211> 10

- 64 -

<212> PRT

<213> respiratory syncytial virus

<400> 163

Asn Lys Ala Val Val Ser Leu Ser Asn Gly

1 5 10

<210> 164

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 164

Lys Ala Val Val Ser Leu Ser Asn Gly Val

1 5 10

<210> 165

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 165

Ala Val Val Ser Leu Ser Asn Gly Val Ser

1 5 10

<210> 166

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 166

- 65 -

Val Val Ser Leu Ser Asn Gly Val Ser Val
1 5 10

<210> 167
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 167

Val Ser Leu Ser Asn Gly Val Ser Val Leu
1 5 10

<210> 168
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 168

Ser Leu Ser Asn Gly Val Ser Val Leu Thr
1 5 10

<210> 169
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 169

Leu Ser Asn Gly Val Ser Val Leu Thr Ser
1 5 10

<210> 170

- 66 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 170

Ser Asn Gly Val Ser Val Leu Thr Ser Lys
1 5 10

<210> 171
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 171

Asn Gly Val Ser Val Leu Thr Ser Lys Val
1 5 10

<210> 172
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 172

Gly Val Ser Val Leu Thr Ser Lys Val Leu
1 5 10

<210> 173
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 173

- 67 -

Val Ser Val Leu Thr Ser Lys Val Leu Asp
1 5 10

<210> 174
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 174

Ser Val Leu Thr Ser Lys Val Leu Asp Leu
1 5 10

<210> 175
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 175

Val Leu Thr Ser Lys Val Leu Asp Leu Lys
1 5 10

<210> 176
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 176

Leu Thr Ser Lys Val Leu Asp Leu Lys Asn
1 5 10

- 68 -

<210> 177
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 177

Thr Ser Lys Val Leu Asp Leu Lys Asn Tyr
1 5 10

<210> 178
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 178

Ser Lys Val Leu Asp Leu Lys Asn Tyr Ile
1 5 10

<210> 179
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 179

Lys Val Leu Asp Leu Lys Asn Tyr Ile Asp
1 5 10

<210> 180
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 69 -

<400> 180

Val Leu Asp Leu Lys Asn Tyr Ile Asp Lys
1 5 10

<210> 181

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 181

Leu Asp Leu Lys Asn Tyr Ile Asp Lys Gln
1 5 10

<210> 182

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 182

Asp Leu Lys Asn Tyr Ile Asp Lys Gln Leu
1 5 10

<210> 183

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 183

Leu Lys Asn Tyr Ile Asp Lys Gln Leu Leu
1 5 10

- 70 -

<210> 184
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 184

Lys Asn Tyr Ile Asp Lys Gln Leu Leu Pro
1 5 10

<210> 185
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 185

Asn Tyr Ile Asp Lys Gln Leu Leu Pro Ile
1 5 10

<210> 186
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 186

Tyr Ile Asp Lys Gln Leu Leu Pro Ile Val
1 5 10

<210> 187
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 71 -

<400> 187

Ile Asp Lys Gln Leu Leu Pro Ile Val Asn
1 5 10

<210> 188

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 188

Asp Lys Gln Leu Leu Pro Ile Val Asn Lys
1 5 10

<210> 189

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 189

Lys Gln Leu Leu Pro Ile Val Asn Lys Gln
1 5 10

<210> 190

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 190

Gln Leu Leu Pro Ile Val Asn Lys Gln Ser
1 5 10

- 72 -

<210> 191
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 191

Leu Leu Pro Ile Val Asn Lys Gln Ser Cys
1 5 10

<210> 192
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 192

Leu Pro Ile Val Asn Lys Gln Ser Cys Ser
1 5 10

<210> 193
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 193

Pro Ile Val Asn Lys Gln Ser Cys Ser Ile
1 5 10

<210> 194
<211> 10
<212> PRT

- 73 -

<213> respiratory syncytial virus

<400> 194

Ile	Val	Asn	Lys	Gln	Ser	Cys	Ser	Ile	Ser
1				5					10

<210> 195

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 195

Val	Asn	Lys	Gln	Ser	Cys	Ser	Ile	Ser	Asn
1				5					10

<210> 196

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 196

Asn	Lys	Gln	Ser	Cys	Ser	Ile	Ser	Asn	Ile
1				5					10

<210> 197

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 197

Lys	Gln	Ser	Cys	Ser	Ile	Ser	Asn	Ile	Glu
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- 74 -

1 5 10

<210> 198

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 198

Gln Ser Cys Ser Ile Ser Asn Ile Glu Thr

1 5 10

<210> 199

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 199

Ser Cys Ser Ile Ser Asn Ile Glu Thr Val

1 5 10

<210> 200

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 200

Cys Ser Ile Ser Asn Ile Glu Thr Val Ile

1 5 10

<210> 201

<211> 10

- 76 -

Asn Ile Glu Thr Val Ile Glu Phe Gln Gln
1 5 10

<210> 205
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 205

Ile Glu Thr Val Ile Glu Phe Gln Gln Lys
1 5 10

<210> 206
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 206

Glu Thr Val Ile Glu Phe Gln Gln Lys Asn
1 5 10

<210> 207
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 207

Thr Val Ile Glu Phe Gln Gln Lys Asn Asn
1 5 10

<210> 208

- 77 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 208

Val Ile Glu Phe Gln Gln Lys Asn Asn Arg
1 5 10

<210> 209
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 209

Ile Glu Phe Gln Gln Lys Asn Asn Arg Leu
1 5 10

<210> 210
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 210

Glu Phe Gln Gln Lys Asn Asn Arg Leu Leu
1 5 10

<210> 211
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 211

- 78 -

Phe Gln Gln Lys Asn Asn Arg Leu Leu Glu
1 5 10

<210> 212

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 212

Gln Gln Lys Asn Asn Arg Leu Leu Glu Ile
1 5 10

<210> 213

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 213

Gln Lys Asn Asn Arg Leu Leu Glu Ile Thr
1 5 10

<210> 214

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 214

Lys Asn Asn Arg Leu Leu Glu Ile Thr Arg
1 5 10

- 79 -

<210> 215
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 215

Asn Asn Arg Leu Leu Glu Ile Thr Arg Glu
1 5 10

<210> 216
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 216

Asn Arg Leu Leu Glu Ile Thr Arg Glu Phe
1 5 10

<210> 217
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 217

Arg Leu Leu Glu Ile Thr Arg Glu Phe Ser
1 5 10

<210> 218
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 80 -

<400> 218

Leu Leu Glu Ile Thr Arg Glu Phe Ser Val
1 5 10

<210> 219

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 219

Leu Glu Ile Thr Arg Glu Phe Ser Val Asn
1 5 10

<210> 220

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 220

Glu Ile Thr Arg Glu Phe Ser Val Asn Ala
1 5 10

<210> 221

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 221

Ile Thr Arg Glu Phe Ser Val Asn Ala Gly
1 5 10

- 81 -

<210> 222
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 222

Thr Arg Glu Phe Ser Val Asn Ala Gly Val
1 5 10

<210> 223
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 223

Arg Glu Phe Ser Val Asn Ala Gly Val Thr
1 5 10

<210> 224
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 224

Glu Phe Ser Val Asn Ala Gly Val Thr Thr
1 5 10

<210> 225
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 82 -

<400> 225

Phe Ser Val Asn Ala Gly Val Thr Thr Pro
1 5 10

<210> 226

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 226

Ser Val Asn Ala Gly Val Thr Thr Pro Val
1 5 10

<210> 227

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 227

Val Asn Ala Gly Val Thr Thr Pro Val Ser
1 5 10

<210> 228

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 228

Asn Ala Gly Val Thr Thr Pro Val Ser Thr
1 5 10

- 83 -

<210> 229
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 229

Ala Gly Val Thr Thr Pro Val Ser Thr Tyr
1 5 10

<210> 230
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 230

Gly Val Thr Thr Pro Val Ser Thr Tyr Met
1 5 10

<210> 231
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 231

Val Thr Thr Pro Val Ser Thr Tyr Met Leu
1 5 10

<210> 232
<211> 10
<212> PRT

- 84 -

<213> respiratory syncytial virus

<400> 232

Thr	Thr	Pro	Val	Ser	Thr	Tyr	Met	Leu	Thr
1				5					10

<210> 233

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 233

Thr	Pro	Val	Ser	Thr	Tyr	Met	Leu	Thr	Asn
1				5					10

<210> 234

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 234

Pro	Val	Ser	Thr	Tyr	Met	Leu	Thr	Asn	Ser
1				5					10

<210> 235

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 235

Val	Ser	Thr	Tyr	Met	Leu	Thr	Asn	Ser	Glu
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- 85 -

1 5 10

<210> 236

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 236

Ser Thr Tyr Met Leu Thr Asn Ser Glu Leu

1 5 10

<210> 237

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 237

Thr Tyr Met Leu Thr Asn Ser Glu Leu Leu

1 5 10

<210> 238

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 238

Tyr Met Leu Thr Asn Ser Glu Leu Leu Ser

1 5 10

<210> 239

<211> 10

- 86 -

<212> PRT

<213> respiratory syncytial virus

<400> 239

Met Leu Thr Asn Ser Glu Leu Leu Ser Leu
1 5 10

<210> 240

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 240

Leu Thr Asn Ser Glu Leu Leu Ser Leu Ile
1 5 10

<210> 241

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 241

Thr Asn Ser Glu Leu Leu Ser Leu Ile Asn
1 5 10

<210> 242

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 242

- 87 -

Asn Ser Glu Leu Leu Ser Leu Ile Asn Asp
1 5 10

<210> 243
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 243

Ser Glu Leu Leu Ser Leu Ile Asn Asp Met
1 5 10

<210> 244
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 244

Glu Leu Leu Ser Leu Ile Asn Asp Met Pro
1 5 10

<210> 245
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 245

Leu Leu Ser Leu Ile Asn Asp Met Pro Ile
1 5 10

<210> 246

- 88 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 246

Leu Ser Leu Ile Asn Asp Met Pro Ile Thr
1 5 10

<210> 247
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 247

Ser Leu Ile Asn Asp Met Pro Ile Thr Asn
1 5 10

<210> 248
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 248

Leu Ile Asn Asp Met Pro Ile Thr Asn Asp
1 5 10

<210> 249
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 249

- 89 -

Ile Asn Asp Met Pro Ile Thr Asn Asp Gln
1 5 10

<210> 250

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 250

Asn Asp Met Pro Ile Thr Asn Asp Gln Lys
1 5 10

<210> 251

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 251

Asp Met Pro Ile Thr Asn Asp Gln Lys Lys
1 5 10

<210> 252

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 252

Met Pro Ile Thr Asn Asp Gln Lys Lys Leu
1 5 10

- 90 -

<210> 253
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 253

Pro Ile Thr Asn Asp Gln Lys Lys Leu Met
1 5 10

<210> 254
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 254

Ile Thr Asn Asp Gln Lys Lys Leu Met Ser
1 5 10

<210> 255
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 255

Thr Asn Asp Gln Lys Lys Leu Met Ser Asn
1 5 10

<210> 256
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 91 -

<400> 256

Asn Asp Gln Lys Lys Leu Met Ser Asn Asn
1 5 10

<210> 257

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 257

Asp Gln Lys Lys Leu Met Ser Asn Asn Val
1 5 10

<210> 258

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 258

Gln Lys Lys Leu Met Ser Asn Asn Val Gln
1 5 10

<210> 259

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 259

Lys Lys Leu Met Ser Asn Asn Val Gln Ile
1 5 10

- 92 -

<210> 260
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 260

Lys Leu Met Ser Asn Asn Val Gln Ile Val
1 5 10

<210> 261
<211> 10
<212> PRT
<213> respiratory syncytial virus .

<400> 261

Leu Met Ser Asn Asn Val Gln Ile Val Arg
1 5 10

<210> 262
<211> 10
<212> PRT
<213> respiratory syncytial virus .

<400> 262

Met Ser Asn Asn Val Gln Ile Val Arg Gln
1 5 10

<210> 263
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 93 -

<400> 263

Ser Asn Asn Val Gln Ile Val Arg Gln Gln
1 5 10

<210> 264

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 264

Asn Asn Val Gln Ile Val Arg Gln Gln Ser
1 5 10

<210> 265

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 265

Asn Val Gln Ile Val Arg Gln Gln Ser Tyr
1 5 10

<210> 266

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 266

Val Gln Ile Val Arg Gln Gln Ser Tyr Ser
1 5 10

- 94 -

<210> 267
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 267

Gln Ile Val Arg Gln Gln Ser Tyr Ser Ile
1 5 10

<210> 268
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 268

Ile Val Arg Gln Gln Ser Tyr Ser Ile Met
1 5 10

<210> 269
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 269

Val Arg Gln Gln Ser Tyr Ser Ile Met Ser
1 5 10

<210> 270
<211> 10
<212> PRT

- 95 -

<213> respiratory syncytial virus

<400> 270

Arg Gln Gln Ser Tyr Ser Ile Met Ser Ile
1 5 10

<210> 271

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 271

Gln Gln Ser Tyr Ser Ile Met Ser Ile Ile
1 5 10

<210> 272

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 272

Ser Tyr Ser Ile Met Ser Ile Ile Lys Glu
1 5 10

<210> 273

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 273

Ser Tyr Ser Ile Met Ser Ile Ile Lys Glu

- 96 -

1 5 10

<210> 274
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 274

Tyr Ser Ile Met Ser Ile Ile Lys Glu Glu
1 5 10

<210> 275
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 275

Ser Ile Met Ser Ile Ile Lys Glu Glu Val
1 5 10

<210> 276
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 276

Ile Met Ser Ile Ile Lys Glu Glu Val Leu
1 5 10

<210> 277
<211> 10

- 97 -

<212> PRT

<213> respiratory syncytial virus

<400> 277

Met Ser Ile Ile Lys Glu Glu Val Leu Ala
1 5 10

<210> 278

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 278

Ser Ile Ile Lys Glu Glu Val Leu Ala Tyr
1 5 10

<210> 279

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 279

Ile Ile Lys Glu Glu Val Leu Ala Tyr Val
1 5 10

<210> 280

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 280

- 98 -

Ile Lys Glu Glu Val Leu Ala Tyr Val Val
1 5 10

<210> 281
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 281

Lys Glu Glu Val Leu Ala Tyr Val Val Gln
1 5 10

<210> 282
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 282

Glu Glu Val Leu Ala Tyr Val Val Gln Leu
1 5 10

<210> 283
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 283

Glu Val Leu Ala Tyr Val Val Gln Leu Pro
1 5 10

<210> 284

- 99 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 284

Val Leu Ala Tyr Val Val Gln Leu Pro Leu
1 5 10

<210> 285
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 285

Leu Ala Tyr Val Val Gln Leu Pro Leu Tyr
1 5 10

<210> 286
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 286

Ala Tyr Val Val Gln Leu Pro Leu Tyr Gly
1 5 10

<210> 287
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 287

- 100 -

Tyr Val Val Gln Leu Pro Leu Tyr Gly Val
1 5 10

<210> 288
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 288

Val Val Gln Leu Pro Leu Tyr Gly Val Ile
1 5 10

<210> 289
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 289

Val Gln Leu Pro Leu Tyr Gly Val Ile Asp
1 5 10

<210> 290
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 290

Gln Leu Pro Leu Tyr Gly Val Ile Asp Thr
1 5 10

- 101 -

<210> 291
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 291

Leu Pro Leu Tyr Gly Val Ile Asp Thr Pro
1 5 10

<210> 292
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 292

Pro Leu Tyr Gly Val Ile Asp Thr Pro Cys
1 5 10

<210> 293
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 293

Leu Tyr Gly Val Ile Asp Thr Pro Cys Trp
1 5 10

<210> 294
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 102 -

<400> 294

Tyr Gly Val Ile Asp Thr Pro Cys Trp Lys
1 5 10

<210> 295

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 295

Gly Val Ile Asp Thr Pro Cys Trp Lys Leu
1 5 10

<210> 296

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 296

Val Ile Asp Thr Pro Cys Trp Lys Leu His
1 5 10

<210> 297

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 297

Ile Asp Thr Pro Cys Trp Lys Leu His Thr
1 5 10

- 103 -

<210> 298
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 298

Asp	Thr	Pro	Cys	Trp	Lys	Leu	His	Thr	Ser
1				5					10

<210> 299
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 299

Thr	Pro	Cys	Trp	Lys	Leu	His	Thr	Ser	Pro
1				5					10

<210> 300
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 300

Pro	Cys	Trp	Lys	Leu	His	Thr	Ser	Pro	Leu
1				5					10

<210> 301
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 104 -

<400> 301

Cys	Trp	Lys	Leu	His	Thr	Ser	Pro	Leu	Cys
1				5					10

<210> 302

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 302

Trp	Lys	Leu	His	Thr	Ser	Pro	Leu	Cys	Thr
1				5					10

<210> 303

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 303

Lys	Leu	His	Thr	Ser	Pro	Leu	Cys	Thr	Thr
1				5					10

<210> 304

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 304

Leu	His	Thr	Ser	Pro	Leu	Cys	Thr	Thr	Asn
1				5					10

- 105 -

<210> 305
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 305

His Thr Ser Pro Leu Cys Thr Thr Asn Thr
1 5 10

<210> 306
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 306

Thr Ser Pro Leu Cys Thr Thr Asn Thr Lys
1 5 10

<210> 307
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 307

Ser Pro Leu Cys Thr Thr Asn Thr Lys Glu
1 5 10

<210> 308
<211> 10
<212> PRT

- 106 -

<213> respiratory syncytial virus

<400> 308

Pro Leu Cys Thr Thr Asn Thr Lys Glu Gly
1 5 10

<210> 309

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 309

Leu Cys Thr Thr Asn Thr Lys Glu Gly Ser
1 5 10

<210> 310

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 310

Cys Thr Thr Asn Thr Lys Glu Gly Ser Asn
1 5 10

<210> 311

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 311

Thr Thr Asn Thr Lys Glu Gly Ser Asn Ile

- 107 -

1	5	10
---	---	----

<210> 312
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 312.

Thr	Asn	Thr	Lys	Glu	Gly	Ser	Asn	Ile	Cys
1				5					10

<210> 313
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 313

Asn	Thr	Lys	Glu	Gly	Ser	Asn	Ile	Cys	Leu
1				5					10

<210> 314
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 314

Thr	Lys	Glu	Gly	Ser	Asn	Ile	Cys	Leu	Thr
1				5					10

<210> 315
<211> 10

- 108 -

<212> PRT
<213> respiratory syncytial virus

<400> 315

Lys Glu Gly Ser Asn Ile Cys Leu Thr Arg
1 5 10

<210> 316
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 316

Glu Gly Ser Asn Ile Cys Leu Thr Arg Thr
1 5 10

<210> 317
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 317

Gly Ser Asn Ile Cys Leu Thr Arg Thr Asp
1 5 10

<210> 318
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 318

- 109 -

Ser Asn Ile Cys Leu Thr Arg Thr Asp Arg
1 5 10

<210> 319
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 319

Asn Ile Cys Leu Thr Arg Thr Asp Arg Gly
1 5 10

<210> 320
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 320

Ile Cys Leu Thr Arg Thr Asp Arg Gly Trp
1 5 10

<210> 321
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 321

Cys Leu Thr Arg Thr Asp Arg Gly Trp Tyr
1 5 10

<210> 322

- 110 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 322

Leu Thr Arg Thr Asp Arg Gly Trp Tyr Cys
1 5 10

<210> 323
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 323

Thr Arg Thr Asp Arg Gly Trp Tyr Cys Asp
1 5 10

<210> 324
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 324

Arg Thr Asp Arg Gly Trp Tyr Cys Asp Asn
1 5 10

<210> 325
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 325

- 111 -

Thr Asp Arg Gly Trp Tyr Cys Asp Asn Ala
1 5 10

<210> 326
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 326

Asp Arg Gly Trp Tyr Cys Asp Asn Ala Gly
1 5 10

<210> 327
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 327

Arg Gly Trp Tyr Cys Asp Asn Ala Gly Ser
1 5 10

<210> 328
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 328

Gly Trp Tyr Cys Asp Asn Ala Gly Ser Val
1 5 10

- 112 -

<210> 329
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 329

Trp Tyr Cys Asp Asn Ala Gly Ser Val Ser
1 5 10

<210> 330
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 330

Tyr Cys Asp Asn Ala Gly Ser Val Ser Phe
1 5 10

<210> 331
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 331

Cys Asp Asn Ala Gly Ser Val Ser Phe Phe
1 5 10

<210> 332
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 113 -

<400> 332

Asp Asn Ala Gly Ser Val Ser Phe Phe Pro
1 5 10

<210> 333

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 333

Asn Ala Gly Ser Val Ser Phe Phe Pro Gln
1 5 10

<210> 334

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 334

Ala Gly Ser Val Ser Phe Phe Pro Gln Ala
1 5 10

<210> 335

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 335

Gly Ser Val Ser Phe Phe Pro Gln Ala Glu
1 5 10

- 114 -

<210> 336
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 336

Ser	Val	Ser	Phe	Phe	Pro	Gln	Ala	Glu	Thr
1				5					10

<210> 337
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 337

Val	Ser	Phe	Phe	Pro	Gln	Ala	Glu	Thr	Cys
1				5					10

<210> 338
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 338

Ser	Phe	Phe	Pro	Gln	Ala	Glu	Thr	Cys	Lys
1				5					10

<210> 339
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 115 -

<400> 339

Phe	Phe	Pro	Gln	Ala	Glu	Thr	Cys	Lys	Val
1			5						10

<210> 340

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 340

Phe	Pro	Gln	Ala	Glu	Thr	Cys	Lys	Val	Gln
1			5						10

<210> 341

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 341

Pro	Gln	Ala	Glu	Thr	Cys	Lys	Val	Gln	Ser
1			5						10

<210> 342

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 342

Gln	Ala	Glu	Thr	Cys	Lys	Val	Gln	Ser	Asn
1			5						10

- 116 -

<210> 343
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 343

Ala Glu Thr Cys Lys Val Gln Ser Asn Arg
1 5 10

<210> 344
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 344

Glu Thr Cys Lys Val Gln Ser Asn Arg Val
1 5 10

<210> 345
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 345

Thr Cys Lys Val Gln Ser Asn Arg Val Phe
1 5 10

<210> 346
<211> 10
<212> PRT

- 117 -

<213> respiratory syncytial virus

<400> 346

Cys	Lys	Val	Gln	Ser	Asn	Arg	Val	Phe	Cys
1				5					10

<210> 347

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 347

Lys	Val	Gln	Ser	Asn	Arg	Val	Phe	Cys	Asp
1				5					10

<210> 348

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 348

Val	Gln	Ser	Asn	Arg	Val	Phe	Cys	Asp	Thr
1				5					10

<210> 349

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 349

Gln	Ser	Asn	Arg	Val	Phe	Cys	Asp	Thr	Met
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- 118 -

1 5 10

<210> 350
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 350

Ser Asn Arg Val Phe Cys Asp Thr Met Asn
1 5 10

<210> 351
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 351

Asn Arg Val Phe Cys Asp Thr Met Asn Ser
1 5 10

<210> 352
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 352

Arg Val Phe Cys Asp Thr Met Asn Ser Leu
1 5 10

<210> 353
<211> 10

- 119 -

<212> PRT

<213> respiratory syncytial virus

<400> 353

Val	Phe	Cys	Asp	Thr	Met	Asn	Ser	Leu	Thr
1				5					10

<210> 354

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 354

Phe	Cys	Asp	Thr	Met	Asn	Ser	Leu	Thr	Leu
1				5					10

<210> 355

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 355

Cys	Asp	Thr	Met	Asn	Ser	Leu	Thr	Leu	Pro
1				5					10

<210> 356

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 356

- 120 -

Asp Thr Met Asn Ser Leu Thr Leu Pro Ser
1 5 10

<210> 357

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 357

Thr Met Asn Ser Leu Thr Leu Pro Ser Glu
1 5 10

<210> 358

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 358

Met Asn Ser Leu Thr Leu Pro Ser Glu Val
1 5 10

<210> 359

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 359

Asn Ser Leu Thr Leu Pro Ser Glu Val Asn
1 5 10

<210> 360

- 121 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 360

Ser Leu Thr Leu Pro Ser Glu Val Asn Leu
1 5 10

<210> 361
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 361

Leu Thr Leu Pro Ser Glu Val Asn Leu Cys
1 5 10

<210> 362
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 362

Thr Leu Pro Ser Glu Val Asn Leu Cys Asn
1 5 10

<210> 363
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 363

- 122 -

Leu Pro Ser Glu Val Asn Leu Cys Asn Val
1 5 10

<210> 364
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 364

Pro Ser Glu Val Asn Leu Cys Asn Val Asp
1 5 10

<210> 365
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 365

Ser Glu Val Asn Leu Cys Asn Val Asp Ile
1 5 10

<210> 366
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 366

Glu Val Asn Leu Cys Asn Val Asp Ile Phe
1 5 10

- 123 -

<210> 367
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 367

Val Asn Leu Cys Asn Val Asp Ile Phe Asn
1 5 10

<210> 368
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 368

Asn Leu Cys Asn Val Asp Ile Phe Asn Pro
1 5 10

<210> 369
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 369

Leu Cys Asn Val Asp Ile Phe Asn Pro Lys
1 5 10

<210> 370
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 124 -

<400> 370

Cys Asn Val Asp Ile Phe Asn Pro Lys Tyr
1 5 10

<210> 371

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 371

Asn Val Asp Ile Phe Asn Pro Lys Tyr Asp
1 5 10

<210> 372

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 372

Val Asp Ile Phe Asn Pro Lys Tyr Asp Cys
1 5 10

<210> 373

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 373

Asp Ile Phe Asn Pro Lys Tyr Asp Cys Lys
1 5 10

- 125 -

<210> 374
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 374

Ile Phe Asn Pro Lys Tyr Asp Cys Lys Ile
1 5 10

<210> 375
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 375

Phe Asn Pro Lys Tyr Asp Cys Lys Ile Met
1 5 10

<210> 376
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 376

Asn Pro Lys Tyr Asp Cys Lys Ile Met Thr
1 5 10

<210> 377
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 126 -

<400> 377

Pro Lys Tyr Asp Cys Lys Ile Met Thr Ser
1 5 10

<210> 378

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 378

Lys Tyr Asp Cys Lys Ile Met Thr Ser Lys
1 5 10

<210> 379

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 379

Tyr Asp Cys Lys Ile Met Thr Ser Lys Thr
1 5 10

<210> 380

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 380

Asp Cys Lys Ile Met Thr Ser Lys Thr Asp
1 5 10

- 127 -

<210> 381
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 381

Cys Lys Ile Met Thr Ser Lys Thr Asp Val
1 5 10

<210> 382
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 382

Lys Ile Met Thr Ser Lys Thr Asp Val Ser
1 5 10

<210> 383
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 383

Ile Met Thr Ser Lys Thr Asp Val Ser Ser
1 5 10

<210> 384
<211> 10
<212> PRT

- 128 -

<213> respiratory syncytial virus

<400> 384

Met	Thr	Ser	Lys	Thr	Asp	Val	Ser	Ser	Ser
1				5					10

<210> 385

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 385

Thr	Ser	Lys	Thr	Asp	Val	Ser	Ser	Ser	Val
1				5					10

<210> 386

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 386

Ser	Lys	Thr	Asp	Val	Ser	Ser	Ser	Val	Ile
1				5					10

<210> 387

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 387

Lys	Thr	Asp	Val	Ser	Ser	Ser	Val	Ile	Thr
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- 129 -

1 5 10

<210> 388

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 388

Thr Asp Val Ser Ser Ser Val Ile Thr Ser

1 5 10

<210> 389

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 389

Asp Val Ser Ser Ser Val Ile Thr Ser Leu

1 5 10

<210> 390

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 390

Val Ser Ser Ser Val Ile Thr Ser Leu Gly

1 5 10

<210> 391

<211> 10

- 130 -

<212> PRT

<213> respiratory syncytial virus

<400> 391

Ser Ser Ser Val Ile Thr Ser Leu Gly Ala

1 5 10

<210> 392

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 392

Ser Ser Val Ile Thr Ser Leu Gly Ala Ile

1 5 10

<210> 393

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 393

Ser Val Ile Thr Ser Leu Gly Ala Ile Val

1 5 10

<210> 394

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 394

- 131 -

Val Ile Thr Ser Leu Gly Ala Ile Val Ser
1 5 10

<210> 395
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 395

Ile Thr Ser Leu Gly Ala Ile Val Ser Cys
1 5 10

<210> 396
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 396

Thr Ser Leu Gly Ala Ile Val Ser Cys Tyr
1 5 10

<210> 397
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 397

Ser Leu Gly Ala Ile Val Ser Cys Tyr Gly
1 5 10

<210> 398

- 132 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 398

Leu Gly Ala Ile Val Ser Cys Tyr Gly Lys
1 5 10

<210> 399
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 399

Gly Ala Ile Val Ser Cys Tyr Gly Lys Thr
1 5 10

<210> 400
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 400

Ala Ile Val Ser Cys Tyr Gly Lys Thr Lys
1 5 10

<210> 401
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 401

- 133 -

Ile Val Ser Cys Tyr Gly Lys Thr Lys Cys
1 5 10

<210> 402
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 402

Val Ser Cys Tyr Gly Lys Thr Lys Cys Thr
1 5 10

<210> 403
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 403

Ser Cys Tyr Gly Lys Thr Lys Cys Thr Ala
1 5 10

<210> 404
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 404

Cys Tyr Gly Lys Thr Lys Cys Thr Ala Ser
1 5 10

- 134 -

<210> 405
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 405

Tyr Gly Lys Thr Lys Cys Thr Ala Ser Asn
1 5 10

<210> 406
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 406

Gly Lys Thr Lys Cys Thr Ala Ser Asn Lys
1 5 10

<210> 407
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 407

Lys Thr Lys Cys Thr Ala Ser Asn Lys Asn
1 5 10

<210> 408
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 135 -

<400> 408

Thr	Lys	Cys	Thr	Ala	Ser	Asn	Lys	Asn	Arg
1					5				10

<210> 409

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 409

Lys	Cys	Thr	Ala	Ser	Asn	Lys	Asn	Arg	Gly
1					5				10

<210> 410

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 410

Cys	Thr	Ala	Ser	Asn	Lys	Asn	Arg	Gly	Ile
1					5				10

<210> 411

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 411

Thr	Ala	Ser	Asn	Lys	Asn	Arg	Gly	Ile	Ile
1					5				10

- 136 -

<210> 412
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 412

Ala Ser Asn Lys Asn Arg Gly Ile Ile Lys
1 5 10

<210> 413
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 413

Ser Asn Lys Asn Arg Gly Ile Ile Lys Thr
1 5 10

<210> 414
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 414

Asn Lys Asn Arg Gly Ile Ile Lys Thr Phe
1 5 10

<210> 415
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 137 -

<400> 415

Lys	Asn	Arg	Gly	Ile	Ile	Lys	Thr	Phe	Ser
1				5					10

<210> 416

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 416

Asn	Arg	Gly	Ile	Ile	Lys	Thr	Phe	Ser	Asn
1				5					10

<210> 417

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 417

Arg	Gly	Ile	Ile	Lys	Thr	Phe	Ser	Asn	Gly
1				5					10

<210> 418

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 418

Gly	Ile	Ile	Lys	Thr	Phe	Ser	Asn	Gly	Cys
1				5					10

- 138 -

<210> 419
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 419

Ile Ile Lys Thr Phe Ser Asn Gly Cys Asp
1 5 10

<210> 420
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 420

Ile Lys Thr Phe Ser Asn Gly Cys Asp Tyr
1 5 10

<210> 421
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 421

Lys Thr Phe Ser Asn Gly Cys Asp Tyr Val
1 5 10

<210> 422
<211> 10
<212> PRT

- 139 -

<213> respiratory syncytial virus

<400> 422

Thr	Phe	Ser	Asn	Gly	Cys	Asp	Tyr	Val	Ser
1				5					10

<210> 423

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 423

Phe	Ser	Asn	Gly	Cys	Asp	Tyr	Val	Ser	Asn
1				5					10

<210> 424

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 424

Ser	Asn	Gly	Cys	Asp	Tyr	Val	Ser	Asn	Lys
1				5					10

<210> 425

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 425

Asn	Gly	Cys	Asp	Tyr	Val	Ser	Asn	Lys	Gly
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- 140 -

1	5	10
---	---	----

<210> 426
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 426

Gly	Cys	Asp	Tyr	Val	Ser	Asn	Lys	Gly	Val
1				5				10	

<210> 427
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 427

Cys	Asp	Tyr	Val	Ser	Asn	Lys	Gly	Val	Asp
1				5				10	

<210> 428
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 428

Asp	Tyr	Val	Ser	Asn	Lys	Gly	Val	Asp	Thr
1				5				10	

<210> 429
<211> 10

- 141 -

<212> PRT

<213> respiratory syncytial virus

<400> 429

Tyr Val Ser Asn Lys Gly Val Asp Thr Val

1 5 10

<210> 430

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 430

Val Ser Asn Lys Gly Val Asp Thr Val Ser

1 5 10

<210> 431

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 431

Ser Asn Lys Gly Val Asp Thr Val Ser Val

1 5 10

<210> 432

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 432

- 142 -

Asn Lys Gly Val Asp Thr Val Ser Val Gly
1 5 10

<210> 433
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 433

Lys Gly Val Asp Thr Val Ser Val Gly Asn
1 5 10

<210> 434
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 434

Gly Val Asp Thr Val Ser Val Gly Asn Thr
1 5 10

<210> 435
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 435

Val Asp Thr Val Ser Val Gly Asn Thr Leu
1 5 10

<210> 436

- 143 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 436

Asp Thr Val Ser Val Gly Asn Thr Leu Tyr
1 5 10

<210> 437
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 437

Thr Val Ser Val Gly Asn Thr Leu Tyr Tyr
1 5 10

<210> 438
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 438

Val Ser Val Gly Asn Thr Leu Tyr Tyr Val
1 5 10

<210> 439
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 439

- 144 -

Ser Val Gly Asn Thr Leu Tyr Tyr Val Asn
1 5 10

<210> 440
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 440

Val Gly Asn Thr Leu Tyr Tyr Val Asn Lys
1 5 10

<210> 441
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 441

Gly Asn Thr Leu Tyr Tyr Val Asn Lys Gln
1 5 10

<210> 442
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 442

Asn Thr Leu Tyr Tyr Val Asn Lys Gln Glu
1 5 10

- 145 -

<210> 443
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 443

Thr Leu Tyr Tyr Val Asn Lys Gln Glu Gly
1 5 10

<210> 444
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 444

Leu Tyr Tyr Val Asn Lys Gln Glu Gly Lys
1 5 10

<210> 445
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 445

Tyr Tyr Val Asn Lys Gln Glu Gly Lys Ser
1 5 10

<210> 446
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 146 -

<400> 446

Tyr	Val	Asn	Lys	Gln	Glu	Gly	Lys	Ser	Leu
1				5					10

<210> 447

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 447

Val	Asn	Lys	Gln	Glu	Gly	Lys	Ser	Leu	Tyr
1				5					10

<210> 448

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 448

Asn	Lys	Gln	Glu	Gly	Lys	Ser	Leu	Tyr	Val
1				5					10

<210> 449

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 449

Lys	Gln	Glu	Gly	Lys	Ser	Leu	Tyr	Val	Lys
1				5					10

- 147 -

<210> 450
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 450

Gln Glu Gly Lys Ser Leu Tyr Val Lys Gly
1 5 10

<210> 451
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 451

Glu Gly Lys Ser Leu Tyr Val Lys Gly Glu
1 5 10

<210> 452
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 452

Gly Lys Ser Leu Tyr Val Lys Gly Glu Pro
1 5 10

<210> 453
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 148 -

<400> 453

Lys Ser Leu Tyr Val Lys Gly Glu Pro Ile
1 5 10

<210> 454

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 454

Ser Leu Tyr Val Lys Gly Glu Pro Ile Ile
1 5 10

<210> 455

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 455

Leu Tyr Val Lys Gly Glu Pro Ile Ile Asn
1 5 10

<210> 456

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 456

Tyr Val Lys Gly Glu Pro Ile Ile Asn Phe
1 5 10

- 149 -

<210> 457
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 457

Val Lys Gly Glu Pro Ile Ile Asn Phe Tyr
1 5 10

<210> 458
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 458

Lys Gly Glu Pro Ile Ile Asn Phe Tyr Asp
1 5 10

<210> 459
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 459

Gly Glu Pro Ile Ile Asn Phe Tyr Asp Pro
1 5 10

<210> 460
<211> 10
<212> PRT

- 150 -

<213> respiratory syncytial virus

<400> 460

Glu Pro Ile Ile Asn Phe Tyr Asp Pro Leu
1 5 10

<210> 461

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 461

Pro Ile Ile Asn Phe Tyr Asp Pro Leu Val
1 5 10

<210> 462

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 462

Ile Ile Asn Phe Tyr Asp Pro Leu Val Phe
1 5 10

<210> 463

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 463

Ile Asn Phe Tyr Asp Pro Leu Val Phe Pro

- 151 -

1 5 10

<210> 464
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 464

Asn Phe Tyr Asp Pro Leu Val Phe Pro Ser
1 5 10

<210> 465
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 465

Phe Tyr Asp Pro Leu Val Phe Pro Ser Asp
1 5 10

<210> 466
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 466

Tyr Asp Pro Leu Val Phe Pro Ser Asp Glu
1 5 10

<210> 467
<211> 10

- 152 -

<212> PRT

<213> respiratory syncytial virus

<400> 467

Asp Pro Leu Val Phe Pro Ser Asp Glu Phe

1 5 10

<210> 468

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 468

Pro Leu Val Phe Pro Ser Asp Glu Phe Asp

1 5 10

<210> 469

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 469

Leu Val Phe Pro Ser Asp Glu Phe Asp Ala

1 5 10

<210> 470

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 470

- 153 -

Val Phe Pro Ser Asp Glu Phe Asp Ala Ser
1 5 10

<210> 471
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 471

Phe Pro Ser Asp Glu Phe Asp Ala Ser Ile
1 5 10

<210> 472
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 472

Pro Ser Asp Glu Phe Asp Ala Ser Ile Ser
1 5 10

<210> 473
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 473

Ser Asp Glu Phe Asp Ala Ser Ile Ser Gln
1 5 10

<210> 474

- 154 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 474

Asp Glu Phe Asp Ala Ser Ile Ser Gln Val
1 5 10

<210> 475
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 475

Glu Phe Asp Ala Ser Ile Ser Gln Val Asn
1 5 10

<210> 476
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 476

Phe Asp Ala Ser Ile Ser Gln Val Asn Glu
1 5 10

<210> 477
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 477

- 155 -

Asp Ala Ser Ile Ser Gln Val Asn Glu Lys
1 5 10

<210> 478
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 478

Ala Ser Ile Ser Gln Val Asn Glu Lys Ile
1 5 10

<210> 479
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 479

Ser Ile Ser Gln Val Asn Glu Lys Ile Asn
1 5 10

<210> 480
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 480

Ile Ser Gln Val Asn Glu Lys Ile Asn Gln
1 5 10

- 156 -

<210> 481
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 481

Ser Gln Val Asn Glu Lys Ile Asn Gln Ser
1 5 10

<210> 482
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 482

Gln Val Asn Glu Lys Ile Asn Gln Ser Leu
1 5 10

<210> 483
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 483

Val Asn Glu Lys Ile Asn Gln Ser Leu Ala
1 5 10

<210> 484
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 157 -

<400> 484

Asn Glu Lys Ile Asn Gln Ser Leu Ala Phe
1 5 10

<210> 485

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 485

Glu Lys Ile Asn Gln Ser Leu Ala Phe Ile
1 5 10

<210> 486

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 486

Lys Ile Asn Gln Ser Leu Ala Phe Ile Arg
1 5 10

<210> 487

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 487

Ile Asn Gln Ser Leu Ala Phe Ile Arg Lys
1 5 10

- 158 -

<210> 488
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 488

Asn Gln Ser Leu Ala Phe Ile Arg Lys Ser
1 5 10

<210> 489
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 489

Gln Ser Leu Ala Phe Ile Arg Lys Ser Asp
1 5 10

<210> 490
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 490

Ser Leu Ala Phe Ile Arg Lys Ser Asp Glu
1 5 10

<210> 491
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 159 -

<400> 491

Leu Ala Phe Ile Arg Lys Ser Asp Glu Leu
1 5 10

<210> 492

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 492

Ala Phe Ile Arg Lys Ser Asp Glu Leu Leu
1 5 10

<210> 493

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 493

Phe Ile Arg Lys Ser Asp Glu Leu Leu His
1 5 10

<210> 494

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 494

Ile Arg Lys Ser Asp Glu Leu Leu His Asn
1 5 10

- 160 -

<210> 495
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 495

Arg Lys Ser Asp Glu Leu Leu His Asn Val
1 5 10

<210> 496
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 496

Lys Ser Asp Glu Leu Leu His Asn Val Asn
1 5 10

<210> 497
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 497

Ser Asp Glu Leu Leu His Asn Val Asn Ala
1 5 10

<210> 498
<211> 10
<212> PRT

- 161 -

<213> respiratory syncytial virus

<400> 498

Asp	Glu	Leu	Leu	His	Asn	Val	Asn	Ala	Gly
1				5					10

<210> 499

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 499

Glu	Leu	Leu	His	Asn	Val	Asn	Ala	Gly	Lys
1				5					10

<210> 500

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 500

Leu	Leu	His	Asn	Val	Asn	Ala	Gly	Lys	Ser
1				5					10

<210> 501

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 501

Leu	His	Asn	Val	Asn	Ala	Gly	Lys	Ser	Thr
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- 162 -

1 5 10

<210> 502
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 502

His Asn Val Asn Ala Gly Lys Ser Thr Thr
1 5 10

<210> 503
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 503

Asn Val Asn Ala Gly Lys Ser Thr Thr Asn
1 5 10

<210> 504
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 504

Val Asn Ala Gly Lys Ser Thr Thr Asn Ile
1 5 10

<210> 505
<211> 10

- 163 -

<212> PRT

<213> respiratory syncytial virus

<400> 505

Asn Ala Gly Lys Ser Thr Thr Asn Ile Met

1 5 10

<210> 506

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 506

Ala Gly Lys Ser Thr Thr Asn Ile Met Ile

1 5 10

<210> 507

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 507

Gly Lys Ser Thr Thr Asn Ile Met Ile Thr

1 5 10

<210> 508

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 508

- 164 -

Lys Ser Thr Thr Asn Ile Met Ile Thr Thr
1 5 10

<210> 509
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 509

Ser Thr Thr Asn Ile Met Ile Thr Thr Ile
1 5 10

<210> 510
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 510

Thr Thr Asn Ile Met Ile Thr Thr Ile Ile
1 5 10

<210> 511
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 511

Thr Asn Ile Met Ile Thr Thr Ile Ile Ile
1 5 10

<210> 512

- 165 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 512

Asn Ile Met Ile Thr Thr Ile Ile Ile Val
1 5 10

<210> 513
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 513

Ile Met Ile Thr Thr Ile Ile Ile Val Ile
1 5 10

<210> 514
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 514

Met Ile Thr Thr Ile Ile Ile Val Ile Ile
1 5 10

<210> 515
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 515

- 166 -

Ile Thr Thr Ile Ile Ile Val Ile Ile Val
1 5 10

<210> 516
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 516

Thr Thr Ile Ile Ile Val Ile Ile Val Ile
1 5 10

<210> 517
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 517

Thr Ile Ile Ile Val Ile Ile Val Ile Leu
1 5 10

<210> 518
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 518

Ile Ile Ile Val Ile Ile Val Ile Leu Leu
1 5 10

- 167 -

<210> 519
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 519

Ile Ile Val Ile Ile Val Ile Leu Leu Ser
1 5 10

<210> 520
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 520

Ile Val Ile Ile Val Ile Leu Leu Ser Leu
1 5 10

<210> 521
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 521

Val Ile Ile Val Ile Leu Leu Ser Leu Ile
1 5 10

<210> 522
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 168 -

<400> 522

Ile Ile Val Ile Leu Leu Ser Leu Ile Ala
1 5 10

<210> 523

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 523

Ile Val Ile Leu Leu Ser Leu Ile Ala Val
1 5 10

<210> 524

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 524

Val Ile Leu Leu Ser Leu Ile Ala Val Gly
1 5 10

<210> 525

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 525

Ile Leu Leu Ser Leu Ile Ala Val Gly Leu
1 5 10

- 169 -

<210> 526
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 526

Leu Leu Ser Leu Ile Ala Val Gly Leu Leu
1 5 10

<210> 527
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 527

Leu Ser Leu Ile Ala Val Gly Leu Leu Leu
1 5 10

<210> 528
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 528

Ser Leu Ile Ala Val Gly Leu Leu Leu Tyr
1 5 10

<210> 529
<211> 10
<212> PRT
<213> respiratory syncytial virus

- 170 -

<400> 529

Leu Ile Ala Val Gly Leu Leu Leu Tyr Cys
1 5 10

<210> 530

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 530

Ile Ala Val Gly Leu Leu Leu Tyr Cys Lys
1 5 10

<210> 531

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 531

Ala Val Gly Leu Leu Leu Tyr Cys Lys Ala
1 5 10

<210> 532

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 532

Val Gly Leu Leu Leu Tyr Cys Lys Ala Arg
1 5 10

- 171 -

<210> 533
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 533

Gly Leu Leu Leu Tyr Cys Lys Ala Arg Ser
1 5 10

<210> 534
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 534

Leu Leu Leu Tyr Cys Lys Ala Arg Ser Thr
1 5 10

<210> 535
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 535

Leu Leu Tyr Cys Lys Ala Arg Ser Thr Pro
1 5 10

<210> 536
<211> 10
<212> PRT

- 172 -

<213> respiratory syncytial virus

<400> 536

Leu	Tyr	Cys	Lys	Ala	Arg	Ser	Thr	Pro	Val
1				5					10

<210> 537

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 537

Tyr	Cys	Lys	Ala	Arg	Ser	Thr	Pro	Val	Thr
1				5					10

<210> 538

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 538

Cys	Lys	Ala	Arg	Ser	Thr	Pro	Val	Thr	Leu
1				5					10

<210> 539

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 539

Lys	Ala	Arg	Ser	Thr	Pro	Val	Thr	Leu	Ser
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

- 173 -

1 5 10

<210> 540
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 540

Ala Arg Ser Thr Pro Val Thr Leu Ser Lys
1 5 10

<210> 541
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 541

Arg Ser Thr Pro Val Thr Leu Ser Lys Asp
1 5 10

<210> 542
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 542

Ser Thr Pro Val Thr Leu Ser Lys Asp Gln
1 5 10

<210> 543
<211> 10

- 174 -

<212> PRT

<213> respiratory syncytial virus

<400> 543

Thr Pro Val Thr Leu Ser Lys Asp Gln Leu

1 5 10

<210> 544

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 544

Pro Val Thr Leu Ser Lys Asp Gln Leu Ser

1 5 10

<210> 545

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 545

Val Thr Leu Ser Lys Asp Gln Leu Ser Gly

1 5 10

<210> 546

<211> 10

<212> PRT

<213> respiratory syncytial virus

<400> 546

- 175 -

Thr Leu Ser Lys Asp Gln Leu Ser Gly Ile
1 5 10

<210> 547
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 547

Leu Ser Lys Asp Gln Leu Ser Gly Ile Asn
1 5 10

<210> 548
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 548

Ser Lys Asp Gln Leu Ser Gly Ile Asn Asn
1 5 10

<210> 549
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 549

Lys Asp Gln Leu Ser Gly Ile Asn Asn Ile
1 5 10

<210> 550

- 176 -

<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 550

Asp Gln Leu Ser Gly Ile Asn Asn Ile Ala
1 5 10

<210> 551
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 551

Gln Leu Ser Gly Ile Asn Asn Ile Ala Phe
1 5 10

<210> 552
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 552

Leu Ser Gly Ile Asn Asn Ile Ala Phe Ser
1 5 10

<210> 553
<211> 10
<212> PRT
<213> respiratory syncytial virus

<400> 553

- 177 -

Ser Gly Ile Asn Asn Ile Ala Phe Ser Asn
1 5 10

<210> 554
<211> 241
<212> PRT
<213> respiratory syncytial virus

<400> 554

Met Glu Lys Phe Ala Pro Glu Phe His Gly Glu Asp Ala Asn Asn Arg
1 5 10 15

Ala Thr Lys Phe Leu Glu Ser Ile Lys Gly Lys Phe Thr Ser Pro Lys
20 25 30

Asp Pro Lys Lys Lys Asp Ser Ile Ile Ser Val Asn Ser Ile Asp Ile
35 40 45

Glu Val Thr Lys Glu Ser Pro Ile Thr Ser Asn Ser Thr Ile Ile Asn
50 55 60

Pro Thr Asn Glu Thr Asp Asp Thr Ala Gly Asn Lys Pro Asn Tyr Gln
65 70 75 80

Arg Lys Pro Leu Val Ser Phe Lys Glu Asp Pro Thr Pro Ser Asp Asn
85 90 95

Pro Phe Ser Lys Leu Tyr Lys Glu Thr Ile Glu Thr Phe Asp Asn Asn
100 105 110

- 178 -

Glu Glu Glu Ser Ser Tyr Ser Tyr Glu Glu Ile Asn Asp Gln Thr Asn
115 120 125

Asp Asn Ile Thr Ala Arg Leu Asp Arg Ile Asp Glu Lys Leu Ser Glu
130 135 140

Ile Leu Gly Met Leu His Thr Leu Val Val Ala Ser Ala Gly Pro Thr
145 150 155 160

Ser Ala Arg Asp Gly Ile Arg Asp Ala Met Ile Gly Leu Arg Glu Glu
165 170 175

Met Ile Glu Lys Ile Arg Thr Glu Ala Leu Met Thr Asn Asp Arg Leu
180 185 190

Glu Ala Met Ala Arg Leu Arg Asn Glu Glu Ser Glu Lys Met Ala Lys
195 200 205

Asp Thr Ser Asp Glu Val Ser Leu Asn Pro Thr Ser Glu Lys Leu Asn
210 215 220

Asn Leu Leu Glu Gly Asn Asp Ser Asp Asn Asp Leu Ser Leu Glu Asp
225 230 235 240

Phe

- 179 -

<210> 555

<211> 726

<212> DNA

<213> respiratory syncytial virus

<400> 555

```

atggaaaagt ttgctcctga attccatgga gaagatgcaa acaacagggc tactaaattc      60
ctagaatcaa taaagggcaa attcacatca cccaagatc ccaagaaaa agatagtatc      120
atatctgtca actcaataga tatagaagta accaaagaaa gccctataac atcaaattca      180
actattatca acccaacaaa tgagacagat gatactgcag ggaacaagcc caattatcaa      240
agaaaacctc tagtaagttt caaagaagac cctacaccaa gtgataatcc cttttctaaa      300
ctatacaaag aaaccataga aacatttgat aacaatgaag aagaatccag ctattcatac      360
gaagaaataa atgatcagac aaacgataat ataacagcaa gattagatag gattgatgaa      420
aaattaagtg aaatactagg aatgcttcac acattagtag tggcaagtgc aggacctaca      480
tctgctcggg atggtataag agatgccatg attggtttaa gagaagaaat gatagaaaaa      540
atcagaactg aagcattaat gaccaatgac agattagaag ctatggcaag actcaggaat      600
gaggaaagtg aaaagatggc aaaagacaca tcagatgaag tgtctctcaa tccaacatca      660
gagaaattga acaacctatt ggaaggggaat gatagtgaca atgatctatc acttgaagat      720
ttctga                                           726

```

<210> 556

<211> 726

<212> DNA

<213> Artificial Sequence

- 180 -

<220>

<223> Optimised Sequence

<400> 556

```
atggagaagt tcgccccga gttccacggc gaggacgcca acaatcgggc caccaagttc      60
ctggagagca tcaagggcaa gttcaccagc cccaaggacc ccaagaaaaa ggacagcatc      120
atttccgtga acagcatcga catcgagggtg accaaggaga gcccacacac ctccaacagc      180
accatcatta accccaccaa cgagacagac gataccgccg gcaacaagcc caactaccag      240
cggaagcccc tgggtgagctt caaggaggac cccaccccta gcgacaacct cttcagcaag      300
ctgtacaagg agaccatcga gaccttcgac aacaatgagg aagagagctc ctacagctac      360
gaagagatca acgaccagac caacgacaac atcaccgccg ggctggacag aatcgacgag      420
aagctgagcg agatcctggg catgctgcac accctggtgg tcgccagcgc cggccccacc      480
agcggccggg acggcatcag agacgccatg atcggcctgc gggaggaaat gatcgagaag      540
atccggaccg aggccctgat gaccaacgac cggctggagg ctatggccag actgcggaac      600
gaggaaagcg agaagatggc caaggacacc agcgacgagg tgagcctgaa ccccaccagc      660
gagaagctga acaatctgct cgagggcaac gacagcgata acgacctgag cctggaggac      720
ttctga                                           726
```

<210> 557

<211> 391

<212> PRT

<213> respiratory syncytial virus

<400> 557

- 181 -

Met Ala Leu Ser Lys Val Lys Leu Asn Asp Thr Leu Asn Lys Asp Gln
1 5 10 15

Leu Leu Ser Ser Ser Lys Tyr Thr Ile Gln Arg Ser Thr Gly Asp Ser
20 25 30

Ile Asp Thr Pro Asn Tyr Asp Val Gln Lys His Ile Asn Lys Leu Cys
35 40 45

Gly Met Leu Leu Ile Thr Glu Asp Ala Asn His Lys Phe Thr Gly Leu
50 55 60

Ile Gly Met Leu Tyr Ala Met Ser Arg Leu Gly Arg Glu Asp Thr Ile
65 70 75 80

Lys Ile Leu Arg Asp Ala Gly Tyr His Val Lys Ala Asn Gly Val Asp
85 90 95

Val Thr Thr His Arg Gln Asp Ile Asn Gly Lys Glu Met Lys Phe Glu
100 105 110

Val Leu Thr Leu Ala Ser Leu Thr Thr Glu Ile Gln Ile Asn Ile Glu
115 120 125

Ile Glu Ser Arg Lys Ser Tyr Lys Lys Met Leu Lys Glu Met Gly Glu
130 135 140

Val Ala Pro Glu Tyr Arg His Asp Ser Pro Asp Cys Gly Met Ile Ile
145 150 155 160

- 182 -

Leu Cys Ile Ala Ala Leu Val Ile Thr Lys Leu Ala Ala Gly Asp Arg
165 170 175

Ser Gly Leu Thr Ala Val Ile Arg Arg Ala Asn Asn Val Leu Lys Asn
180 185 190

Glu Met Lys Arg Tyr Lys Gly Leu Leu Pro Lys Asp Ile Ala Asn Ser
195 200 205

Phe Tyr Glu Val Phe Glu Lys His Pro His Phe Ile Asp Val Phe Val
210 215 220

His Phe Gly Ile Ala Gln Ser Ser Thr Arg Gly Gly Ser Arg Val Glu
225 230 235 240

Gly Ile Phe Ala Gly Leu Phe Met Asn Ala Tyr Gly Ala Gly Gln Val
245 250 255

Met Leu Arg Trp Gly Val Leu Ala Lys Ser Val Lys Asn Ile Met Leu
260 265 270

Gly His Ala Ser Val Gln Ala Glu Met Glu Gln Val Val Glu Val Tyr
275 280 285

Glu Tyr Ala Gln Lys Leu Gly Gly Glu Ala Gly Phe Tyr His Ile Leu
290 295 300

- 183 -

Asn Asn Pro Lys Ala Ser Leu Leu Ser Leu Thr Gln Phe Pro His Phe
 305 310 315 320

Ser Ser Val Val Leu Gly Asn Ala Ala Gly Leu Gly Ile Met Gly Glu
 325 330 335

Tyr Arg Gly Thr Pro Arg Asn Gln Asp Leu Tyr Asp Ala Ala Lys Ala
 340 345 350

Tyr Ala Glu Gln Leu Lys Glu Asn Gly Val Ile Asn Tyr Ser Val Leu
 355 360 365

Asp Leu Thr Ala Glu Glu Leu Glu Ala Ile Lys His Gln Leu Asn Pro
 370 375 380

Lys Asp Asn Asp Val Glu Leu
 385 390

<210> 558

<211> 1176

<212> DNA

<213> respiratory syncytial virus

<400> 558

atggctctta gcaaagtcaa gttgaatgat acactcaaca aagatcaact tctgtcatcc 60

agcaaataca ccatccaacg gagcacagga gatagtattg atactoctaa ttatgatgtg 120

cagaaacaca tcaataagtt atgtggcatg ttattaatca cagaagatgc taatcataaa 180

ttcactgggt taataggtat gttatatgcg atgtctaggt taggaagaga agacaccata 240

- 184 -

aaaatactca gagatgcggg atatcatgta aaagcaaag gagtagatgt aacaacacat 300
cgtcaagaca ttaatggaaa agaaatgaaa tttgaagtgt taacattggc aagcttaaca 360
actgaaattc aaatcaacat tgagatagaa tctagaaaat cctacaaaaa aatgctaaaa 420
gaaatgggag aggtagctcc agaatacagg catgactctc ctgattgtgg gatgataata 480
ttatgtatag cagcattagt aataactaaa ttagcagcag gggacagatc tggctttaca 540
gccgtgatta ggagagctaa taatgtccta aaaaatgaaa tgaaacgtta caaaggctta 600
ctaccaagg acatagccaa cagcttctat gaagtgttg aaaaacatcc ccactttata 660
gatgtttttg ttcatttttg tatagcacia tcttctacca gaggtggcag tagagttgaa 720
gggatttttg caggattgtt tatgaatgcc tatgggtgcag ggcaagtgt gttacggtgg 780
ggagtcttag caaaatcagt taaaaatatt atgttaggac atgctagtgt gcaagcagaa 840
atggaacaag ttgttgaggt ttatgaatat gcccaaaaat tgggtggtga agcaggattc 900
taccatatat tgaacaaccc aaaagcatca ttattatctt tgactcaatt tcctcacttc 960
tccagtgtag tattaggcaa tctgtctggc ctaggcataa tgggagagta cagaggtaca 1020
ccgaggaatc aagatctata tgatgcagca aaggcatatg ctgaacaact caaagaaaat 1080
ggtgtgatta actacagtgt actagacttg acagcagaag aactagaggc tatcaaacat 1140
cagcttaatc caaaagataa tgatgtagag ctttga 1176

<210> 559

<211> 1176

<212> DNA

<213> Artificial Sequence

- 185 -

<220>

<223> Optimised Sequence

<400> 559

atggccctga gcaaggtgaa actcaacgac accctgaata aggatcagct cctgagctcc	60
tctaaatata ccatccagcg gagcaccggc gacagcattg atacccccaa ctacgacgtg	120
cagaagcaca tcaacaaact gtgcggcatg ctctgatca ccgaggacgc caaccacaag	180
ttcaccggcc tgatcgggat gctctacgcc atgagccggc tgggcagaga ggacaccatc	240
aagattctgc gggatgccg ctaccacgtg aaggccaacg gagtcgacgt gaccacacac	300
cggcaggata tcaacggcaa ggagatgaaa ttcgaagtgc tgaccctcgc cagcctgaca	360
accgagatcc agattaacat cgaaattgag tcccgaaga gctacaaaaa gatgctgaaa	420
gagatgggcg aagtggcccc cgagtaccgg caccacagcc ccgattgcgg catgatcatt	480
ctgtgtatcg ccgctctcgt gattaccaag ctggccgctg gcgaccggag cgggctgacc	540
gccgtgatca gacgggctaa caatgtgctg aagaacgaga tgaaacggta caagggcctc	600
ctgccccaaag acatcgccaa cagcttctac gaggtgtttg aaaagcacc ccatttcac	660
gacgtctttg tgcacttcgg cattgcccag agctccacca gaggcgggag ccgggtggag	720
ggcatcttcg ccgggctgtt tatgaacgct tacggcgccg ggcaggatgat gctgcggtgg	780
ggcgtcctcg ccaagagcgt gaaaaacatc atgctggggc acgccagcgt gcaggctgag	840
atggaacaag tggtcgaggt gtacgaatat gcccagaagc tgggcggaga ggctggcttc	900
taccacatcc tgaacaatcc caaggccagc ctctgtccc tcaccagtt tccccacttc	960
agctccgtcg tgctgggcaa cgccgctgga ctcgggatca tgggcgagta ccggggaacc	1020

- 186 -

cccagaaacc aggacctgta tgatgccgct aaggcatacg ccgagcagct gaaagaaaac 1080

ggcgtgatca attacagcgt gctggacctc accgccgagg aactggaggc tatcaagcac 1140

cagctcaacc ccaaagacaa tgatgtggag ctgtga 1176

<210> 560

<211> 64

<212> PRT

<213> respiratory syncytial virus

<400> 560

Met Glu Asn Thr Ser Ile Thr Ile Glu Phe Ser Ser Lys Phe Trp Pro
1 5 10 15

Tyr Phe Thr Leu Ile His Met Ile Thr Thr Ile Ile Ser Leu Leu Ile
20 25 30

Ile Ile Ser Ile Met Ile Ala Ile Leu Asn Lys Leu Cys Glu Tyr Asn
35 40 45

Val Phe His Asn Lys Thr Phe Glu Leu Pro Arg Ala Arg Val Asn Thr
50 55 60

<210> 561

<211> 195

<212> DNA

<213> respiratory syncytial virus

<400> 561

atggaaaata catccataac aatagaattc tcaagcaaatt tctggcctta ctttacacta 60

- 187 -

atacacatga tcacaacaat aatctctttg ctaatcataa tctccatcat gattgcaata 120
ctaaacaaac tttgtgaata taacgtattc cataacaaaa cctttgagtt accaagagct 180
cgagtcaaca catag 195

<210> 562
<211> 195
<212> DNA
<213> Artificial Sequence

<220>
<223> Optimised sequence

<400> 562
atggagaaca cctccatcac cattgagttc tcctccaagt tctggccata cttcaccctg 60
atccacatga tcaccacat catctccctg ctgatcatca tctccatcat gattgccatc 120
ctgaacaagc tttgtgagta caatgtcttc cacaacaaga cctttgagct gcccggggcc 180
cgggtgaaca cctga 195

<210> 563
<211> 6
<212> PRT
<213> respiratory syncytial virus

<400> 563

Lys Lys Arg Lys Arg Arg
1 5

<210> 564
<211> 4

- 188 -

<212> PRT

<213> respiratory syncytial virus

<400> 564

Arg Ala Arg Arg

1

<210> 565

<211> 575

<212> PRT

<213> Artificial Sequence

<220>

<223> RSV F Protein Variant

<220>

<221> MISC_FEATURE

<222> (575)..(575)

<223> Xaa is any nucleotide

<400> 565

Met Glu Leu Leu Ile Leu Lys Ala Asn Ala Ile Thr Thr Ile Leu Thr

1

5

10

15

Ala Val Thr Phe Cys Phe Ala Ser Gly Gln Asn Ile Thr Glu Glu Phe

20

25

30

Tyr Gln Ser Thr Cys Ser Ala Val Ser Lys Gly Tyr Leu Ser Ala Leu

35

40

45

Arg Thr Gly Trp Tyr Thr Ser Val Ile Thr Ile Glu Leu Ser Asn Ile

- 189 -

50

55

60

Lys Lys Asn Lys Cys Asn Gly Thr Asp Ala Lys Val Lys Leu Ile Lys
65 70 75 80

Gln Glu Leu Asp Lys Tyr Lys Asn Ala Val Thr Glu Leu Gln Leu Leu
85 90 95

Met Gln Ser Thr Gln Ala Thr Asn Asn Gly Gln Gly Arg Glu Leu Pro
100 105 110

Arg Phe Met Asn Tyr Thr Leu Asn Asn Ala Lys Lys Thr Asn Val Thr
115 120 125

Leu Ser Lys Lys Arg Lys Arg Arg Phe Leu Gly Phe Leu Leu Gly Val
130 135 140

Gly Ser Ala Ile Ala Ser Gly Val Ala Val Ser Lys Val Leu His Leu
145 150 155 160

Glu Gly Glu Val Asn Lys Ile Lys Ser Ala Leu Leu Ser Thr Asn Lys
165 170 175

Ala Val Val Ser Leu Ser Asn Gly Val Ser Val Leu Thr Ser Lys Val
180 185 190

Leu Asp Leu Lys Asn Tyr Ile Asp Lys Gln Leu Leu Pro Ile Val Asn
195 200 205

- 190 -

Lys Gln Ser Cys Ser Ile Ser Asn Ile Glu Thr Val Ile Glu Phe Gln
210 215 220

Gln Lys Asn Asn Arg Leu Leu Glu Ile Thr Arg Glu Phe Ser Val Asn
225 230 235 240

Ala Gly Val Thr Thr Pro Val Ser Thr Tyr Met Leu Thr Asn Ser Glu
245 250 255

Leu Leu Ser Leu Ile Asn Asp Met Pro Ile Thr Asn Asp Gln Lys Lys
260 265 270

Leu Met Ser Asn Asn Val Gln Ile Val Arg Gln Gln Ser Tyr Ser Ile
275 280 285

Met Ser Ile Ile Lys Glu Glu Val Leu Ala Tyr Val Val Gln Leu Pro
290 295 300

Leu Tyr Gly Val Ile Asp Thr Pro Cys Trp Lys Leu His Thr Ser Pro
305 310 315 320

Leu Cys Thr Thr Asn Thr Lys Glu Gly Ser Asn Ile Cys Leu Thr Arg
325 330 335

Thr Asp Arg Gly Trp Tyr Cys Asp Asn Ala Gly Ser Val Ser Phe Phe
340 345 350

Pro Gln Ala Glu Thr Cys Lys Val Gln Ser Asn Arg Val Phe Cys Asp

- 191 -

355

360

365

Thr Met Asn Ser Leu Thr Leu Pro Ser Glu Val Asn Leu Cys Asn Val
370 375 380

Asp Ile Phe Asn Pro Lys Tyr Asp Cys Lys Ile Met Thr Ser Lys Thr
385 390 395 400

Asp Val Ser Ser Ser Val Ile Thr Ser Leu Gly Ala Ile Val Ser Cys
405 410 415

Tyr Gly Lys Thr Lys Cys Thr Ala Ser Asn Lys Asn Arg Gly Ile Ile
420 425 430

Lys Thr Phe Ser Asn Gly Cys Asp Tyr Val Ser Asn Lys Gly Val Asp
435 440 445

Thr Val Ser Val Gly Asn Thr Leu Tyr Tyr Val Asn Lys Gln Glu Gly
450 455 460

Lys Ser Leu Tyr Val Lys Gly Glu Pro Ile Ile Asn Phe Tyr Asp Pro
465 470 475 480

Leu Val Phe Pro Ser Asp Glu Phe Asp Ala Ser Ile Ser Gln Val Asn
485 490 495

Glu Lys Ile Asn Gln Ser Leu Ala Phe Ile Arg Lys Ser Asp Glu Leu
500 505 510

- 192 -

Leu His Asn Val Asn Ala Gly Lys Ser Thr Thr Asn Ile Met Ile Thr
 515 520 525

Thr Ile Ile Ile Val Ile Ile Val Ile Leu Leu Ser Leu Ile Ala Val
 530 535 540

Gly Leu Leu Leu Tyr Cys Lys Ala Arg Ser Thr Pro Val Thr Leu Ser
 545 550 555 560

Lys Asp Gln Leu Ser Gly Ile Asn Asn Ile Ala Phe Ser Asn Xaa
 565 570 575

<210> 566

<211> 3450

<212> DNA

<213> Artificial Sequence

<220>

<223> RSV F Protein Variant

<400> 566

atggagctgc tgatcctgaa ggccaacgcc atcaccacca tcctgaccgc ggtgaccttc 60

tgcttcgcct ctggccagaa catcactgag gagttctacc tacctcgacg actaggactt 120

ccgggttcgg tagtggtggt aggactggcg cactggaag acgaagcgga gaccggtctt 180

gtagtgactc ctcaagatgg agagcacttg ttccgctgtg agcaagggtt acctgagcgc 240

cctgaggacc gggttggtaca ccagcgtgat caccatcgag ctgagcaaca tcaagaagaa 300

tctcgtgaac aaggcgacac tcgttccgga tggactcgcg ggactcctgg ccaaccatgt 360

- 193 -

ggtcgcacta gtggtagctc gactcgttgt agttcttctt caagtgaac ggcaccgacg 420

ccaaggtgaa gctgatcaag caagagctgg acaagtacaa gaacgccgtg accgagctgc 480

aactgctgat gcagtcgact gttcacgttg ccgtggctgc ggttcactt cgactagttc 540

gttctcgacc tgttcattgtt cttgcggcac tggctcgacg ttgacgacta cgtcagctga 600

caagccacca acaacggcca gggcagagag ctgccccgtt tcatgaacta caccctgaac 660

aacgccaaga agaccaacgt gaccctgtcc aagaagagga gttcgggtgt tgttgccggt 720

ccgtctctc gacggggcga agtacttgat gtgggacttg ttgcggttct tctggttgca 780

ctgggacagg ttcttctcct agcgccgctt cctgggcttc ctgctgggag tgggctccgc 840

cattgccagt ggcgtggccg tgtccaaggt gctgcacctg gagggcgagg tgaacaagat 900

tcgcggcgaa ggacccgaag gacgaccgc acccgaggcg gtaacggtca ccgcaccggc 960

acaggttcca cgacgtggac ctcccgtcc acttggttcta caagagtgcc ctgctgtcca 1020

ctaacaaggc cgtggtgagc ctgagcaacg gcgtgagtgt gctgactagc aaggtgctgg 1080

acctgaagaa ctacatcgac gttctcacgg gacgacaggt gattgttccg gcaccactcg 1140

gactcgttgc cgcactcaca cgactgatcg ttccacgacc tggacttctt gatgtagctg 1200

aagcaattgc tgcccatcgt gaacaagcag tctgtagca tctccaacat cgagactgtg 1260

atcgagttcc agcagaagaa caaccgcctg ctggaaatca ttcgttaacg acgggtagca 1320

cttggttcgtc aggacatcgt agaggttgta gctctgacac tagctcaagg tcgtcttctt 1380

gttggcggac gacctttagt cccgggagtt cagtgtgaac gctggcgtga ccactcctgt 1440

ctccacctac atgctgacca acagcgagct gctgagcctg atcaacgaca tgcccatcac 1500

- 194 -

gggccctcaa gtcacacttg cgaccgcact ggtgaggaca gaggtggatg tacgactggt 1560
tgtcgctcga cgactcggac tagttgctgt acgggtagtg caacgaccag aagaagctta 1620
tgtccaacaa cgtgcagatc gtgaggcagc agagctactc catcatgagc atcatcaagg 1680
aggaggtgct ggcctatgtg gttgctggtc ttcttcgaat acaggttggt gcacgtctag 1740
cactccgtcg tctcgatgag gtagtactcg tagtagttcc tcctccacga ccggatacac 1800
gtgcagctgc ccctgtacgg cgtcatcgat accccttgct ggaagctgca caccagcccc 1860
ctgtgcacca ccaacaccaa ggagggcagc aacatctgcc cacgtcgacg gggacatgcc 1920
gcagtagcta tggggaacga ccttcgacgt gtggtcgggg gacacgtggt ggttgtgggt 1980
cctcccgctg ttgtagacgg tgaccgggac cgaccgcggc tggtagctgtg acaacgctgg 2040
ctcggtgagc ttcttcctc aagctgaaac ctgcaaggctc cagagcaaca gagtgttctg 2100
actgggcctg gctggcgccg accatgacac tgttgcgacc gagccactcg aagaagggag 2160
ttcgactttg gacgttcag gtctcgttgt ctcaacagac tgacaccatg aactccctga 2220
ccctgccctc cgaggtgaac ctgtgcaacg tggatatctt caacoccaag tatgactgca 2280
agatcatgac ctccaagacc actgtggtac ttgagggact gggacgggag gctccacttg 2340
gacacgttgc acctatagaa gttgggggtc atactgacgt tctagtactg gaggttctgg 2400
gatgtctcga gctccgtgat caccagcctg ggcgccatcg tgcctgcta tggcaagacc 2460
aagtgcaccg ccagcaacaa gaaccggggc atcatcaaga ctacagagct cgaggcacta 2520
gtggtcggac ccgcggtagc acaggacgat accgttctgg ttcacgtggc ggtcgttggt 2580
cttggccccg tagtagttct ccttcagcaa tgggtgcgac tacgtttcga acaagggcgt 2640

- 195 -

ggacactgtg tccgtgggca acaccctgta ctacgtgaac aagcaagagg gcaagagcct 2700
ggaagtcgtt acccacgctg atgcaaagct tgttcccgca cctgtgacac aggcacccgt 2760
tgtgggacat gatgcacttg ttcgttctcc cgttctcgga gtatgtgaag ggcgagccca 2820
tcatcaactt ctacgacccc ctggtgttcc cctccgacga attcgacgcc tccattagcc 2880
aagtcaacga gaagatcaac catacacttc ccgctcgggt agtagttgaa gatgctgggg 2940
gaccacaagg ggaggctgct taagctgcgg aggtaatcgg ttcagttgct cttctagttg 3000
cagagcctgg cttcatccg caagtccgac gagctgctgc acaacgtcaa cgctggcaag 3060
agcaccacca acatcatgat caccaccatc atcatcgtga gtctcggacc ggaagtaggc 3120
gttcaggctg ctcgacgacg tgttgagtt ggcaccgttc tcgtggtggt tgtagtacta 3180
gtggtggtag tagtagcact tcatcgtgat cctgctgagc ctgatcgccg tgggcctgct 3240
gctgtactgc aaggcccga gactcccgt gaccctgagc aaggaccagc tgagcggcat 3300
agtagcacta ggacgactcg gactagcggc acccgacga cgacatgacg ttccgggcct 3360
cgtgagggca ctgggactcg ttcctggctg actcgccgta caacaacatc gccttcagca 3420
actgagttgt ttagcggaa gtcgttgact 3450

<210> 567

<211> 550

<212> PRT

<213> Artificial Sequence

<220>

<223> RSV F Protein Variant

<220>

- 196 -

<221> MISC_FEATURE

<222> (550)..(550)

<223> Xaa is any nucleotide

<400> 567

Met Glu Leu Leu Ile Leu Lys Ala Asn Ala Ile Thr Thr Ile Leu Thr
1 5 10 15

Ala Val Thr Phe Cys Phe Ala Ser Gly Gln Asn Ile Thr Glu Glu Phe
20 25 30

Tyr Gln Ser Thr Cys Ser Ala Val Ser Lys Gly Tyr Leu Ser Ala Leu
35 40 45

Arg Thr Gly Trp Tyr Thr Ser Val Ile Thr Ile Glu Leu Ser Asn Ile
50 55 60

Lys Lys Asn Lys Cys Asn Gly Thr Asp Ala Lys Val Lys Leu Ile Lys
65 70 75 80

Gln Glu Leu Asp Lys Tyr Lys Asn Ala Val Thr Glu Leu Gln Leu Leu
85 90 95

Met Gln Ser Thr Gln Ala Thr Asn Asn Lys Lys Arg Lys Arg Arg Phe
100 105 110

Leu Gly Phe Leu Leu Gly Val Gly Ser Ala Ile Ala Ser Gly Val Ala
115 120 125

- 197 -

Val Ser Lys Val Leu His Leu Glu Gly Glu Val Asn Lys Ile Lys Ser
130 135 140

Ala Leu Leu Ser Thr Asn Lys Ala Val Val Ser Leu Ser Asn Gly Val
145 150 155 160

Ser Val Leu Thr Ser Lys Val Leu Asp Leu Lys Asn Tyr Ile Asp Lys
165 170 175

Gln Leu Leu Pro Ile Val Asn Lys Gln Ser Cys Ser Ile Ser Asn Ile
180 185 190

Glu Thr Val Ile Glu Phe Gln Gln Lys Asn Asn Arg Leu Leu Glu Ile
195 200 205

Thr Arg Glu Phe Ser Val Asn Ala Gly Val Thr Thr Pro Val Ser Thr
210 215 220

Tyr Met Leu Thr Asn Ser Glu Leu Leu Ser Leu Ile Asn Asp Met Pro
225 230 235 240

Ile Thr Asn Asp Gln Lys Lys Leu Met Ser Asn Asn Val Gln Ile Val
245 250 255

Arg Gln Gln Ser Tyr Ser Ile Met Ser Ile Ile Lys Glu Glu Val Leu
260 265 270

Ala Tyr Val Val Gln Leu Pro Leu Tyr Gly Val Ile Asp Thr Pro Cys

- 198 -

275

280

285

Trp Lys Leu His Thr Ser Pro Leu Cys Thr Thr Asn Thr Lys Glu Gly
290 295 300

Ser Asn Ile Cys Leu Thr Arg Thr Asp Arg Gly Trp Tyr Cys Asp Asn
305 310 315 320

Ala Gly Ser Val Ser Phe Phe Pro Gln Ala Glu Thr Cys Lys Val Gln
325 330 335

Ser Asn Arg Val Phe Cys Asp Thr Met Asn Ser Leu Thr Leu Pro Ser
340 345 350

Glu Val Asn Leu Cys Asn Val Asp Ile Phe Asn Pro Lys Tyr Asp Cys
355 360 365

Lys Ile Met Thr Ser Lys Thr Asp Val Ser Ser Ser Val Ile Thr Ser
370 375 380

Leu Gly Ala Ile Val Ser Cys Tyr Gly Lys Thr Lys Cys Thr Ala Ser
385 390 395 400

Asn Lys Asn Arg Gly Ile Ile Lys Thr Phe Ser Asn Gly Cys Asp Tyr
405 410 415

Val Ser Asn Lys Gly Val Asp Thr Val Ser Val Gly Asn Thr Leu Tyr
420 425 430

- 199 -

Tyr Val Asn Lys Gln Glu Gly Lys Ser Leu Tyr Val Lys Gly Glu Pro
435 440 445

Ile Ile Asn Phe Tyr Asp Pro Leu Val Phe Pro Ser Asp Glu Phe Asp
450 455 460

Ala Ser Ile Ser Gln Val Asn Glu Lys Ile Asn Gln Ser Leu Ala Phe
465 470 475 480

Ile Arg Lys Ser Asp Glu Leu Leu His Asn Val Asn Ala Gly Lys Ser
485 490 495

Thr Thr Asn Ile Met Ile Thr Thr Ile Ile Ile Val Ile Ile Val Ile
500 505 510

Leu Leu Ser Leu Ile Ala Val Gly Leu Leu Leu Tyr Cys Lys Ala Arg
515 520 525

Ser Thr Pro Val Thr Leu Ser Lys Asp Gln Leu Ser Gly Ile Asn Asn
530 535 540

Ile Ala Phe Ser Asn Xaa
545 550

<210> 568
<211> 3299
<212> DNA
<213> Artificial Sequence

- 200 -

<220>

<223> RSV F Protein Variant

<400> 568

atggagctgc tgatcctgaa ggccaacgcc atcaccacca tcctgaccgc ggtgaccttc	60
tgcttcgcct ctggccagaa catcactgag gagttctacc tacctcgacg actaggactt	120
ccggttgcg tagtggtggt aggactggcg ccaactggaag acgaagcgga gaccggtctt	180
gtagtgactc ctcaagatgg agagcacttg ttccgctgtg agcaagggct acctgagcgc	240
cctgaggacc ggttggtaca ccagcgtgat caccatcgag ctgagcaaca tcaagaagaa	300
tctcgtgaac aaggcgacac tcgttcccg tggactcgcg ggactcctgg ccaaccatgt	360
ggtcgacta gtggtagctc gactcgttgt agttcttctt caagtgaac ggcaccgacg	420
ccaagtgaa gctgatcaag caagagctgg acaagtacaa gaacgccgtg accgagctgc	480
aactgctgat gcagtcgact gttcacgttg ccgtggctgc ggttcactt cgactagttc	540
gttctcgacc tgttcatgtt cttgcggcac tggctcgacg ttgacgacta cgtcagctga	600
caagccacca acaacaagaa gaggaagcgc cgcttcctgg gcttcctgct gggcgtgggc	660
tccgccattg ccagtggcgt ggcctgtcc aagggtgtgc gttcgggtgt tggtgttctt	720
ctccttcgcg gcgaaggacc cgaaggacga cccgcacccg aggcggtaac ggtcaccgca	780
ccggcacagg ttccacgacg acctggaggg cgaggtgaac aagatcaaga gtgccctgct	840
gtccactaac aaggccgtgg tgagcctgag caacggcgtg agtgtgctga ctagcaaggt	900
tggacctccc gctccacttg ttctagttct cacgggacga caggtgattg ttccggcacc	960
actcggactc gttgccgcac tcacacgact gatcgttcca gctggacctg aagaactaca	1020

- 201 -

tcgacaagca attgctgccc atcgtgaaca agcagtcctg tagcatctcc aacatcgaga 1080
ctgtgatcga gttccagcag cgacctggac ttcttgatgt agctgttcgt taacgacggg 1140
tagcacttgt tcgtcaggac atcgtagagg ttgtagctct gacactagct caaggtcgtc 1200
aagaacaacc gctgctgga aatcaaccgg gagttcagtg tgaacgctgg cgtgaccact 1260
cctgtctcca cctacatgct gaccaacagc gagctgctga ttcttggttg cggacgaact 1320
ttagtgggccc ctcaagtcac acttgcgacc gactgggtga ggacagaggt ggatgtacga 1380
ctggttgctg ctgcagcact gcctgatcaa cgacatgccc atcaccaacg accagaagaa 1440
gcttatgtcc aacaacgtgc agatcgtgag gcagcagagc tactccatca tgagcatcat 1500
cggactagtt gctgtacggg tagtggttgc tgggtcttctt cgaatacagg ttgttgacag 1560
tctagcactc cgctgtctcg atgaggtagt actcgtagta caaggaggag gtgctggcct 1620
atgtggtgca gctgcccctg tacggcgctc tcgatacccc ttgctggaag ctgcacacca 1680
gccccctgtg caccaccaac gttcctctc cagcaccgga tacaccacgt cgacggggac 1740
atgccgcagt agctatgggg aacgaccttc gacgtgtggt cgggggacac gtggtggttg 1800
accaaggagg gcagcaacat ctgcctgacc cggaccgacc gcggctggta ctgtgacaac 1860
gctggctcgg tgagcttctt ccctcaagct gaaacctgca tggttcctcc cgtcgttgta 1920
gacggactgg gcctggctgg cgccgaccat gacactgttg cgaccgagcc actcgaagaa 1980
gggagttcga ctttgacgt aggtccagag caacagagtg ttctgtgaca ccatgaactc 2040
cctgaccctg ccctccgagg tgaacctgtg caacgtggat atcttcaacc ccaagtatga 2100
tccaggtctc gttgtctcac aagacactgt ggtacttgag ggactgggac gggaggctcc 2160

- 202 -

acttgacac gttgcaccta tagaagttgg gggtcatact ctgcaagatc atgacctcca 2220
agaccgatgt ctcgagctcc gtgatcacca gcctgggcgc catcgtgtcc tgctatggca 2280
agaccaagtg caccgccagc gacgttctag tactggaggt tctggctaca gagctcgagg 2340
cactagtggg cggaaccgcg gtagcacagg acgataccgt tctgggtcac gtggcggtcg 2400
aacaagaacc ggggcatcat caagacctc agcaatgggt gcgactacgt ttgaacaag 2460
ggcgtggaca ctgtgtccgt gggcaacacc ctgtactacg ttgttcttgg ccccgtagta 2520
gttctggaag tcgttaccca cgctgatgca aagcttggtc ccgcacctgt gacacaggca 2580
cccgttgtgg gacatgatgc tgaacaagca agagggaag agcctgtatg tgaagggcga 2640
gcccatcacc aacttctacg acccctgggt gttccctcc gacgaattcg acgctccat 2700
acttgttcgt tctcccggtc tcggacatac acttcccgtc cgggtagtag ttgaagatgc 2760
tgggggacca caaggggagg ctgcttaagc tgcgaggta tagccaagtc aacgagaaga 2820
tcaaccagag cctggccttc atccgcaagt ccgacgagct gctgcacaac gtcaacgctg 2880
gcaagagcac caccaacatc atcggttcag ttgctcttct agttggtctc ggaccggaag 2940
taggcgttca ggctgctcga cgacgtgttg cagttgcgac cgttctcgtg gtggtttag 3000
atgatcacca ccatcatcat cgtgatcacc gtgatcctgc tgagcctgat cgccgtgggc 3060
ctgctgctgt actgcaaggc ccggagcact cccgtgacct tactagtggg ggtagtagta 3120
gcactagtag cactaggacg actcggacta gcggcaccgc gacgacgaca tgacgttccg 3180
ggcctcgtga gggcactggg tgagcaagga ccagctgagc ggcacacaac acatcgctt 3240
cagcaactga actcgttctt ggtcgactcg ccgtagttgt tgtagcggaa tcgttgact 3299

- 203 -

<210> 569
 <211> 25
 <212> PRT
 <213> respiratory syncytial virus

<400> 569

Arg	Ala	Arg	Arg	Glu	Leu	Pro	Arg	Phe	Met	Asn	Tyr	Thr	Leu	Asn	Asn
1				5					10				15		

Ala	Lys	Lys	Thr	Asn	Val	Thr	Leu	Ser
			20				25	

<210> 570
 <211> 6
 <212> DNA
 <213> respiratory syncytial virus

<400> 570
 aataaa 6

<210> 571
 <211> 1725
 <212> DNA
 <213> respiratory syncytial virus

<400> 571

atggagttgc taatcctcaa agcaaagca attaccacaa tcctcactgc agtcacattt	60
tgttttgctt ctggtcaaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt	120
agcaaaggct atcttagtgc tctgagaact gggttggtata ccagtgttat aactatagaa	180
ttaagtaata tcaagaaaaa taagtgtaat ggaacagatg ctaaggtaaa attgataaaa	240

- 204 -

caagaattag ataaatataa aaatgctgta acagaattgc agttgctcat gcaaagcaca 300
caagcaacaa acaatcgagc cagaagagaa ctaccaaggt ttatgaatta tacactcaac 360
aatgccaaaa aaaccaatgt aacattaagc aagaaaagga aaagaagatt tcttggtttt 420
ttgttaggtg ttggatctgc aatcgccagt ggcgttgctg tatctaaggt cctgcaccta 480
gaaggggaag tgaacaagat caaaagtgtc ctactatcca caaacaaggc tgtagtcagc 540
ttatcaaatg gagttagtgt cttaccagc aaagtgttag acctcaaaaa ctatatagat 600
aaacaattgt tacctattgt gaacaagcaa agctgcagca tatcaaatat agaaactgtg 660
atagagttcc aacaaaagaa caacagacta ctagagatta ccagggaatt tagtgттаат 720
gcaggtgtaa ctacacctgt aagcacttac atgttaacta atagtgaatt attgtcatta 780
atcaatgata tgcctataac aaatgatcag aaaaagttaa tgtccaacaa tgttcaaata 840
gttagacagc aaagttactc tatcatgtcc ataataaaaag aggaagtctt agcatatgta 900
gtacaattac cactatatgg tgttatagat acaccctgtt ggaaactaca cacatcccct 960
ctatgtacaa ccaacacaaa agaagggtcc aacatctgtt taacaagaac tgacagagga 1020
tggtactgtg acaatgcagg atcagtatct ttcttcccac aagctgaaac atgtaaagtt 1080
caatcaaatc gagtattttg tgacacaatg aacagtttaa cattaccaag tgaagtaaат 1140
ctctgcaatg ttgacatatt caaccccaaa tatgattgta aaattatgac ttcaaaaaca 1200
gatgtaagca gctccgttat cacatctcta ggagccattg tgatcatgcta tggcaaaact 1260
aaatgtacag catccaataa aaatcgtgga atcataaaga cattttctaa cgggtgcgat 1320
tatgtatcaa ataaaggggt ggacactgtg tctgtaggta acacattata ttatgtaaат 1380

- 205 -

aagcaagaag gtaaaagtct ctatgtaaaa ggtgaaccaa taataaatTT ctatgaccca 1440
ttagtattcc cctctgatga atttgatgca tcaatatctc aagtcaacga gaagattaac 1500
cagagcctag catttattcg taaatccgat gaattattac ataatgtaaa tgctggtaaa 1560
tccaccacaa atatcatgat aactactata attatagtga ttatagtaat attgttatca 1620
ttaattgctg ttggactgct cttatactgt aaggccagaa gcacaccagt cacactaagc 1680
aaagatcaac tgagtggat aaataatatt gcatttagta actaa 1725

<210> 572

<211> 1726

<212> DNA

<213> Artificial Sequence

<220>

<223> RSV F Protein Variant

<400> 572

atggagttgc taatcctcaa agcaaagtca attaccacaa tctcactgc agtcacattt 60
tgttttgctt ctggtcaaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt 120
agcaaaggct atcttagtgc tctgagaact ggttggtata ccagtgttat aaccatagaa 180
ctaagtaata tcaagaaaaa taagtgtaat ggaacagatg ccaaggtaaa attgataaaa 240
caagaattag ataaatataa aaatgctgta acagaattgc agttgctcat gaaagcaca 300
caagcaacaa acaatcgagc cagaagagaa ctaccaaggt ttatgaatta tacactcaac 360
aatgccaaaa aaaccaatgt aacattaagc aagaaaagga aaagaagatt tcttggtttt 420
ttgttaggtg ttggatctgc aatcgccagt ggcgttgctg tatctaaggt cctgcaccta 480

- 206 -

gaaggggaag tgaacaagat caaaagtgt ctactatcca caaacaaggc tgtagtcagc 540
ttatcaaagtg gagttagtgt cttaaccagc aaagtgttag acctcaaaaa ctatatagat 600
aaacaattgt tacctattgt gaacaagcaa agctgcagca tatcaaatat agaaactgtg 660
atagagttcc aacaaaagaa caacagacta ctagagatta ccagggaatt tagtgттаат 720
gcagggtgtaa ctacacctgt aagcacttac atgttaacta atagtgaatt attgtcatta 780
atcaatgata tgcctataac aaatgatcag aaaaagttaa tgtccaacaa tgttcaaata 840
gttagacagc aaagttactc tatcatgtcc ataataaaag aggaagtctt agcatatgta 900
gtacaattac cactatatgg tgttatagat acaccctgtt ggaaactaca cacatcccct 960
ctatgtacaa ccaacacaaa agaagggtcc aacatctgtt taacaagaac tgacagagga 1020
tggtactgtg acaatgcagg atcagtatct ttcttccac aagctgaaac atgtaaagtt 1080
caatcaaagc gagtatattg tgacacaatg aacagtttaa cattaccaag tgaagtaaат 1140
ctctgcaatg ttgacatatt caaccccaaa tatgattgta aaattatgac ttcaaaaaca 1200
gatgtaagca gctccgttat cacatctcta ggagccattg tgtcatgcta tggcaaaact 1260
aaatgtacag catccaataa aaatcgtgga atcataaaga cattttctaa cgggtgcgat 1320
tatgtatcaa ataaaggggt ggacactgtg tctgtaggta acacattata ttatgtaaат 1380
aagcaagaag gtaaaagtct ctatgtaaaa ggtgaaccaa taataaattt ctatgaccca 1440
ttagtattcc cctctgatga atttgatgca tcaatatctc aagtcaacga gaagattaac 1500
cagagcctag catttattcg taaatccgat gaattattac ataatgtaaa tgctggtaaa 1560
tccaccacaa atatcatgat aactactata attatagtga ttatagtaat attgttatca 1620

- 207 -

ttaattgctg ttggactggc tcttatactg taaggccaga agcacaccag tcacactaag 1680

caaagatcaa ctgagtggta taaataatat tgcatttagt aactaa 1726

<210> 573

<211> 1722

<212> DNA

<213> Consensus Sequence

<400> 573

atggagttgc taatcctcaa agcaaagca attaccacaa tcctcactgc agtcacattt 60

tgttttgctt ctggcaaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt 120

agcaaaggct atcttagtgc tctgagaact gggttggtata ccagtgttat aacatagaat 180

aagtaatatc aagaaaaata agtgtaatgg aacagatgca aggtaaaatt gataaaacaa 240

gaattagata aatataaaaa tgctgtaaca gaattgcagt tgctcatgca aagcacacaa 300

gcaacaaaca atcgagccag aagagaacta ccaagggtta tgaattatac actcaacaat 360

gccaaaaaaa ccaatgtaac attaagcaag aaaaggaaaa gaagatttct tggttttttg 420

ttaggtgttg gatctgcaat cgccagtggc gttgctgtat ctaaggctct gcacctagaa 480

ggggaagtga acaagatcaa aagtgtctta ctatccacaa acaaggctgt agtcagctta 540

tcaaatggag ttagtgtctt aaccagcaaa gtgtagacc tcaaaaacta tatagataaa 600

caattgttac ctatttgtaa caagcaaagc tgcagcatat caaatataga aactgtgata 660

gagttccaac aaaagaacaa cagactacta gagattacca gggaatttag tgttaatgca 720

ggtgtaacta cacctgtaag cacttacatg ttaactaata gtgaattatt gtcattaatc 780

- 208 -

.aatgatatgc ctataacaaa tgatcagaaa aagttaatgt ccaacaatgt tcaaatagtt 840
agacagcaaa gttactctat catgtccata ataaaagagg aagtcttagc atatgtagta 900
caattaccac tatatggtgt tatagataca ccctgttggg aactacacac atccccctcta 960
tgtacaacca acacaaaaga aggggtccaac atctgtttta caagaactga cagaggatgg 1020
tactgtgaca atgcaggatc agtatctttc ttcccacaag ctgaaacatg taaagttcaa 1080
tcaaatcgag tattttgtga cacaatgaac agtttaacat taccaagtga agtaaattctc 1140
tgcaatgttg acatattcaa ccccaaatat gattgtaaaa ttatgacttc aaaaacagat 1200
gtaagcagct ccgttatcac atctctagga gccatttgtt catgctatgg caaaactaaa 1260
tgtacagcat ccaataaaaa tcgtggaatc ataaagacat tttctaacgg gtgcgattat 1320
gtatcaaata aaggggtgga cactgtgtct gtaggtaaca cattatatta tgtaaataag 1380
caagaaggta aaagtctcta tgtaaaagggt gaaccaataa taaatttcta tgaccatta 1440
gtattcccct ctgatgaatt tgatgcatca atatctcaag tcaacgagaa gattaaccag 1500
agcctagcat ttattcgtaa atccgatgaa ttattacata atgtaaattgc tggtaaattcc 1560
accacaaata tcatgataac tactataatt atagtatta tagtaatatt gttatcatta 1620
attgctgttg gactgctctt atactgtaag gccagaagca caccagtcac actaagcaaa 1680
gatcaactga gtggtataaa taatattgca tttagtaact aa 1722

<210> 574

<211> 23

<212> DNA

<213> Synthetic

- 209 -

<400> 574

ctgcagtcac cgtccttgac acc

23

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU01/01517

A. CLASSIFICATION OF SUBJECT MATTER																						
Int. Cl. ⁷ : C07K 14/08, 14/115, 14/135, 16/10; A61K 38/16, 39/155; A61P 11/00; C12N 15/45, 15/40; C12Q 1/68; G01N 1/68;																						
According to International Patent Classification (IPC) or to both national classification and IPC																						
B. FIELDS SEARCHED																						
Minimum documentation searched (classification system followed by classification symbols)																						
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched																						
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) PubMed, keywords: F protein, fusion, RSV, respiratory syncytial virus, Paramyxoviridae, Pneunovirus and similar terms; STN file Medline: fusion, RSV, and sequences RARR, KKRKRR; Espase, keywords, f protein, expression; ANGIS: seq id's 3, 4, 5, 6, 556, 559, 562																						
C. DOCUMENTS CONSIDERED TO BE RELEVANT																						
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.																				
X Y	EP 780475 B1 (SCHWEIZ SERUM- & IMPFINSTITUT) 25 June 1997 see whole document	1 - 14 1 - 25, 56 - 59																				
X, Y	WO 99/02694 A1 (THE UNIVERSITY OF QUEENSLAND) 21 January 1999 see whole document	1 - 25, 56 - 59																				
X, Y	WO 96/09378 A1 (THE GENERAL HOSPITAL CORPORATION) 28 March 1996 see whole document	1 - 25, 56 - 59																				
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C <input checked="" type="checkbox"/> See patent family annex																						
<p>* Special categories of cited documents:</p> <table border="0"> <tr> <td>"A"</td> <td>document defining the general state of the art which is not considered to be of particular relevance</td> <td>"T"</td> <td>later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</td> </tr> <tr> <td>"E"</td> <td>earlier application or patent but published on or after the international filing date</td> <td>"X"</td> <td>document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</td> </tr> <tr> <td>"L"</td> <td>document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</td> <td>"Y"</td> <td>document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</td> </tr> <tr> <td>"O"</td> <td>document referring to an oral disclosure, use, exhibition or other means</td> <td>"&"</td> <td>document member of the same patent family</td> </tr> <tr> <td>"P"</td> <td>document published prior to the international filing date but later than the priority date claimed</td> <td></td> <td></td> </tr> </table>			"A"	document defining the general state of the art which is not considered to be of particular relevance	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention	"E"	earlier application or patent but published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone	"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art	"O"	document referring to an oral disclosure, use, exhibition or other means	"&"	document member of the same patent family	"P"	document published prior to the international filing date but later than the priority date claimed		
"A"	document defining the general state of the art which is not considered to be of particular relevance	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention																			
"E"	earlier application or patent but published on or after the international filing date	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone																			
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art																			
"O"	document referring to an oral disclosure, use, exhibition or other means	"&"	document member of the same patent family																			
"P"	document published prior to the international filing date but later than the priority date claimed																					
Date of the actual completion of the international search 24 January 2002		Date of mailing of the international search report 19 FEB 2002																				
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustralia.gov.au Facsimile No. (02) 6285 3929		Authorized officer DAVID GRIFFITHS Telephone No : (02) 6283 2628																				

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU01/01517

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 4,619,942 A (TIDWELL, <i>et al.</i>) 28 October 1986 col. 1, line 61 - col. 2, line 16	26
X	WO 99/62932 A2 (VANDERBILT UNIVERSITY) 9 December 1999 page 12 line 15 to page 14 line 11	41, 62, 75, 79
X	SAKURAI, Hiroshi <i>et al.</i> , "Human Antibody Responses to Mature and Immature Forms of Viral Envelope in Respiratory Syncytial Virus Infection: Significance for Subunit Vaccines", Journal of Virology, Vol. 73, No. 4, April 1999, pp. 2956 - 2962 see whole document	41, 62, 75, 79
X	LI, Xiaomao <i>et al.</i> , "Protection against Respiratory Syncytial Virus Infection by DNA Immunization", J. Exp. Med., Vol 188, No. 4, 17 August 1998, pp. 681 - 688 see whole document	41, 62, 75, 79
X	LOPEZ, Juan A. <i>et al.</i> , "Antigenic Structure of Human Respiratory Syncytial Virus Fusion Protein", Journal of Virology, Vol. 72, No. 8, August 1998, pp. 6922-6928 see whole document	41, 62, 75, 79
P, X	ZIMMER, G. <i>et al.</i> , "Proteolytic Activation of Respiratory Syncytial Virus Fusion Protein". Journal of Biological Chemistry, Vol. 276, No. 34, pp. 31642-31650 see whole document	44 - 49

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU01/01517

Box I Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos :
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos : 1 - 41 (in part), 42, 43, 44 - 79 (in part)
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
The breadth of the claims is such that a full, meaningful search is not possible on economic grounds. The search was therefore confined largely to the optimisation of expression in eukaryotes by replacing less-preferred codons by more preferred codons. A keyword search was done to cover the other claimed aspects but due to the breadth of the claims this cannot be regarded as complete. It was not technically feasible to search claims 42 and 43.
3. ☐ Claims Nos :
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a)

Box II Observations where unity of invention is lacking (Continuation of item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

See supplemental sheet

- ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims
2. ☒ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU01/01517

Supplemental Box

(To be used when the space in any of Boxes I to VIII is not sufficient)

The following separate inventions have been identified:

- (i) a method of facilitating the production of viral protein (*e.g.* claim 1)
- (ii) a method of regulating the functional activity of viral F protein (*e.g.* claim 26)
- (iii) a method of detecting an agent capable of regulating the functional activity of viral F protein (*e.g.* claim 34)
- (iv) an agent capable of regulating the functional activity of viral F protein (*e.g.* claim 41)
- (v) a viral F protein variant (*e.g.* claim 44)
- (vi) a recombinant viral protein construct optimised for expression in a eukaryote (*e.g.* claim 60).

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.
PCT/AU01/01517

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report				Patent Family Member			
EP	780475	AU	68208/96	CA	2228956	EP	846181
		WO	9706270				
WO	99/02694	AU	81999/98	EP	1002091		
WO	96/09378	AU	35099/95	CA	2200342	EP	781329
		TR	960230	US	5786464	ZA	9507846
		US	5795737	CA	2231394	EP	851868
		WO	9711086				
US	4619942	US	4324794	US	4397863		
WO	99/62932	US	6315810	US	6299827	DE	19723599
		EP	882679	JP	11005069		
END OF ANNEX							